

PARTS LIST

HIGH SPEED SEQUIN DEVICE

Table of Contents

● REEL L-SIDE.....	SP5-1L
● REEL R-SIDE.....	SP5-1R
● W-REEL L-SIDE.....	SP5-2L
● W-REEL R-SIDE.....	SP5-2R
● UP/DOWN UNIT L-SIDE.....	SP5-3L
● UP/DOWN UNIT R-SIDE.....	SP5-3R
● SEQUIN FEED L-SIDE.....	SP5-4L
● SEQUIN FEED R-SIDE.....	SP5-4R
● PRESSER FOOT.....	SP5-5
● FRONT COVER (TFGN).....	SP5-6
● FRONT COVER (TFGN-C).....	SP5-7
● FRONT COVER (TFMX).....	SP5-8
● FRONT COVER (TFMX-C, -II, -IIC).....	SP5-9
● FRONT COVER (TFKN).....	SP5-10
● FRONT COVER (TEMX-C MULTI HEAD M/C).....	SP5-11
● AIR PIPING.....	SP5-12a
● AIR PIPING (TFMX-C SINGLE HEAD M/C).....	SP5-12b
● AIR PIPING (TEJTII-C).....	SP5-12c
● AIR PIPING (TEMX-C SINGLE HEAD M/C).....	SP5-12d
● ELECTRICAL PARTS.....	SP5-13

*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.

*When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.

Ex.	TFGN-920	(450 x 330)S	No.01234
	[Model]	[Emb. Space]	[Mfg. No.]




REEL L-SIDE

SP5-1L

No.	Part Name	Part No.	Remark
1	TAPER SPRING :0.7MM DIA.	507707030020	Excluding 15-Needle
2	HOLDER :TAPER SPRING	0L0430390020	
3	FELT :SEQUIN REEL	0L0410090000	
4	SEQUIN REEL	0L0410140000	
5	SCREW WITH PIN :SEQUIN REEL	0L0430400020	
6	STOPPER :SEQUIN REEL	0L0430410030	
7	BASE :SEQUIN :UPPER L/UPPER R[S]	0L043123@S00	
8	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
9	POSITIONING BLOCK :SEQUIN BASE	0L0410050000	
10	TORSION SPRING :L :0.8MM DIA.	0L043038L010	
11	SCREW WITH PIN :NO.2 :M4-12	513204020010	
12	E-RING :4MM DIA.	611100070000	
13	ARM :TENSION ROLLER[S]	0L0430420S10	
14	SCREW WITH PIN :NO.4 :M4-27	513404010010	
15	FLAT PULLEY :10MM DIA.	501907010000	
16	CLIP STOPPER RING :4	615200050000	
17	DAMPER RING :4MM DIA.	080320410000	
18	PLASTIC BUSHING :NO.1 :5MM DIA./B	9A2204300000	
19	GUIDE PLATE :L/R	0L041008@010	
20	LEVER :STOPPER :L/R[A]	9A22039@0A20	
21	SCREW WITH PIN :NO.4 :M4-31.5	513404020020	
22	STUD :NO.1 :M4-8.5	9A2203800000	
23	SPRING PIN :2*6W	611400130000	
24	E-RING :7MM DIA.	611100100000	
25	DAMPER RING :4MM DIA.	080320410000	
26	STUD :NO.2 :SM11/64-2	505271020040	
26	STUD :NO.2 :SM11/64-6	505271030010	15-Needle
27	SCREW BUSHING :NO.2 :SM11/64	509871010010	
28	HOLDER :ROLLER	0L0430510010	
29	NYLON CLAMP :KN-06N	644100140000	
30	TUBE :CORRUGATED :7MM DIA. :700MM	644200060000	
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)




REEL R-SIDE

SP5-1R

No.	Part Name	Part No.	Remark
1	TAPER SPRING :0.7MM DIA.	507707030020	Excluding 15-Needle
2	HOLDER :TAPER SPRING	0L0430390020	
3	FELT :SEQUIN REEL	0L0410090000	
4	SEQUIN REEL	0L0410140000	
5	SCREW WITH PIN :SEQUIN REEL	0L0430400020	
6	STOPPER :SEQUIN REEL	0L0430410030	
7	BASE :SEQUIN :UPPER L/UPPER R[S]	0L043123@S00	
8	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
9	POSITIONING BLOCK :SEQUIN BASE	0L0410050000	
10	TORSION SPRING :R :0.8MM DIA.	0L043038R010	
11	SCREW WITH PIN :NO.2 :M4-12	513204020010	
12	E-RING :4MM DIA.	611100070000	
13	ARM :TENSION ROLLER[S]	0L0430420S10	
14	SCREW WITH PIN :NO.4 :M4-27	513404010010	
15	FLAT PULLEY :10MM DIA.	501907010000	
16	CLIP STOPPER RING :4	615200050000	
17	DAMPER RING :4MM DIA.	080320410000	
18	PLASTIC BUSHING :NO.1 :5MM DIA./B	9A2204300000	
19	GUIDE PLATE :L/R	0L041008@010	
20	LEVER :STOPPER :L/R[A]	9A22039@0A20	
21	SCREW WITH PIN :NO.4 :M4-31.5	513404020020	
22	STUD :NO.1 :M4-8.5	9A2203800000	
23	SPRING PIN :2*6W	611400130000	
24	E-RING :7MM DIA.	611100100000	
25	DAMPER RING :4MM DIA.	080320410000	
26	STUD :NO.2 :SM11/64-2	505271020040	
26	STUD :NO.2 :SM11/64-6	505271030010	15-Needle
27	SCREW BUSHING :NO.2 :SM11/64	509871010010	
28	HOLDER :ROLLER	0L0430510010	
29	NYLON CLAMP :KN-06N	644100140000	
30	TUBE :CORRUGATED :7MM DIA. :700MM	644200060000	
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)




W-REEL L-SIDE

SP5-2L

No.	Part Name	Part No.	Remark
1	BASE :SEQUIN :UPPER L/UPPER R[S]	0L043123@S10	
2	SCREW WITH PIN :SEQUIN REEL[S]	0L0431400S10	
3	SCREW WITH PIN :SEQUIN REEL	0L0431400100	
4	SPRING PIN :2*6W	611400130000	
5	STOPPER :SEQUIN REEL	0L0430410030	
6	COLLAR :NO.1 :10MM DIA.	502510030000	3mm Dia.
7	FELT :SEQUIN REEL	0L0410090000	
8	SEQUIN REEL	0L0410140000	
9	HOLDER :TAPER SPRING	0L0430390020	
10	TAPER SPRING :0.7MM DIA.	507707030020	Excluding 15-Needle
11	TORSION SPRING :L :0.8MM DIA.	0L043038L010	
12	SCREW WITH PIN :NO.2 :M4-12	513204020010	
13	E-RING :4MM DIA.	611100070000	
14	ARM :TENSION ROLLER[S]	0L0430420S10	
15	DAMPER RING :4MM DIA.	080320410000	
16	SCREW WITH PIN :NO.4 :M4-45	513404050000	
17	CLIP STOPPER RING :4	615200050000	
18	FLAT PULLEY :10MM DIA.	501907010000	
19	HOLDER :ROLLER	0L0430510010	
20	SCREW WITH PIN :NO.4 :M4-48.5	513404040000	
21	SCREW WITH PIN :NO.4 :M4-28.5	513404060000	
22	HOLDER :SEQUIN	0L0431390000	
23	AUXILIARY PLATE :POSITIONING	510200310000	
24	NYLON CLAMP :KN-06N	644100140000	
25	TUBE :CORRUGATED :7MM DIA. :700MM	644200060000	
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)




W-REEL R-SIDE

SP5-2R

No.	Part Name	Part No.	Remark
1	BASE :SEQUIN :UPPER L/UPPER R[S]	0L043123@S10	
2	SCREW WITH PIN :SEQUIN REEL[S]	0L0431400S10	
3	SCREW WITH PIN :SEQUIN REEL	0L0431400100	
4	SPRING PIN :2*6W	611400130000	
5	STOPPER :SEQUIN REEL	0L0430410030	
6	COLLAR :NO.1 :10MM DIA.	502510030000	3mm Dia.
7	FELT :SEQUIN REEL	0L0410090000	
8	SEQUIN REEL	0L0410140000	
9	HOLDER :TAPER SPRING	0L0430390020	
10	TAPER SPRING :0.7MM DIA.	507707030020	Excluding 15-Needle
11	TORSION SPRING :R :0.8MM DIA.	0L043038R010	
12	SCREW WITH PIN :NO.2 :M4-12	513204020010	
13	E-RING :4MM DIA.	611100070000	
14	ARM :TENSION ROLLER[S]	0L0430420S10	
15	DAMPER RING :4MM DIA.	080320410000	
16	SCREW WITH PIN :NO.4 :M4-45	513404050000	
17	CLIP STOPPER RING :4	615200050000	
18	FLAT PULLEY :10MM DIA.	501907010000	
19	HOLDER :ROLLER	0L0430510010	
20	SCREW WITH PIN :NO.4 :M4-48.5	513404040000	
21	SCREW WITH PIN :NO.4 :M4-28.5	513404060000	
22	HOLDER :SEQUIN	0L0431390000	
23	AUXILIARY PLATE :POSITIONING	510200310000	
24	NYLON CLAMP :KN-06N	644100140000	
25	TUBE :CORRUGATED :7MM DIA. :700MM	644200060000	
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)



UP/DOWN UNIT L-SIDE

SP5-3L

No.	Part Name	Part No.	Remark
1	CYLINDER :CJ2B10-75	673100410000	
2	BRACKET :CYLINDER :L/R	9A22032@0010	
3	COLLAR :NO.1 :4MM DIA.	502540010010	
4	BENT PLATE :SLIDER :L/R[S]	9A22034@0S10	
5	STOPPER COLLAR :8MM DIA.	502108020010	
6	COMPRESSION SPRING :0.7MM DIA.	080650120000	
7	STRAIGHT PIN :NO.1 :8MM DIA.	503101470000	
8	COMPRESSION SPRING :0.8MM DIA.	507608050010	
9	PLAIN WASHER :4.5*16*T0.1-T0.8	51910609@000	
10	BASE :CYLINDER :L/R[S]	9A22036@0S20	
11	HOLDER :8MM DIA. SHAFT	9A2203300000	
12	FLAT FILLISTER HEAD SCREW :9/64*5	511153020000	
13	SCREW WITH PIN	0L0410160000	
14	CONNECTING ROD :A	0L0430620000	
15	BASE :SEQUIN	0L0430120010	
15	BASE :SEQUIN	0L0431410000	TEJTII-C, TEMX-C(Single Head)
16	LEVER :SEQUIN	0L0431030010	
17	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105100010	
18	HOLDER :MOTOR WIRE	0L0431240010	
19	STEPPED SCREW :NO.1 :9/64*5	512153090010	
20	CONNECTING PLATE :SEQUIN FEED ARM	0L0430290010	
21	ARM :SEQUIN FEED LEVER	0L0430270020	
22	AUXILIARY PLATE :POSITIONING	510200310000	
23	GUIDE :SEQUIN BASE	0L0430430000	
24	BRACKET :SEQUIN BASE LOWER :L/R	0L043120@000	
25	SCREW BUSHING :NO.2 :SM11/64	509871010010	
26	SPACER :ASSEMBLY BASE :15-NEEDLE	0L0431180000	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)




UP/DOWN UNIT R-SIDE

SP5-3R

No.	Part Name	Part No.	Remark
1	CYLINDER :CJ2B10-75	673100410000	
2	BRACKET :CYLINDER :L/R	9A22032@0010	
3	COLLAR :NO.1 :4MM DIA.	502540010010	
4	BENT PLATE :SLIDER :L/R[S]	9A22034@0S10	
5	STOPPER COLLAR :8MM DIA.	502108020010	
6	COMPRESSION SPRING :0.7MM DIA.	080650120000	
7	STRAIGHT PIN :NO.1 :8MM DIA.	503101470000	
8	COMPRESSION SPRING :0.8MM DIA.	507608050010	
9	PLAIN WASHER :4.5*16*T0.1-T0.8	51910609@000	
10	BASE :CYLINDER :L/R[S]	9A22036@0S20	
11	HOLDER :8MM DIA. SHAFT	9A2203300000	
12	FLAT FILLISTER HEAD SCREW :9/64*5	511153020000	
13	SCREW WITH PIN	0L0410160000	
14	CONNECTING ROD :A	0L0430620000	
15	BASE :SEQUIN	0L0430120010	
15	BASE :SEQUIN	0L0431410000	TEJTII-C, TEMX-C(Single Head)
16	LEVER :SEQUIN	0L0431030010	
17	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105100010	
18	HOLDER :MOTOR WIRE	0L0431240010	
19	STEPPED SCREW :NO.1 :9/64*5	512153090010	
20	CONNECTING PLATE :SEQUIN FEED ARM	0L0430290010	
21	ARM :SEQUIN FEED LEVER	0L0430270020	
22	AUXILIARY PLATE :POSITIONING	510200310000	
23	GUIDE :SEQUIN BASE	0L0430430000	
24	BRACKET :SEQUIN BASE LOWER :L/R	0L043120@000	
25	SCREW BUSHING :NO.2 :SM11/64	509871010010	
26	SPACER :ASSEMBLY BASE :15-NEEDLE	0L0431180000	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)




SEQUIN FEED L-SIDE

SP5-4L

No.	Part Name	Part No.	Remark
1	BASE :SEQUIN :LOWER :L/R	0L043122@020	
2	BEARING :SSLF1280ZZ	631600070000	
3	FLANGE PIN :NO.5	0L0430230010	
4	TORSION SPRING :L/R :0.9MM DIA.	0L043028@020	
5	STOPPER :SEQUIN	0L0430220030	
6	PRESSER :SEQUIN :L/R	0L043136@000	
7	TORSION SPRING :L/R :0.35MM DIA.	0L043156@000	
8	HOLDER :SEQUIN PRESSER :L/R	0L043026@020	
9	CLIP STOPPER RING :3	615200040000	
10	STEPPED SCREW :NO.1 :9/64*7	512153010010	
11	LEVER :SEQUIN	0L0430160010	
12	SEQUIN FEED	0L0430500070	
13	STRAIGHT PIN :NO.2 :5MM DIA.	503102170000	
14	TORSION SPRING :L/R :0.5MM DIA.	0L043024@030	
15	TORSION SPRING :MOVABLE KNIFE :L/R	50730824@000	
16	HOLDER :SPRING	0L0430130020	
17	HOLDER :MOVABLE KNIFE	0L0431680000	
18	MOVABLE KNIFE :SEQUIN :L/R[S]	0L043167@s10	
19	FIXED KNIFE :SEQUIN :L/R	0L043092@050	
20	PLATE SPRING :SEQUIN :T0.3	0L0430940010	
21	BASE :SEQUIN GUIDE	0L0430440010	
22	GUIDE :SEQUIN :A :L/R :5MM	0L043045@020	
22	GUIDE :SEQUIN :A :L/R :7MM	0L043046@020	
22	GUIDE :SEQUIN :A :L/R :9MM	0L043047@020	
22	GUIDE :SEQUIN :A :L/R :4MM	0L043056@020	
23	PLATE SPRING :SEQUIN :W3	0L0431540020	
24	GUIDE :SEQUIN :L/R :3MM	0L043133@030	
25	ELLIPSE WASHER :3.2*2.8*T1.2	519704010000	
26	WASHER :SEQUIN :T0.5	0L0431000010	
27	STOPPER :MOVABLE KNIFE	0L0431690000	
28	SUPER LOW HEAD SCREW :M3*4.5	511H03020000	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)




SEQUIN FEED R-SIDE

SP5-4R


No.	Part Name	Part No.	Remark
1	BASE :SEQUIN :LOWER :L/R	0L043122@000	
2	BEARING :SSLF1280ZZ	631600070000	
3	FLANGE PIN :NO.5	0L0430230010	
4	TORSION SPRING :L/R :0.9MM DIA.	0L043028@020	
5	STOPPER :SEQUIN	0L0430220030	
6	PRESSER :SEQUIN :L/R	0L043136@000	
7	TORSION SPRING :L/R :0.35MM DIA.	0L043156@000	
8	HOLDER :SEQUIN PRESSER :L/R	0L043026@020	
9	CLIP STOPPER RING :3	615200040000	
10	STEPPED SCREW :NO.1 :9/64*7	512153010010	
11	LEVER :SEQUIN	0L0430160010	
12	SEQUIN FEED	0L0430500070	
13	STRAIGHT PIN :NO.2 :5MM DIA.	503102170000	
14	TORSION SPRING :L/R :0.5MM DIA.	0L043024@030	
15	TORSION SPRING :MOVABLE KNIFE :L/R	50730824@000	
16	HOLDER :SPRING	0L0430130020	
17	HOLDER :MOVABLE KNIFE	0L0431680000	
18	MOVABLE KNIFE :SEQUIN :L/R[S]	0L043167@s10	
19	FIXED KNIFE :SEQUIN :L/R	0L043092@050	
20	PLATE SPRING :SEQUIN :T0.3	0L0430940010	
21	BASE :SEQUIN GUIDE	0L0430440010	
22	GUIDE :SEQUIN :A :L/R :5MM	0L043045@020	
22	GUIDE :SEQUIN :A :L/R :7MM	0L043046@020	
22	GUIDE :SEQUIN :A :L/R :9MM	0L043047@020	
22	GUIDE :SEQUIN :A :L/R :4MM	0L043056@020	
23	PLATE SPRING :SEQUIN :W3	0L0431540020	
24	GUIDE :SEQUIN :L/R :3MM	0L043133@030	
25	ELLIPSE WASHER :3.2*2.8*T1.2	519704010000	
26	WASHER :SEQUIN :T0.5	0L0431000010	
27	STOPPER :MOVABLE KNIFE	0L0431690000	
28	SUPER LOW HEAD SCREW :M3*4.5	511H03020000	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)



TEJTII-C ,TEMX-C Single Head M/C



PRESSER FOOT

SP5-5


No.	Part Name	Part No.	Remark
1	LAMP COVER :TENSION BASE	0C0250050000	
2	BRACKET :LED BASE[S]	0L0430830S20	
3	SEQUIN THREAD BREAKAGE INDICATOR LED	0J7101000000	
4	PAN HEAD TAPPING SCREW :3P*12	S560031201SD	
5	CLIP :FLAT CABLE	644500180000	
6	LOWER THREAD GUIDE[S]	0L043142@S00	
7	THREAD GUIDE COLLAR :1.8MM DIA.	516503010010	
8	TENSION SPRING :NO.2 :0.6MM DIA.	507506040020	6-Needle
8	TENSION SPRING :NO.2 :0.6MM DIA.	507506010020	9-Needle
8	TENSION SPRING :NO.2 :0.6MM DIA.	507506020020	12-Needle
8	TENSION SPRING :NO.2 :0.6MM DIA.	507506030030	15-Needle
9	LOWER THREAD GUIDE[A]	0L043142@A00	
10	PRESSER :SPRING[S]	090220050S00	
11	BASE :PRESSER FOOT	090460090010	
12	PRESSER FOOT :SEQUIN :3-4MM DIA.	090460130000	
13	PRESSER FOOT :SEQUIN :5MM OR MORE DIA.	090460140000	
14	PRESSER FOOT :CAP	090460081000	
15	SPLIT COLLAR :PRESSER FOOT	090460040030	
16	NEEDLE CATCHER :SEQUIN	0L0430570030	
17	SLOTTED HEAD SET SCREW :11/64*6B	511754010010	
18	PRESSER FOOT :SEQUIN :3-4MM DIA.[A]	090460120A00	TLMX-mix, TCMX-mix
18	PRESSER FOOT :SEQUIN[A]	0L0430890A10	TLMX-mix, TCMX-mix :5mm Dia. or more
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(NV04)

FRONT COVER (TFGN)


LR SPEC.



L SPEC.



R SPEC.



FRONT COVER (TFGN)

SP5-6


No.	Part Name	Part No.	Remark
1	HEAD L COVER :NO.1 :SEQUIN :L90/PL	170120062010	
2	BRACKET :FRONT COVER :C	0L0430980020	
3	BRACKET :FRONT COVER :B :L/R	0L043097@020	
4	FRONT COVER :NO.1/PLR	17045@@@4010	
5	TENSION BASE CORD COVER :SEQUIN :R	0L043171@000	
6	FRONT COVER :NO.1/PL	17045@@@5010	
7	FRONT COVER :NO.1/PR	17045@@@6010	
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(NV04)

FRONT COVER (TFGN-C)


LR SPEC.



L SPEC.



R SPEC.



FRONT COVER (TFGN-C)

SP5-7


No.	Part Name	Part No.	Remark
1	HEAD L COVER :NO.1 :SEQUIN :L90/PL	170120062010	
2	BRACKET :FRONT COVER :C	0L0430980020	
3	BRACKET :FRONT COVER :A :L/R[S]	0L043090@S20	
4	BASE :START/STOP/PLR	17134@@@1010	
5	FRONT COVER :NO.2/PLR	17046@@@4010	
6	BRACKET :FRONT COVER :B :L/R	0L043097@020	
7	FRONT COVER :NO.1/PLR	17045@@@4010	
8	TENSION BASE CORD COVER :SEQUIN :R	0L043171@000	
9	BASE :START/STOP/PL	17134@@@2010	
10	FRONT COVER :NO.2/PL	17046@@@5010	
11	FRONT COVER :NO.1/PL	17045@@@5010	
12	FRONT COVER :NO.2/PR	17046@@@6010	
13	FRONT COVER :NO.1/PR	17045@@@6010	
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(NV04)

FRONT COVER (TFMX)


LR SPEC.



L SPEC.



R SPEC.



FRONT COVER (TFMX)

SP5-8


No.	Part Name	Part No.	Remark
1	HEAD L COVER :NO.1 :SEQUIN :L90/PL	170120062010	
2	BRACKET :FRONT COVER :C	0L0430980020	
3	BRACKET :FRONT COVER :B :L/R	0L043097@020	
4	FRONT COVER :NO.1/PLR	17045@@@4010	
5	FRONT COVER :NO.1 :1ST/PLR	17101@@@1010	1st Head
6	FRONT COVER :NO.1/PL	17045@@@5010	
7	FRONT COVER :NO.1 :1ST/PL	17101@@@2010	1st Head
8	FRONT COVER :NO.1/PR	17045@@@6010	
9	FRONT COVER :NO.1 :1ST/PR	17101@@@3010	1st Head
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(NV04)

FRONT COVER (TFMX-C, -II, -IIC)


LR SPEC.



L SPEC.




R SPEC.



A

In case of LR spec. with start/stop switch equipped between the first and second heads




A

B


B

In case of L-spec. with start/stop switch equipped between the first and second heads



C

In case of R-spec. with start/stop switch equipped between the first and second heads



FRONT COVER (TFMX-C, -II, -IIC)


SP5-9

No.	Part Name	Part No.	Remark
1	HEAD L COVER :NO.1 :SEQUIN :L90/PL	170120062010	
2	BRACKET :FRONT COVER :C	0L0430980020	
3	BRACKET :FRONT COVER :A :L/R[S]	0L043090@S20	
4	BASE :START/STOP/PLR	17134@@@1010	
5	FRONT COVER :NO.2/PLR	17046@@@4010	TFMX-C, TFMX-IIC
6	BRACKET :FRONT COVER :B :L/R	0L043097@020	
7	FRONT COVER :NO.1/PLR	17045@@@4010	
8	FRONT COVER :NO.1 :1ST/PLR	17101@@@1010	
9	FRONT COVER :NO.2 :1ST/PLR	17102@@@1010	TFMX-C, TFMX-IIC
10	BASE :START/STOP/PL	17134@@@2010	
11	FRONT COVER :NO.2/PL	17046@@@5010	TFMX-C, TFMX-IIC
12	FRONT COVER :NO.1/PL	17045@@@5010	
13	FRONT COVER :NO.1 :1ST/PL	17101@@@2010	
14	FRONT COVER :NO.2 :1ST/PL	17102@@@2010	TFMX-C, TFMX-IIC
15	FRONT COVER :NO.2/PR	17046@@@6010	TFMX-C, TFMX-IIC
16	FRONT COVER :NO.1/PR	17045@@@6010	
17	FRONT COVER :NO.1 :1ST/PR	17101@@@3010	
18	FRONT COVER :NO.2 :1ST/PR	17102@@@3010	TFMX-C, TFMX-IIC
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)

FRONT COVER (TFKN)



FRONT COVER (TFKN)

SP5-10

No.	Part Name	Part No.	Remark
1	HEAD L COVER :NO.1 :L90/PL	170120072020	
2	BRACKET :FRONT COVER :C	0L0430980020	
3	BRACKET :FRONT COVER :B :L/R	0L043097@020	
4	FRONT COVER :NO.1/PLR	17042@@@1010	
5	TENSION BASE CORD COVER :SEQUIN :R	0L043149@000	
6	FRONT COVER :NO.1/PL	17042@@@2010	
7	FRONT COVER :NO.1/PR	17042@@@3020	
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			


Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)



FRONT COVER (TEMX-C MULTI HEAD M/C) *SP5-11*


No.	Part Name	Part No.	Remark
1	HEAD L COVER :NO.1 :SEQUIN :L90/PL	170120062010	
2	BRACKET :FRONT COVER :C	0L0431620000	
3	BRACKET :FRONT COVER :D :L/R[S]	0L043163@S00	
4	BASE :EMERGENCY STOP SWITCH/PLR	17146@@@0000	
5	FRONT COVER :NO.3/PLR	17077@@@0000	
6	BRACKET :FRONT COVER :B :L/R	0L043161@000	
7	FRONT COVER :NO.1/PLR	17045@@@4010	
8	FRONT COVER :NO.1 :1ST/PLR	17101@@@1010	
9	BASE :START/STOP SWITCH/PLR	17136@@@0000	
10	FRONT COVER :NO.2/PLR	17076@@@0000	
11	BASE :EMERGENCY STOP SWITCH/PL	17146@@@1000	
12	FRONT COVER :NO.3/PL	17077@@@1000	
13	FRONT COVER :NO.1/PL	17045@@@5010	
14	BASE :START/STOP SWITCH/PL	17136@@@1000	
15	FRONT COVER :NO.2/PL	17076@@@1000	
16	FRONT COVER :NO.3/PR	17077@@@2000	
17	FRONT COVER :NO.1 :1ST/PR	17101@@@3010	
18	FRONT COVER :NO.1/PR	17045@@@6010	
19	BASE :START/STOP SWITCH/PR	17136@@@2000	
20	FRONT COVER :NO.2/PR	17076@@@2000	
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



AIR PIPING

SP5-12a

No.	Part Name	Part No.	Remark
1	ELECTRO-MAGNETIC VALVE :SY5140-5M0	672100240010	Emb. space :Single and Sequin :One-sided Use
1	ELECTRO-MAGNETIC VALVE :SS5Y5-42-02-C6	672100250010	Emb. space :Single and Sequin :Both-sided Use, Emb. space :Double and Sequin :One-sided Use
1	ELECTRO-MAGNETIC VALVE :SS5Y5-42-04-C6	672100230010	Emb. space :Double and Sequin :Both-sided Use
2	BRACKET :VALVE	0L0430660010	
2	BRACKET :VALVE	0L0430670030	Machine equipped with AFC
3	HALF UNION :KQ2H08-02S	670100560000	
4	SILENCER :AN203-02	670100790000	
5	LUCKY HOSE	674100030000	
6	REGULATOR :AW2002-B[A]	671100100A00	
7	POLYURETHANE TUBE :TU0805B-20	674100470000	8mm Dia. 20m
8	POLYURETHANE TUBE :TU0604B-20	674100370000	6mm Dia. 20m
9	DIFFERENT DIA. TEES :KQ2T06-04	670100730000	
10	POLYURETHANE TUBE :TFU0425B-20	674100460000	4mm Dia. 20m
11	SPEED CONTROLLER :AS1201F-M5-04	671200160000	
12	TEE CONNECTOR :KQ2T06	670100670000	
13	STRAIGHT :DIFFERENT DIA. :KQ2H0406	670100710000	
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			




AIR PIPING (TFMX-C SINGLE HEAD M/C) SP5-12b


No.	Part Name	Part No.	Remark
1	ELECTRO-MAGNETIC VALVE :SY5140-5M0	672100240010	Sequin One-sided Use
1	ELECTRO-MAGNETIC VALVE :SS5Y5-42-02-C6	672100250010	Sequin Both-sided Use
2	BASE :ELECTRO-MAGNETIC VALVE	0L3190010000	
3	HALF UNION :KQ2H08-02S	670100560000	
4	SILENCER :AN203-02	670100790000	
5	LUCKY HOSE	674100030000	
6	REGULATOR :AW2002-BG[A]	671100080A00	
7	POLYURETHANE TUBE :TU0805B-20	674100470000	8mm Dia. 20m
8	POLYURETHANE TUBE :TU0604B-20	674100370000	6mm Dia. 20m
9	STRAIGHT :DIFFERENT DIA. :KQ2H0406	670100710000	
10	POLYURETHANE TUBE :TFU0425B-20	674100460000	4mm Dia. 20m
11	SPEED CONTROLLER :AS1201F-M5-04	671200160000	
12	HALF UNION :KQ2H06-02S	670100630000	
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)




Sequin One-sided Use




AIR PIPING (TEJTII-C)

SP5-12c

No.	Part Name	Part No.	Remark
1	ELECTRO-MAGNETIC VALVE :SY5140-5M0	672100240010	Sequin One-sided Use
1	ELECTRO-MAGNETIC VALVE :SS5Y5-42-02-C6	672100250010	Sequin Both-sided Use
2	BRACKET :VALVE	0L0431440000	
3	HALF UNION :KQ2H08-02S	670100560000	
4	SILENCER :AN203-02	670100790000	
5	MALE SCREW TYPE PLUG :KK3P-02MS	670100930000	
6	ONE-TOUCH :ELBOW TYPE WITH TUBE COUPLER :KK3S-06L	670100920000	
7	POLYURETHANE TUBE :TU0604B-20	674100370000	6mm Dia. 20m
8	FEMALE UNION :KQ2F06-02	670100910000	
9	REGULATOR :AW2002-BGR[A]	671100070A00	
10	POLYURETHANE TUBE :TU0805B-20	674100470000	8mm Dia. 20m
11	STRAIGHT :DIFFERENT DIA. :KQ2H0406	670100710000	
12	POLYURETHANE TUBE :TFU0425B-20	674100460000	4mm Dia. 20m
13	SPEED CONTROLLER :AS1201F-M5-04	671200160000	
14	HEXAGON SOCKET HEAD PLUG :1/4	674300030000	
15	HALF UNION :KQ2H06-02S	670100630000	
16	COVER :RELAY CARD/P	080530280010	
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			




Sequin One-sided Use




AIR PIPING (TEMX-C SINGLE HEAD M/C) SP5-12d

No.	Part Name	Part No.	Remark
1	ELECTRO-MAGNETIC VALVE :SY5140-5M0	672100240010	Sequin One-sided Use
1	ELECTRO-MAGNETIC VALVE :SS5Y5-42-02-C6	672100250010	Sequin Both-sided Use
2	BRACKET :VALVE	0L0431720000	
3	HALF UNION :KQ2H08-02S	670100560000	
4	SILENCER :AN203-02	670100790000	
5	POLYURETHANE TUBE :TU0805B-20	674100470000	8mm Dia. 20m
6	HEXAGON SOCKET HEAD PLUG :1/4	674300030000	
7	POLYURETHANE TUBE :TU0604B-20	674100370000	6mm Dia. 20m
8	LUCKY HOSE	674100030000	
9	REGULATOR :AW2002-BGR[A]	671100070A00	
10	STRAIGHT :DIFFERENT DIA. :KQ2H0406	670100710000	
11	POLYURETHANE TUBE :TFU0425B-20	674100460000	4mm Dia. 20m
12	SPEED CONTROLLER :AS1201F-M5-04	671200160000	
13	HALF UNION :KQ2H06-02S	670100630000	
14	COVER :RELAY CARD/P	080530280010	
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			


TFGN Series ,TFKN



TFMX Series ,TLMX-Mix ,TCMX-Mix



TEMX-C Multi Head M/C



ELECTRICAL PARTS

SP5-13

No.	Part Name	Part No.	Remark
1	CARD :HEAD83-B	0J2701800000	
2	CARD :HEAD83-A	0J2701700000	
3	ONE-TOUCH COLLAR :TA-310	644500690000	
4	BRACKET :HEAD CARD	0J1941400010	
5	MINI CARD SPACER :MPS-20	644500700000	
6	ATTACHMENT :TC JOINT7	0J1941301010	
7	STUD :NO.1 :M5-8	505105140010	
8	CARD :TC JOINT82	0J2502100000	
9	DC POWER SUPPLY :24V	645300150000	TFGN :3-phase spec. M/C with 17 or more heads, TFKN :3-phase spec. M/C with 13 or more heads
9	DC POWER SUPPLY :24V	645300240000	TFGN :3-phase spec. M/C with 33 or more heads
10	BRACKET :DC POWER SUPPLY	030130180000	
11	CARD :EXTENSION HEAD	0J3101000010	
12	BRACKET :HEAD CARD	0J1941800000	
13	PAN HEAD TAPPING SCREW :3P*8	S560030801SD	
14	PAN HEAD TAPPING SCREW :3P*12	S560031201SD	
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV04)

No.	Part No.	Remark	No.	Part No.	Remark
<i>A</i>	Flat Fillister Head Screw		<i>B12</i>	S120030802TN	M3*8
<i>A1</i>	SA41730351CN	1/8*44*3.5	<i>B13</i>	S120031001TD	M3*10
<i>A2</i>	SA41730501CN	1/8*44*5	<i>B14</i>	S120031002TN	M3*10
<i>A3</i>	SA41730551CN	1/8*44*5.5	<i>B15</i>	S120031203TD	M3*12
<i>A4</i>	SA41730601CN	1/8*44*6	<i>B16</i>	S120031201TN	M3*12
<i>A5</i>	SA41740301CN	9/64*40*3	<i>B17</i>	S120031502TD	M3*15
<i>A6</i>	SA41740402CN	9/64*40*4	<i>B18</i>	S120031501TN	M3*15
<i>A7</i>	SA41740401SA	9/64*40*4	<i>B19</i>	S120031601TN	M3*16
<i>A8</i>	SA41740403CL	9/64*40*4	<i>B20</i>	S120031801TN	M3*18
<i>A9</i>	SA41740404CN	9/64*40*4	<i>B21</i>	S120032003TD	M3*20
<i>A10</i>	SA41740501CN	9/64*40*5	<i>B22</i>	S120032001TN	M3*20
<i>A11</i>	SA41740601CN	9/64*40*6	<i>B23</i>	S120032501TN	M3*25
<i>A12</i>	SA41740602CN	9/64*40*6	<i>B24</i>	S120033001TN	M3*30 Half Threads
<i>A13</i>	SA41740701CN	9/64*40*7	<i>B25</i>	S120040501TD	M4*5
<i>A14</i>	SA41740801CN	9/64*40*8	<i>B26</i>	S120040502TN	M4*5
<i>A15</i>	SA41740802CN	9/64*40*8	<i>B27</i>	S120040602TD	M4*6
<i>A16</i>	SA41740803CN	9/64*40*8	<i>B28</i>	S120040601TN	M4*6
<i>A17</i>	SA41741001CN	9/64*40*10	<i>B29</i>	S120040801TD	M4*8
<i>A18</i>	SA41741202CN	9/64*40*12	<i>B30</i>	S120040802TN	M4*8
<i>A19</i>	SA41741501CN	9/64*40*15	<i>B31</i>	S120041001TD	M4*10
<i>A20</i>	SA41750431TN	11/64*40*4.3	<i>B32</i>	S120041002TN	M4*10
<i>A21</i>	SA41750701CN	11/64*40*7	<i>B33</i>	S120041201TD	M4*12
<i>A22</i>	SA41750751CN	11/64*40*7.5	<i>B34</i>	S120041202TN	M4*12
<i>A23</i>	SA41750901SH	11/64*40*9	<i>B35</i>	S120041401TN	M4*14
<i>A24</i>	SA41751151CN	11/64*40*11.5	<i>B36</i>	S120041502TD	M4*15
<i>A25</i>	SA41751201CN	11/64*40*12	<i>B37</i>	S120041501TN	M4*15
<i>A26</i>	S141030801SC	M3*8	<i>B38</i>	S120041601TN	M4*16
<i>A27</i>	S141030802SD	M3*8	<i>B39</i>	S120041801TN	M4*18
<i>A28</i>	S141031001CC	M3*10	<i>B40</i>	S120042002TD	M4*20
<i>A29</i>	S141041001SC	M4*10	<i>B41</i>	S120042001TN	M4*20
			<i>B42</i>	S120042502TD	M4*25
			<i>B43</i>	S120042501TN	M4*25
			<i>B44</i>	S120042504TN	M4*25 Half Threads
			<i>B45</i>	S120043001TN	M4*30
			<i>B46</i>	S120043502TD	M4*35
			<i>B47</i>	S120043501TN	M4*35
			<i>B48</i>	S120044001TN	M4*40
			<i>B49</i>	S120044501TN	M4*45
<i>B</i>	Hexagon Socket Head Cap Screw		<i>B50</i>	S120050601TN	M5*6
<i>B1</i>	S120020801TD	M2*8	<i>B51</i>	S120050801TD	M5*8
<i>B2</i>	S120021001TD	M2*10	<i>B52</i>	S120050802TN	M5*8
<i>B3</i>	S120480501TN	M2.6*5	<i>B53</i>	S120051001TD	M5*10
<i>B4</i>	S120030301TN	M3*3	<i>B54</i>	S120051002TN	M5*10
<i>B5</i>	S120030401TN	M3*4	<i>B55</i>	S120051004TP	M5*10
<i>B6</i>	S120030502TD	M3*5	<i>B56</i>	S120051201TD	M5*12
<i>B7</i>	S120030501TN	M3*5	<i>B57</i>	S120051202TN	M5*12
<i>B8</i>	S120030601TD	M3*6	<i>B58</i>	S120051401TN	M5*14
<i>B9</i>	S120030602TN	M3*6	<i>B59</i>	S120051501MZ	M5*15
<i>B10</i>	S120030804MZ	M3*8	<i>B60</i>	S120051502TD	M5*15
<i>B11</i>	S120030801TD	M3*8	<i>B61</i>	S120051503TN	M5*15

B.C

No.	Part No.	Remark	No.	Part No.	Remark
<i>B</i>	Hexagon Socket Head	Cap Screw	<i>B111</i>	S120084501TN	M8*45
<i>B62</i>	S120051601TN	M5*16	<i>B112</i>	S120084502TN	M8*45 Half Threads
<i>B63</i>	S120051801TN	M5*18	<i>B113</i>	S120085001TN	M8*50
<i>B64</i>	S120052001TD	M5*20	<i>B114</i>	S120086001TN	M8*60
<i>B65</i>	S120052002TN	M5*20	<i>B115</i>	S120087001TN	M8*70
<i>B66</i>	S120052201TN	M5*22	<i>B116</i>	S120102002TD	M10*20
<i>B67</i>	S120052301TN	M5*23	<i>B117</i>	S120102001TN	M10*20
<i>B68</i>	S120052501TN	M5*25	<i>B118</i>	S120102501TN	M10*25
<i>B69</i>	S120053001TN	M5*30	<i>B119</i>	S120103001TN	M10*30
<i>B70</i>	S120053503TD	M5*35	<i>B120</i>	S120103501TN	M10*35
<i>B71</i>	S120053501TN	M5*35	<i>B121</i>	S120104001TN	M10*40
<i>B72</i>	S120053502TN	M5*35 Half Threads	<i>B122</i>	S120123001TN	M12*30
<i>B73</i>	S120054001TN	M5*40	<i>B123</i>	S120123501TN	M12*35
<i>B74</i>	S120054501TN	M5*45	<i>B124</i>	S120081801TN	M8*18
<i>B75</i>	S120055001TN	M5*50	<i>B125</i>	S120470501TN	M2.5*5
<i>B76</i>	S120055002TN	M5*50 Half Threads	<i>B126</i>	S120052502TD	M5*25
<i>B77</i>	S120055501TN	M5*55	<i>B127</i>	S120030302TD	M3*3
<i>B78</i>	S120056001TN	M5*60	<i>B128</i>	S120051504TN	M5*15 Low Head
<i>B79</i>	S120056003TN	M5*60 Half Threads	<i>B129</i>	S120031801TD	M3*18
<i>B80</i>	S120060801TN	M6*8	<i>B130</i>	S120052801TN	M5*28
<i>B81</i>	S120060901TN	M6*9	<i>B131</i>	S120044502TN	M4*45 Half Threads
<i>B82</i>	S120061001TN	M6*10	<i>B132</i>	S120081501TD	M8*15
<i>B83</i>	S120061202TD	M6*12			
<i>B84</i>	S120061201TN	M6*12	<i>C</i>	Hexagon Bolt	
<i>B85</i>	S120061501TD	M6*15	<i>C1</i>	S121030601SD	M3*6
<i>B86</i>	S120061502TN	M6*15	<i>C2</i>	S121040801SD	M4*8
<i>B87</i>	S120061801TD	M6*18	<i>C3</i>	S121042501SD	M4*25
<i>B88</i>	S120061802TN	M6*18	<i>C4</i>	S121051001SD	M5*10
<i>B89</i>	S120062001TN	M6*20	<i>C5</i>	S121051502SC	M5*15
<i>B90</i>	S120062501TN	M6*25	<i>C6</i>	S121051501SD	M5*15
<i>B91</i>	S120063001TN	M6*30	<i>C7</i>	S121052001SD	M5*20
<i>B92</i>	S120063501TN	M6*35	<i>C8</i>	S121061501SC	M6*15
<i>B93</i>	S120064001TN	M6*40	<i>C9</i>	S121062501TN	M6*25
<i>B94</i>	S120064501TN	M6*45	<i>C10</i>	S121064501SD	M6*45
<i>B95</i>	S120064502TN	M6*45 Half Threads	<i>C11</i>	S121065001SC	M6*50
<i>B96</i>	S120065001TN	M6*50 Half Threads	<i>C12</i>	S121065002SD	M6*50
<i>B97</i>	S120066501TN	M6*65	<i>C13</i>	S121065501SD	M6*55
<i>B98</i>	S120067501TN	M6*75 Half Threads	<i>C14</i>	S121066501SD	M6*65
<i>B99</i>	S120068001TN	M6*80 Half Threads	<i>C15</i>	S121067501SC	M6*75
<i>B100</i>	S12006A001TN	M6*100	<i>C16</i>	S121081501TN	M8*15
<i>B101</i>	S120081201TN	M8*12	<i>C17</i>	S121081801TN	M8*18
<i>B102</i>	S120081502TN	M8*15	<i>C18</i>	S121103001TN	M10*30
<i>B103</i>	S120081503TP	M8*15	<i>C19</i>	S121103502SC	M10*35
<i>B104</i>	S120081601TN	M8*16	<i>C20</i>	S121103501TN	M10*35
<i>B105</i>	S120082001TN	M8*20	<i>C21</i>	S121104001SC	M10*40
<i>B106</i>	S120082502TN	M8*25	<i>C22</i>	S121125001TN	M12*50
<i>B107</i>	S120083001TN	M8*30	<i>C23</i>	S12112B001TN	M12*110
<i>B108</i>	S120083501TN	M8*35	<i>C24</i>	S121082501TN	M8*25
<i>B109</i>	S120084001TN	M8*40	<i>C25</i>	S121102501TN	M10*25
<i>B110</i>	S120084002TN	M8*40 Half Threads	<i>C26</i>	S121082202TN	M8*22

No.	Part No.	Remark	No.	Part No.	Remark
D	Round Fillister Head Screw		E23	S160030801MZ	M3*8
D1	SA43740401CL	9/64*40*4	E24	S160030803SA	M3*8
D2	SA43740501CL	9/64*40*5	E25	S160030802SD	M3*8
D3	SA43740502CN	9/64*40*5	E26	S160031001MZ	M3*10
D4	SA43740503CN	9/64*40*5	E27	S160031003SC	M3*10 Half Threads
D5	SA43740504CN	9/64*40*5	E28	S160031002SD	M3*10
D6	SA43740601CL	9/64*40*6	E29	S160031101SC	M3*11 Half Threads
D7	SA43740602CN	9/64*40*6	E30	S160031201MZ	M3*12
D8	SA43740603CL	9/64*40*6	E31	S160031202SD	M3*12
D9	SA43740604CN	9/64*40*6	E32	S160031401SA	M3*14
D10	SA43740682CN	9/64*40*6.8	E33	S160031402SD	M3*14
D11	SA43740801CL	9/64*40*8	E34	S160031501SD	M3*15
D12	SA43740802CN	9/64*40*8	E35	S160031601SD	M3*16
D13	SA43741001CN	9/64*40*10	E36	S160031801SD	M3*18
D14	SA43741201CN	9/64*40*12	E37	S160032001SD	M3*20
D15	SA43750601CN	11/64*40*6	E38	S160033001SD	M3*30
D16	SA43750652CN	11/64*40*6.5	E39	S160034001SD	M3*40 Half Threads
D17	SA43751051CN	11/64*40*10.5	E40	S160035001SD	M3*50 Half Threads
D18	SA43751201CN	11/64*40*12	E41	S160040401SD	M4*4
D19	SA43751501CN	11/64*40*15	E42	S160040501SD	M4*5
D20	SA43812451CN	9/32*28*24.5	E43	S160040601MZ	M4*6
D21	S143030501SD	M3*5	E44	S160040602SD	M4*6
			E45	S160040801SD	M4*8
			E46	S160041001SD	M4*10
			E47	S160041201SD	M4*12
			E48	S160041501SD	M4*15
			E49	S160041801SD	M4*18
E	Pan Head Screw		E50	S160043001SD	M4*30
E1	S160410141MZ	M1.4*1.4	E51	S160045001SD	M4*50
E2	S160020202MZ	M2*2	E52	S160046001SD	M4*60
E3	S160020301MZ	M2*3	E53	S160050601SD	M5*6
E4	S160020401MZ	M2*4	E54	S160050701SD	M5*7
E5	S160020801MZ	M2*8	E55	S160050801SD	M5*8
E6	S160470301MZ	M2.5*3	E56	S160051002MZ	M5*10
E7	S160470402MZ	M2.5*4	E57	S160051001SD	M5*10
E8	S160470501MZ	M2.5*5	E58	S160051201SD	M5*12
E9	S160470801MZ	M2.5*8	E59	S160053001SD	M5*12
E10	S160471301MZ	M2.5*13	E60	S160051501SD	M5*15
E11	S160471302SD	M2.5*13	E61	S160054501SD	M5*45
E12	S160480601SD	M2.6*6	E62	S160055001SD	M5*50
E13	S160030301MZ	M3*3	E63	S160056001SD	M5*60
E14	S160030302SD	M3*3	E64	S160047001SD	M4*70
E15	S160030403CD	M3*4	E65	S160480801SD	M2.6*8
E16	S160030401MZ	M3*4	E66	S160030504SC	M3*5
E17	S160030402SD	M3*4	E67	S160480602MZ	M2.6*6
E18	S160030501MZ	M3*5	E68	S160031403MZ	M3*14
E19	S160030502SD	M3*5	E69	S160042001SD	M4*20
E20	S160030601MZ	M3*6	E70	S160044501SD	M4*45
E21	S160030603SA	M3*6			
E22	S160030602SD	M3*6			

F.G.H

No.	Part No.	Remark	No.	Part No.	Remark
<i>F</i>	Countersunk Head Screw		<i>G</i>	Round Countersunk Head Screw	
<i>F1</i>	SA51741001CN	9/64*40*10	<i>G1</i>	SA53730601CL	1/8*44*6
<i>F2</i>	SA50750801CN	11/64*40*8	<i>G2</i>	SA53740301CL	9/64*40*3
<i>F3</i>	S150020601SD	M2*6	<i>G3</i>	SA53740351CL	9/64*40*3.5
<i>F4</i>	S150030401MZ	M3*4	<i>G4</i>	SA53740401CL	9/64*40*4
<i>F5</i>	S150030402SD	M3*4	<i>G5</i>	SA53740601CL	9/64*40*6
<i>F6</i>	S150030501MZ	M3*5	<i>G6</i>	SA53740701CL	9/64*40*7
<i>F7</i>	S150030502SD	M3*5	<i>G7</i>	SA53740951CL	9/64*40*9.5
<i>F8</i>	S151030601SD	M3*6	<i>G8</i>	SA53741201CL	9/64*40*12
<i>F9</i>	S150030601MZ	M3*6			
<i>F10</i>	S150030602SD	M3*6			
<i>F11</i>	S150030701SD	M3*7			
<i>F12</i>	S151030801SD	M3*8			
<i>F13</i>	S150030801MZ	M3*8			
<i>F14</i>	S150030804SC	M3*8			
<i>F15</i>	S150030802SD	M3*8			
<i>F16</i>	S150030803SN	M3*8	<i>H</i>	Truss Head Screw	
<i>F17</i>	S150031002MZ	M3*10	<i>H1</i>	SA30730701CL	1/8*44*7
<i>F18</i>	S150031001SD	M3*10	<i>H2</i>	SA30740301CL	9/64*40*3.5
<i>F19</i>	S150031201MZ	M3*12	<i>H3</i>	SA30740401CL	9/64*40*4
<i>F20</i>	S150031202SD	M3*12	<i>H4</i>	SA31740401CM	9/64*40*4
<i>F21</i>	S150031501MZ	M3*15	<i>H5</i>	SA30740601CL	9/64*40*6
<i>F22</i>	S150031601SD	M3*16	<i>H6</i>	SA30740801CL	9/64*40*8
<i>F23</i>	S150040501SD	M4*5	<i>H7</i>	S130470301MZ	M2.5*3
<i>F24</i>	S150040602MZ	M4*6	<i>H8</i>	S130470302SD	M2.5*3
<i>F25</i>	S150040601SD	M4*6	<i>H9</i>	S130470401MZ	M2.5*4
<i>F26</i>	S150040801MZ	M4*8	<i>H10</i>	S130470402SA	M2.5*4
<i>F27</i>	S150040802SD	M4*8	<i>H11</i>	S130470403SD	M2.5*4
<i>F28</i>	S150041001MZ	M4*10	<i>H12</i>	S130030301MZ	M3*3
<i>F29</i>	S150041002SD	M4*10	<i>H13</i>	S130030302SD	M3*3
<i>F30</i>	S150041201SD	M4*12	<i>H14</i>	S130030402SD	M3*4
<i>F31</i>	S150041401SD	M4*14	<i>H15</i>	S130030501MZ	M3*5
<i>F32</i>	S150041501SD	M4*15	<i>H16</i>	S130030502SD	M3*5
<i>F33</i>	S150042001SD	M4*20	<i>H17</i>	S130030601MZ	M3*6
<i>F34</i>	S150042201SD	M4*22	<i>H18</i>	S130030602SD	M3*6
<i>F35</i>	S150042501SD	M4*25	<i>H19</i>	S130030603SA	M3*6
<i>F36</i>	S150050601SD	M5*6	<i>H20</i>	S130030802SD	M3*8
<i>F37</i>	S150050801SD	M5*8	<i>H21</i>	S130030803SA	M3*8
<i>F38</i>	S150051001MZ	M5*10	<i>H22</i>	S130031001MZ	M3*10
<i>F39</i>	S150051002SD	M5*10	<i>H23</i>	S130031002SD	M3*10
<i>F40</i>	S150051201SD	M5*12	<i>H24</i>	S130032001SD	M3*20
<i>F41</i>	S150051501SD	M5*15	<i>H25</i>	S130040401MZ	M4*4
<i>F42</i>	S150053001SD	M5*30	<i>H26</i>	S130040402SD	M4*4
<i>F43</i>	S150053501SD	M5*35	<i>H27</i>	S130040501MZ	M4*5
<i>F44</i>	S150054001SD	M5*40	<i>H28</i>	S130040502SD	M4*5
<i>F45</i>	S150061502SC	M6*15	<i>H29</i>	S130040601MZ	M4*6
<i>F46</i>	S150061503SD	M6*15	<i>H30</i>	S130040602SD	M4*6
<i>F47</i>	S150063501SD	M6*35	<i>H31</i>	S130040651SD	M4*6.5
<i>F48</i>	S150081201SD	M8*12	<i>H32</i>	S130040801MZ	M4*8
<i>F49</i>	S150087001TN	M8*70	<i>H33</i>	S130040802SD	M4*8

No.	Part No.	Remark	No.	Part No.	Remark
<i>H</i>	Truss Head Screw		<i>K</i>	Slotted Set Screw	
<i>H34</i>	S130040803MZ	M4*8 JIS	<i>K1</i>	SA71730351CN	1/8*44*3.5
<i>H35</i>	S130041002MZ	M4*10	<i>K2</i>	SA71740601CN	9/64*40*6
<i>H36</i>	S130041001SD	M4*10	<i>K3</i>	SA71750251CN	11/64*40*2.5
<i>H37</i>	S130041201SD	M4*12	<i>K4</i>	SA71750351CN	11/64*40*3.5
<i>H38</i>	S130041502SD	M4*15	<i>K5</i>	SA71750401CN	11/64*40*4
<i>H39</i>	S130042001SD	M4*20	<i>K6</i>	SA71750501CN	11/64*40*5
<i>H40</i>	S130050501SD	M5*5	<i>K7</i>	SA71790501CN	15/64*28*5
<i>H41</i>	S130050602MZ	M5*6	<i>K8</i>	SA71791001CN	15/64*28*10
<i>H42</i>	S130050601SD	M5*6	<i>K9</i>	SA71791501CN	15/64*28*15
<i>H43</i>	S130050651SD	M5*6.5	<i>K10</i>	SA71791701CN	15/64*28*17
<i>H44</i>	S130050701SD	M5*7	<i>K11</i>	SA71800401CN	1/4*40*4
<i>H45</i>	S130050801MZ	M5*8	<i>K12</i>	SA71800451CN	1/4*40*4.5
<i>H46</i>	S130050802SD	M5*8	<i>K13</i>	SA71800501CN	1/4*40*5
<i>H47</i>	S130051002MZ	M5*10	<i>K14</i>	SA71800601CN	1/4*40*6
<i>H48</i>	S130051001SD	M5*10	<i>K15</i>	SA71800801CN	1/4*40*8
<i>H49</i>	S130051201MZ	M5*12	<i>K16</i>	SA71811201CN	9/32*28*12
<i>H50</i>	S130051202SD	M5*12	<i>K17</i>	S171050601TN	M5*6
<i>H51</i>	S130051501SD	M5*15			
<i>H52</i>	S130052001SD	M5*20			
<i>H53</i>	S130052502SD	M5*25			
<i>H54</i>	S130053001SD	M5*30			
<i>H55</i>	S130053501SD	M5*35			
<i>H56</i>	S130060801SD	M6*8	<i>L</i>	Hexagon Socket Head Set Screw	
<i>H57</i>	S130061001SD	M6*10	<i>L1</i>	SA70730251CN	1/8*44*2.5
<i>H58</i>	S130062201SD	M6*22	<i>L2</i>	SA70730301CN	1/8*44*3
<i>H59</i>	S130062501SD	M6*25	<i>L3</i>	SA70750901CN	11/64*28*9
<i>H60</i>	S130063501SD	M6*35	<i>L4</i>	SA70750401CN	11/64*40*4
<i>H61</i>	S130064001SD	M6*40	<i>L5</i>	SA70750601CN	11/64*40*6
<i>H62</i>	S130031501SD	M3*15	<i>L6</i>	SA70750801CN	11/64*40*8
<i>H63</i>	S130043501SD	M4*35	<i>L7</i>	SA70790401CN	15/64*28*4
<i>H64</i>	S130020201SD	M2*2	<i>L8</i>	SA70790901CN	15/64*28*9
<i>H65</i>	S130470501SD	M2.5*5	<i>L9</i>	S170470301TN	M2.5*3
<i>H66</i>	S130052002MZ	M5*20	<i>L10</i>	S170030201TN	M3*2
			<i>L11</i>	S170030301TN	M3*3
			<i>L12</i>	S170030401TN	M3*4
			<i>L13</i>	S170030501TN	M3*5
			<i>L14</i>	S170030601TN	M3*6
			<i>L15</i>	S170030801TN	M3*8
			<i>L16</i>	S170040301TN	M4*3
<i>J</i>	Round Head Screw		<i>L17</i>	S170040401TN	M4*4
<i>J1</i>	S162020301MZ	M2*3	<i>L18</i>	S170040501TN	M4*5
<i>J2</i>	S162030801SD	M3*8	<i>L19</i>	S170040601TN	M4*6
<i>J3</i>	S162030802SE	M3*8	<i>L20</i>	S170040602TN	M4*6 Half Threads
<i>J4</i>	S162031001MZ	M3*10	<i>L21</i>	S170040801TN	M4*8
			<i>L22</i>	S170041001TN	M4*10
			<i>L23</i>	S170041201TN	M4*12
			<i>L24</i>	S170050401TN	M5*4
			<i>L25</i>	S170050501TN	M5*5
			<i>L26</i>	S170050601TN	M5*6

L.M.N.P

No.	Part No.	Remark	No.	Part No.	Remark
<i>L</i>	Hexagon Socket Head Set Screw		<i>N10</i>	S660041001SE	M4*10
<i>L27</i>	S170050801TN	M5*8	<i>N11</i>	S660041201SE	M4*12
<i>L28</i>	S170051001TN	M5*10	<i>N12</i>	S660045501SE	M4*55
<i>L29</i>	S170051201TN	M5*12	<i>N13</i>	S660051001SE	M5*10
<i>L30</i>	S170051501TN	M5*15	<i>N14</i>	S660051201SE	M5*12
<i>L31</i>	S170060501TN	M6*5	<i>N15</i>	S660051401SE	M5*14
<i>L32</i>	S170060601TN	M6*6	<i>N16</i>	S660051801SE	M5*18
<i>L33</i>	S170060801TN	M6*8	<i>N17</i>	S660030801MZ	M3*8
<i>L34</i>	S170061001TN	M6*10	<i>N18</i>	S660030502MZ	M3*5
<i>L35</i>	S170061801TN	M6*18	<i>N19</i>	S660031502MZ	M3*15
<i>L36</i>	S170080801TN	M8*8			
<i>L37</i>	S170081001TN	M8*10			
<i>L38</i>	S170081501TN	M8*15			
<i>L39</i>	S170031001TN	M3*10			
<i>L40</i>	S170031201TN	M3*12			
			<i>P</i>	Nut	
			<i>P1</i>	SB10730601CN	1/8*44*6*3
			<i>P2</i>	SB10740601CL	9/64*40*6*2
			<i>P3</i>	SB10740602CN	9/64*40*6*3
			<i>P4</i>	SB10750602CN	11/64*40*6*2
<i>M</i>	Hexagon Socket Head Button Screw		<i>P5</i>	SB10750603CN	11/64*40*6*3
<i>M1</i>	S124030401SC	M3*4	<i>P6</i>	SB10750701CN	11/64*40*7*3
<i>M2</i>	S124040601SC	M4*6	<i>P7</i>	SB11750701CN	11/64*40*7*3
<i>M3</i>	S124040802SC	M4*8	<i>P8</i>	S210420001XA	M1.6 Type 1
<i>M4</i>	S124040803SD	M4*8	<i>P9</i>	S210020001SD	M2 Type 1
<i>M5</i>	S124051001SC	M5*10	<i>P10</i>	S212020002SD	M2 Type 3
<i>M6</i>	S124051002SD	M5*10	<i>P11</i>	S210460002SD	M2.3 Type 1
<i>M7</i>	S124051501SD	M5*15	<i>P12</i>	S210470001MZ	M2.5 Type 1
<i>M8</i>	S124081201SC	M8*12	<i>P13</i>	S212480001SD	M2.6 Type 3
<i>M9</i>	S124081202SD	M8*12	<i>P14</i>	S210030001MZ	M3 Type 1
<i>M10</i>	S124081501SD	M8*15	<i>P15</i>	S210030002SC	M3 Type 1
<i>M11</i>	S124030501SC	M3*5	<i>P16</i>	S210030003SD	M3 Type 1
<i>M12</i>	S124030801SC	M3*8	<i>P17</i>	S215030001SD	M3 Thumbscrew Type 2
<i>M13</i>	S124030502TC	M3*5	<i>P18</i>	S212030001SC	M3 Type 3
			<i>P19</i>	S212030002SD	M3 Type 3
			<i>P20</i>	S212530001SC	M3.5 Type 3
			<i>P21</i>	S210040001SC	M4 Type 1
			<i>P22</i>	S210040002SD	M4 Type 1
			<i>P23</i>	S212040001SC	M4 Type 3
			<i>P24</i>	S212040002SD	M4 Type 3
<i>N</i>	Screw with Washer		<i>P25</i>	S217040001SD	M4 Cap
<i>N1</i>	S660480601SE	M2.6*6	<i>P26</i>	S210050001SC	M5 Type 1
<i>N2</i>	S660030601SE	M3*6	<i>P27</i>	S210050002SD	M5 Type 1
<i>N3</i>	S660030801SE	M3*8	<i>P28</i>	S212050001SC	M5 Type 3
<i>N4</i>	S660031001SE	M3*10	<i>P29</i>	S212050002SD	M5 Type 3
<i>N5</i>	S660031501SE	M3*15	<i>P30</i>	S217050001SD	M5 Cap
<i>N6</i>	S660031601SE	M3*16	<i>P31</i>	S210060001SC	M6 Type 1
<i>N7</i>	S660031801SE	M3*18	<i>P32</i>	S210060002SC	M6 Type 1 (Left)
<i>N8</i>	S660040601SE	M4*6	<i>P33</i>	S210060003SD	M6 Type 1
<i>N9</i>	S660040801SE	M4*8	<i>P34</i>	S210060004SD	M6 Type 1 (Left)

No.	Part No.	Remark	No.	Part No.	Remark
P	Nut		R26	S301051202SC	Plain M5*12*t0.8
P35	S212060001SC	M6 Type 3	R27	S301051203SD	Plain M5*12*t0.8
P36	S210080001SC	M8 Type 1	R28	S301061102SC	Plain M6*11*t1.6
P37	S210080002SD	M8 Type 1	R29	S301061151SC	Plain M6*11.5*t0.8
P38	S212080001SC	M8 Type 3	R30	S301061301SC	Plain M6*13*t1.0
P39	S212080002SD	M8 Type 3	R31	S301061302SD	Plain M6*13*t1.0
P40	S210100001SC	M10 Type 1	R32	S301061601SC	Plain M6*16*t1.0
P41	S213100002SD	M10 With Flange	R33	S301081601SD	Plain M8*16*t1.2
P42	S213100003SD	M10 With Disk Spring	R34	S301081801SC	Plain M8*18*t1.6
P43	S210120001SC	M12 Type 1	R35	S301081802SD	Plain M8*18*t1.6
P44	S212120001SC	M12 Type 3	R36	S301081803SC	Plain M8*18*t3.2
P45	S212120002SD	M12 Type 3	R37	S301082201SC	Plain M8*22*t3.2
P46	S210160001SD	M16 Type 1	R38	S301102201SC	Plain M10*22*t1.6
P47	S212160002SC	M16 Type 1	R39	S301102601SC	Plain M10*26*t3.2
P48	S212160001SD	M16 Type 3	R40	S301102602SD	Plain M10*26*t3.2
P49	S210200001SC	M20 Type 1	R41	S301122051SC	Plain M12*20.5*t2
P50	S212470001SC	M2.5 Type 3	R42	S301163201SD	Plain M16*32*t2.5
P51	SB12750701SC	11/64*7*2.2 Type 3	R43	S402020001KD	Spring M2
P52	S211040001SD	M4 Type 2	R44	S402480001KC	Spring M2.6
P53	SB12740601MZ	9/64*6*2 Type 3	R45	S402030001KC	Spring M3
P54	SB10750601CN	11/64*6*2.2	R46	S402030002KD	Spring M3
			R47	S402530001KC	Spring M3.5
			R48	S402040001KC	Spring M4
			R49	S402040002KD	Spring M4
R	Washer		R50	S402050001KC	Spring M5
R1	S301410301MZ	Plain M1.4*3*t0.3	R51	S402050002KD	Spring M5
R2	S301020351XZ	Plain M2*3.5*t0.5	R52	S402050003MZ	Spring M5
R3	S301020431SD	Plain M2*4.3*t0.3	R53	S402060001KC	Spring M6
R4	S301480501XB	Plain M2.6*5*t0.5	R54	S402060002KD	Spring M6
R5	S301480751XB	Plain M2.6*7.5*t0.5	R55	S402080001KC	Spring M8
R6	S301030602XZ	Plain M3*6*t0.3	R56	S402080002KD	Spring M8
R7	S301030603SC	Plain M3*6*t0.5	R57	S402100001KC	Spring M10
R8	S301030601SD	Plain M3*6*t0.5	R58	S402100002KD	Spring M10
R9	S301030701SD	Plain M3*7*t0.5	R59	S402120001KC	Spring M12
R10	S301030804SD	Plain M3*8*t0.3	R60	S305041101TP	Wave M4
R11	S301030805MZ	Plain M3*8*t0.5	R61	S305051001TN	Wave M5
R12	S301030801SC	Plain M3*8*t0.5	R62	S305061051TN	Wave M6
R13	S301030802SD	Plain M3*8*t0.5	R63	S304040851TP	With teeth M4
R14	S301030803SD	Plain M3*8*t1	R64	S304051001TP	With teeth M5
R15	S301040805SC	Plain M4*8*t0.5	R65	S306080001SC	Slant M8
R16	S301040802SD	Plain M4*8*t0.5	R66	S303040801SC	Disk Spring M4
R17	S301040804SC	Plain M4*8*t0.8	R67	S301040901EZ	Plain M4*9*t0.3
R18	S301040803SD	Plain M4*8*t0.8	R68	S301470252MZ	Plain M2.5*5*t0.5
R19	S301041004MZ	Plain M4*10*t0.8	R69	S301030605SD	Plain M3*6*t1.0
R20	S301041002SC	Plain M4*10*t0.8	R70	S301030604MZ	Plain M3*6*T0.5
R21	S301041003SD	Plain M4*10*t0.8	R71	S305051101TN	Wave M5
R22	S301041201SC	Plain M4*12*t1			
R23	S301051002SC	Plain M5*10*t0.8			
R24	S301051003SD	Plain M5*10*t0.8			
R25	S301051204MZ	Plain M5*12*t0.8			

1st Edition	June, 2004
2nd Edition	August, 2004
3rd Edition	July, 2005
4th Edition	June, 2006
5th Edition	January, 2007
6th Edition	April, 2008
7th Edition	October, 2008
8th Edition	April, 2010


■ **Manufactured by:**
Tokai Industrial Sewing Machine Co., Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, Japan
Telephone:568-33-1161 Fax:568-33-1191

■ **Distributed by:**
Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan
Telephone:52-932-3444 Fax:52-932-2457

■ **Authorized Distributor:**



●Copy, reprint, or reform of a part or whole of this manual without permission is prohibited.

THE TAJIMA GROUP

<http://www.tajima.com>

Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, JAPAN
TEL.81-52-932-3811 FAX.81-52-932-3815

Tokai Industrial Sewing Machine Co.,Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, JAPAN
TEL.81-568-33-1161 FAX.81-568-33-1191