
PARTS BOOK

KM-817/827

HIGH SPEED POST BED NEEDLE FEED
LOCK STITCH MACHINE

KM-816/826

HIGH SPEED POST BED DROP FEED
LOCK STITCH MACHINE



MODEL

- KM-817
HIGH SPEED POST BED 1-NEEDLE, NEEDLE FEED LOCK STITCH MACHINE
- KM-827
HIGH SPEED POST BED 2-NEEDLE, NEEDLE FEED LOCK STITCH MACHINE
- KM-816
HIGH SPEED POST BED 1-NEEDLE, DROP FEED LOCK STITCH MACHINE
- KM-826
HIGH SPEED POST BED 2-NEEDLE, DROP FEED LOCK STITCH MACHINE

CONTENTS

목 차


A	<i>Machine Body & Threading Mechanism</i>	
	외장 및 실장력 조절 관계.....	4
B	<i>Upper Shaft Mechanism</i>	
	상축 관계.....	6
C	<i>Needle Bar Rocking Mechanism</i>	
	바늘대 요동 관계.....	8
D	<i>Presser Foot & Knee Lifting Mechanism</i>	
	노루발 및 무릎올림 관계	10
E	<i>Feed Mechanism</i>	
	피이드 관계	12
F	<i>Post & Hook Mechanism</i>	
	포스트 및 훅 관계.....	14
G	<i>Lubrication</i>	
	급유 관계.....	16
H	<i>Lower Shaft Mechanism</i>	
	하축 관계.....	18
I	<i>Accessories</i>	
	액세서리	20
J	<i>Gauge Parts</i>	
	게이지 관계	21

NOTE : Parts are Subject to change in Design Without Prior Notice.


1. 조에 속한 파트는 개별 조립 시 제품의 파손 또는 재봉 불량일 발생될 수 있어 해당 파트에 대한 주문 시에는 조 품목으로만 구입이 가능합니다.
 2. 본 책자는 Parts Book으로 제작되었으므로 매뉴얼로 사용 불가합니다.
1. The parts classified as ass'y items may cause damage to the machine or bad sewing when they are separately assembled. Hence, when they are ordered, they can be purchased as ass'y items only.
 2. This is a parts book. It cannot be used as a manual.

Machine Body & Threading Mechanism

외장 및 실장력 조절 관계




Ref. No.	Parts No.	Name of Parts	품 명	Q' ty				비 고
				KM-817	KM-827	KM-816	KM-826	
A-1	01-001A-8270	Arm, Arm Base, Bed Assembly	아암, 아암 받침, 베드(組)	1(Set)	1(Set)			
A-2	01-001A-8260	Arm, Arm Base, Bed Assembly	아암, 아암 받침, 베드(組)			1(Set)	1(Set)	
A-3	01-006A-7400	Face Plate	면판	1	1	1	1	
A-4	01-008S-7400	Screw(U) For A-3	면판 쥘나사(상)	1	1	1	1	
A-5	01-007W-7400	Washer(U) For A-3	면판 와셔	1	1	1	1	
A-6	SC-0322-7400	Screw (9/64" n=40)	면판 쥘나사(하)(9/64" n=40)	1	1	1	1	
A-7	01-011A-7400	Top Cover	윗뚜껑	1	1	1	1	
A-8	SC-0178-7400	Screw (11/64" n=40)	윗뚜껑 쥘나사(좌)(11/64" n=40)	1	1	1	1	
A-9	01-013S-7400	Screw (11/64" n=40)	홈볼이 등근납작 작은나사(11/64" n=40)	1	1	1	1	
A-10	01-010C-7400	Thread Take-Up Cover	실채기 커버	1	1	1	1	
A-11	SC-0171-2302	Screw (11/64" n=40)	치그자그 브라켓 카바나사(11/64" n=40)	1	1	1	1	
A-12	01-015A-7400	Top Cover Thread Guide	세구멍 실걸이	1	2	1	2	
A-13	SN-0121-7400	Nut (15/64" n=28)	세구멍 실걸이 너트(15/64" n=28)	1	2	1	2	
A-14	SC-0114-1230	Screw (15/64" n=28)	실채기 힌지핀 나사(15/64" n=28)	1		1		
A-15	01-014C-7400	Rear Cover	뒷뚜껑	1	1	1	1	
A-16	SC-0502-2302	Screw (9/64" n=40)	윗뚜껑 고정판 고정나사(대) (9/64" n=40)	2	2	2	2	
A-17	01-021C-7400	Arm Thread Guide(U)	실걸이(上)	1	1	1	1	
A-18	SC-0519-2302	Screw (9/64" n=40)	마크 쥘나사(9/64" n=40)	1	1	1	1	
A-19	01-022C-7400	Arm Thread Guide(M)	실걸이(下)	1	1	1	1	
A-20	SC-0519-2302	Screw (9/64" n=40)	마크 쥘나사(9/64" n=40)	1	1	1	1	
A-21	01-023C-7400	Arm Thread Guide(L)	윗실 헬트잡이	1	1	1	1	
A-22	SC-0519-2302	Screw (9/64" n=40)	마크 쥘나사(9/64" n=40)	1	1	1	1	
A-23	01-024M-7400	Felt For Upper Thread Supply	윗실 급유 헬트	1	1	1	1	
A-24	01-019C-7400	Stopper For Upperad Take-Up Spring	실조절 장치 스톱퍼	1	1	1	1	
A-25	SC-0531-2302	Screw (9/64" n=40)	톱 카바 고정판 고정나사(소)(9/64" n=40)	1	1	1	1	
A-26	SC-0543-2302	Screw (11/64" n=40)	톱 카바 힌지 고정나사(11/64" n=40)	1	1	1	1	
A-27	01-004A-8170	Thread Tension Control Assembly	실조절 장치(조)	1		1		
A-27-1	01-018A-7400	Thread Tension Control Assembly	실조절 장치(조)		1		1	
A-28	SC-0543-2302	Screw (11/64" n=40)	톱 카바 힌지 고정나사(11/64" n=40)	1	1	1	1	
A-29	01-026C-7400	Tension Release Bar	실 늦추기 축	1	1	1	1	
A-30	01-025C-7400	Pipe For A-29	동 파이프	1	1	1	1	
A-32	01-035P-7400	Pin For A-31	번호판 핀	2	2	2	2	
A-33	GP-002005-00	Model Mark (KM-817)	기종마크	1				
A-34	GP-009169-00	Model Mark (KM-827)	기종마크		1			
A-35	01-006M-8160	Model Mark (KM-816)	기종마크			1		
A-36	01-004M-8260	Model Mark (KM-826)	기종마크				1	
A-37	SC-0519-2302	Screw (9/64" n=40)	마크 쥘나사(9/64" n=40)	4	4	4	4	
A-38		Maker Mark	측면마크	1	1	1	1	
A-39	01-034M-7400	Machine Number Plate	번호판	1	1	1	1	
A-40	01-035P-7400	Pin For A-39	번호판 핀	2	2	2	2	
A-41	06-001C-7400	Rubber Cap	피이드 조절기 구멍 마개	1	1	1	1	
A-42	01-007R-8130	Oil Cap	고무마개(Hole)	1	1	1	1	
A-43	01-006A-8270	Slide Plate	각판	1	1	1	1	
A-44	SC-0501-2302	Screw (11/64" n=40)	실채기 카바 나사(11/64" n=40)	1	1	1	1	



Ref. No.	Parts No.	Name of Parts	품 명	Q' ty				비 고
				KM-817	KM-827	KM-816	KM-826	
B-1	02-104A-8270	Thread Take-Up Lever	실채기	1	1	1	1	
B-2	02-001P-7400	Hinge Pin For Thread Take-Up Lever	실채기 핀	1	1	1	1	
B-3	SC-0507-1230	Screw (15/64" n=28)	상축 붓싱 고정나사(15/64" n=28)	1	1	1	1	
B-5	02-103A-7400	Take-Up Lever Holder	실채기 잡이	1	1	1	1	
B-6	06-033M-7400	Wick For B-5	절환기 헬트	1	1	1	1	
B-7	02-104P-7400	Take-Up Lever Holder	실채기 잡이	1	1	1	1	
B-8	SC-A550-4517	Screw (1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	1	1	1	1	
B-9	SC-A308-4517	Screw (1/4" n=40)	육각구멍볼이 멈춤나사(1/4" n=40)	1	1	1	1	
B-11	02-110A-7400	Upper Shaft	상축	1	1	1	1	
B-12	02-105A-7400	Link Cam	링크캠	1	1	1	1	
B-13	SC-0123-1230	Screw (9/32" n=28)	링크캠 쥘나사(9/32" n=28)	1	1	1	1	
B-14	SC-0124-7400	Screw (9/32" n=28)	상축 앞 붓싱 고정나사(9/32" n=28)	1	1	1	1	
B-16	GP-028268-00	Upper Shaft Bushing (F)	상축 앞 붓싱	1	1	1	1	
B-17	02-009M-7400	Felt For B-16	상축 앞 붓싱 헬트	1	1	1	1	
B-18	SC-0514-7400	Screw (15/64" n=28)	상축 붓싱 고정나사(15/64" n=28)	1	1	1	1	
B-19	02-111A-7400	Upper Shaft Bushing (M)	상축 중붓싱	1	1	1	1	
B-20	02-012M-7400	Felt For B-19	상축 중붓싱 헬트	1	1	1	1	
B-21	SC-0507-1230	Screw (15/64" n=28)	상축 붓싱 고정나사(15/64" n=28)	1	1	1	1	
B-22	02-002A-8270	Timing Belt Pulley (U)	타이밍 폴리(상)	1	1	1	1	
B-23	SC-A308-4517	Screw (1/4" n=40)	육각구멍볼이 멈춤나사(1/4" n=40)	1	1	1	1	
B-24	SC-A117-4417	Screw (1/4" n=40)	육각구멍볼이 멈춤나사(1/4" n=40)	1	1	1	1	
B-25	02-015C-7400	Side Ring	후렌치	2	2	2	2	
B-26	02-018G-7400	Stop Ring (C)	베어링 스냅링(47)	1	1	1	1	
B-27	02-019A-7400	Bearing (6204ZZ)	6204 베어링	1	1	1	1	
B-28	02-003A-8270	Pulley	폴리	1	1	1	1	
B-29	SC-0150-2500	Screw (15/64" n=28)	폴리 고정나사(15/64" n=28)	2	2	2	2	
B-30	SC-0188-1230	Screw (5/16" n=24)	폴리 큰나사(5/16" n=24)	1	1	1	1	
B-31	02-001A-8270	Timing Belt	타이밍 벨트	1	1	1	1	


Needle Bar Rocking Mechanism 바늘대 요동 관계




Ref. No.	Parts No.	Name of Parts	품 명	Q' ty				비 고
				KM-817	KM-827	KM-816	KM-826	
C-1	04-101A-8170	Needle Bar	바늘대	1		1		
C-2	04-101A-7500	Needle Bar	바늘대		1	1	1	
C-3	04-002C-8170	Needle Bar Thread Guide	바늘대 실걸이	1		1		
C-4	SC-0125-5607	Screw (3/32" n = 56)	바늘대 실안내 쥘나사(3/32" n=56)	1		1		
C-5	04-107A-8260	Needle Bar Bushing(U)	바늘대 상붓싱			1	1	
C-6	SC-0110-1230	Screw (15/64" n = 28)	바늘대 붓싱나사(15/64" n=28)			1	1	
C-7	04-108A-8260	Needle Bar Bushing(L)	바늘대 하붓싱			1	1	
C-8	SC-0110-1230	Screw (15/64" n = 28)	바늘대 붓싱나사(15/64" n=28)			1	1	
C-10	04-002C-8260	Holder For C-9	바늘대 유심잡이			1	1	
C-11	04103A-8260	Needle Bar Crank Guide	바늘대 크랭크 안내			1	1	
C-12	SC-0497-1230	Screw (3/16" n = 28)	들대(전) 고정나사(3/16" n=28)			4	4	
C-13		Needle	바늘	1	1	1	1	
C-14	SC-A131-4522	Screw (1/8" n = 44)	홈볼이 납작 작은나사(1/8" n=44)	1		1		
C-15	02-121A-7400	Needle Clamp 3/32:(Flat Presser Type)	침치(3/32)		1			
C-16	04-001A-8260	Needle Clamp 3/32:(Roller Presser Type)	침지(3/32)				1	
C-17	SC-0160-5607	Screw (9/64" n = 40)	바늘 쥘나사(9/64" n=40)		2		2	
C-18	44-0000-1230	Oil Wick	유심	1	1			
C-19	04-012C-7400	Wick Holder(U) For C-18	요동축 유심잡이(上)	1	1			
C-20	AS-004803-01	Wick Holder(L) For C-18	요동축 유심잡이(下)	1	1			
C-21	44-107M-7900	Felt For Needle Bar Frame	바늘대 급유 펠트(A)	1	1			
C-22	04-110A-7400	Needle Bar Rock Shaft	요동축	1	1			
C-23	04-111A-7400	Needle Bar Rock Shaft Bushing(F)	요동축 앞붓싱	1	1			
C-24	04-114A-7400	Needle Bar Rock Shaft Bushing(R)	요동축 뒷붓싱	1	1			
C-25	04-006A-7400	Needle Bar Frame	바늘대 후레임	1	1			
C-25-1	04-102A-7400	Taper Pin	바늘대 후레임 고정핀	1	1			
C-26	04-102A-7400	Needle Bar Clamp	바늘대 잡이	1	1	1	1	
C-27	06-033M-7400	Felt For C-26	절환기 펠트	1	1	1	1	
C-28	SC-0158-3710	Screw (9/64" n = 40)	홈볼이 납작 작은나사(9/64" n=40)	1	1	1	1	
C-29	04-004A-7400	Needle Bar Crank	바늘대 크랭크	1	1	1	1	
C-30	04-105A-7400	Needle Bar Guide Slide Block	바늘대 안내블럭	1	1	1	1	
C-31	04-107A-7400	Needle Bar Guide Plate	보강판	2	2			
C-32	SC-0116-7400	Screw (3/32" n = 56)	안내판 고정나사(3/32" n=56)	4	4			
C-33	04-119A-7400	Needle Bar Rock Shaft Connecting Rod	바늘대 요동축 연결로드	1	1			
C-34	04-020S-7400	Screw For C-33	요동 로드 쥘나사	1	1			
C-35	04-021C-7400	Wick Holder	유심잡이(2-51)	1	1			
C-36	SC-0531-2302	Screw (9/64" n = 40)	톱카바 고정판 고정나사(9/64" n=40)	1	1			
C-37	04-101A-8270	Needle Bar Rock Link	바늘대 요동링크	1	1			
C-38	04-016S-7400	Stud Screw For C-37	요동링크 단나사	2	2			
C-39	SN-0109-3710	Nut (5/16" n = 24)	지그자그 조절 스토퍼 너트(5/16" n=24)	2	2			
C-40	04-102A-8270	Needle Bar Rock Crank	요동축 크랭크	1	1			
C-41	SC-0523-7400	Screw (1/4" n = 28)	요동 크랭크 쥘나사(1/4" n=28)	1	1			

Presser Foot & Knee Lifting Mechanism


노루발 및 무릎올림 관계




Ref. No.	Parts No.	Name of Parts	품 명	Q' ty				비 고
				KM-817	KM-827	KM-816	KM-826	
D-1	05-011A-7400	Knee Lifting Lever	무릎 올림 레버	1	1	1	1	
D-2	05-014G-7400	Return Spring for D-1	무릎 올림 레버 스프링	1	1	1	1	
D-3	05-013S-7400	Stud Screw for D-1	무릎 올림 레버 힌지 나사	1	1	1	1	
D-4	05-012S-7400	Stopper for D-2	무릎 올림 레버 스프링 걸이 나사	1	1	1	1	
D-5	05-015S-7400	Presser Adjusting Screw	압력 조절나사	1	1	1	1	
D-6	05-116G-7400	Presser Bar Plate Spring	누름대 판 스프링	1	1	1	1	
D-7	05-017S-7400	Hinge Screw for D-6	누름대 판 스프링 단나사	1	1	1	1	
D-8	05-001C-8270	Knee Lifting Rod	무릎 올림봉	1	1	1	1	
D-9	05-020P-2302	Pin for D-8	분할핀	1	1	1	1	
D-10	05-021A-7400	Collar for D-8	무릎 올림봉 카라	1	1	1	1	
D-11	SC-0128-7400	Screw(11/64" n=40)	인봉카라 꺾임나사 (11/64" n=40)	1	1	1	1	
D-12	05-018C-7400	Knee Lifter Link	무릎 올림 레버 연결 링크	1	1	1	1	
D-13	05-019S-7400	Stud Screw for D-12	연결 링크 단나사	1	1	1	1	
D-14	GP-022808-00	Knee Lifting Roller Bracket Assembly	로올러(조)	1Set	1Set	1Set	1Set	
D-15	SC-0542-1230	Screw(11/64" n=40)	실늑추기 고정나사(11/64" n=40)	1	1	1	1	
D-16	05-006A-7400	Presser Bar Lifter	누름대 올리기	1	1	1	1	
D-17	05-007S-7400	Hinge Pin for D-16	누름대 올리기 힌지나사	1	1	1	1	
D-18	05-101A-7400	Flat Presser Bar	누름대	1	1			
D-19	05-102A-7400	Presser Bar Bushing(U)	누름대 붓싱(上)	1	1	1	1	
D-20	SC-0507-1230	Screw(15/64" n=28)	상축 붓싱 고정나사(15/64" n=28)	1	1	1	1	
D-21	05-103A-7400	Presser Bar Holder	누름대 잡이 (K3300)	1	1	1	1	
D-22	SC-A174-4122	Screw(11/64" n=40)	홈볼이 납작 작은나사(11/64" n=40)	1	1	1	1	
D-23	05-104A-7400	Presser Bar Lifter Bracket	누름대 올리기 브라켓(K008)	1	1	1	1	
D-24	05-005S-7400	Stud Screw for D-23	누름대 올리기 단나사	1	1	1	1	
D-25	05-108A-7400	Hook for Presser Bar Plate Spring	누름대 판 스프링 걸이(K009)	1	1	1	1	
D-26	SC-0158-3710	Screw(9/64" n=40)	면판 꺾임나사 (15/64" n=40)	1	1	1	1	
D-27	05-109A-7400	Presser Bar Bushing(L)	누름대 붓싱(下)	1	1	1	1	
D-28	SC-0507-1230	Screw(15/64" n=28)	상축붓싱 고정나사(15/64" n=28)	1	1	1	1	
D-29	05-001A-8170	Flat Presser Foot	노루발	1		1		
D-30	05-210A-7400	Flat Presser Foot	노루발		1		1	
D-31	SC-0315-2302	Screw(9/64" n=40)	노루발 꺾임나사(9/64" n=40)	1	1	1	1	
D-32	05-101A-8260	Roller Presser Bar	누름대			1	1	
D-33-1	81-004A-8260	Roller Presser Bracket	로올러 노루발 브라켓			1	1	D-33A Roller Presser Foot(S) Assembly
D-33-4	SC-0199-2700	Screw(11/64" n=40)	슬레노이드 부착 카바나사(11/64" n=40)			1	1	
D-33-5A	81-011A-8260	Roller Presser Foot(S)	노루발(로올러) φ 23			1	1	
D-33-5B	05-017A-8150	Roller Presser Foot(L)	로올러 노루발 φ 32			1	1	
D-33-9	04-005P-8260	Stopper Pin for D-33-1	브라켓 스톱퍼 핀			1		
D-33-10	SC-0160-5607	Screw(9/64" n=40)	바늘 꺾임나사(9/64" n=40)			2	2	D-33B Roller Presser Foot(L) Assembly
D-33-11A	81-017A-8260	Needle Guide Holder(S)	로올러 노루발 바늘안내 홀더(小)				1	
D-33-11B	81-007A-8260	Needle Guide Holder(L)	로올러 노루발 바늘안내 홀더(大)				1	
D-33-12	81-006A-8260	Needle Guide	로올러 노루발 바늘안내 (3/32)				1	
D-33-13	81-005W-8260	Washer for D-33-12	로올러 노루발 홀더 와셔				1	
D-33-14	SC-0130-1230	Screw(1/8" n=44)	톱니 꺾임나사 (1/8" n=44)				1	
D-33-15	04-004G-8260	Spring for D-33-1	브라켓 스프링			1	1	




Ref. No.	Parts No.	Name of Parts	품 명	Q' ty				비 고
				KM-817	KM-827	KM-816	KM-826	
E-1	06-010A-7400	Feed Regulator Dial Shaft	다이알 축	1	1	1	1	
E-2	06-010R-1230	O-Ring For E-1	다이알 축 오링	1	1	1	1	
E-3	06-001A-7500	Length Control Dial Plate	다이알 문자판(5)	1	1	1	1	
E-4	SC-0193-1230	Screw(3/16" n=28)	다이알 판 쥘나사(3/16" n=28)	1	1	1	1	
E-5	06-012P-7400	Pin For E-3	다이알 핀	1	1	1	1	
E-6	06-027G-7400	Spring For E-3	다이알 스프링	1	1	1	1	
E-7	06-104A-7400	Feed Regulator	피이드 조절기	1	1	1	1	
E-8	06-002P-7400	Feed Regulator Stud	피이드 조절기 힌지핀	1	1	1	1	
E-9	06-003C-7400	E-Ring(φ 7)	피이즈 조절기 힌지핀 E링 7	1	1	1	1	
E-10	SC-0507-1230	Screw(15/64" n=28)	상축 보싱 고정나사(15/64" n=28)	1	1	1	1	
E-11	06-005C-7400	Feed Regulator Connecting Link	피이드 조절기 연결링크	1	1	1	1	
E-12	06-006S-7400	Stud Screw For E-11	피이드 조절기 연결링크 단나사	2	2	2	2	
E-13	06-102A-8270	Reverse Lever Shaft	역진 레버 축	1	1	1	1	
E-14	06-107A-7400	Reverse Lever Shaft Crank	역진 레버 크랭크	1	1	1	1	
E-15	SC-0330-7400	Screw(15/64" n=28)	역진 레버 크랭크 쥘나사(15/64" n=28)	1	1	1	1	
E-16	06-217A-7400	Link For Reverse Lever Spring	역진 레버 축 스프링걸이	1	1	1	1	
E-16-1	06-018P-7400	Roller For Spring Hook	역진 레버 축 스프링걸이 핀	1	1	1	1	
E-17	SC-0122-1230	Screw(15/64" n=28)	톱니 받침 축 고정나사(15/64" n=28)	1	1	1	1	
E-18	06-003G-8270	Reverse Lever Return Spring	역진 레버 스프링	1	1	1	1	
E-20	06-020A-7400	Reverse Lever	역진 레버	1	1	1	1	
E-21	06-021W-7400	Washer For E-20	역진 레버 와셔	1	1	1	1	
E-22	SC-0186-1230	Screw(3/16" n=32)	역진 레버 고정나사(3/16" n=32)	1	1	1	1	
E-23	SC-0185-1230	Screw(3/16" n=32)	레버 덮개 나사(3/16" n=32)	1	1	1	1	
E-24	06-022C-7400	Stopper For E-20	역진 레버 스톱퍼	1	1	1	1	
E-25	SC-0543-2302	Screw(11/64" n=40)	톱 카바 힌지 고정나사(11/64" n=40)	1	1	1	1	
E-26	06-004A-8270	Feed Regulator Connecting Rod	절환기 연결 로드	1	1	1	1	
E-27	06-026P-7400	Pin(A) For E-26	절환기 연결 로드 핀(A)	1	1	1	1	
E-28	SC-0128-7400	Screw(11/64" n=40)	인봉 카라 쥘나사(11/64" n=40)	1	1	1	1	
E-29	06-105A-8270	Feed Regulator Shaft Crank	절환기 크랭크	1	1	1	1	
E-30	SC-0330-7400	Screw(15/64" n=28)	역진 레버 크랭크 쥘나사(15/64" n=28)	1	1	1	1	
E-31	06-112A-7500	Pin(B) For E-26	피드 조절기 편심축(B)	1	1	1	1	
E-32	SC-0542-1230	Screw(11/64" n=40)	실 늦추기 고정나사(11/64" n=40)	1	1	1	1	
E-33	06-179A-5607	Feed Rock Shaft	수평밀대	1	1	1	1	
E-34	06-143A-7400	Feed Rock Shaft Bushing(F)	수평밀대 전보싱	1	1	1	1	
E-35	SC-0514-7400	Screw(15/64" n=28)	상축 앞보싱 고정나사(15/64" n=28)	1	1	1	1	
E-36	06-142A-7400	Collar For E-33	수평밀대 카라	2	2	2	2	
E-37	SC-A129-4515	Screw(1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	4	4	4	4	
E-38	06-139A-7400	Feed Rock Shaft Bushing(R)	수평밀대 후보싱	1	1	1	1	
E-39	SC-0514-7400	Screw(15/64" n=28)	상축 앞보싱 고정나사(15/64" n=28)	1	1	1	1	
E-40	06-141A-7400	Feed Rock Shaft Crank	수평밀대 크랭크	1	1	1	1	
E-41	SC-0253-7400	Screw(1/4" n=28)	요동 크랭크 쥘나사(1/4" n=28)	1	1	1	1	
E-42	06-046W-7400	Washer For E-43	톱니 받침 와셔	2	2	2	2	
E-43	06-147A-7400	Feed Bar Shaft	톱니 받침 축	1	1	1	1	
E-44	SC-0128-7400	Screw(11/64" n=40)	인봉 카라 쥘나사(11/64" n=40)	1	1	1	1	
E-45	06-106A-8270	Feed Bar	톱니 받침	1	1	1	1	
E-46	06-151W-7400	Washer For E-48	포크 쥘나사 와셔	1	1	1	1	
E-47	SC-0106-7400	Screw(15/64" n=28)	포트 쥘나사(육각) (15/64" n=28)	1	1	1	1	
E-48	06-152A-7400	Feed Bar Fork	톱니 받침 포크(KSM004)	1	1	1	1	
E-49	06-053M-7400	Felt For E-48	포크 헬트	1	1	1	1	
E-50	SC-0531-2302	Screw(9/64" n=40)	톱 카바 고정판 고정나사(9/64" n=40)	1	1	1	1	
E-51	06-138A-7400	Feed Cam	피이드 캠	1	1	1	1	
E-52	SC-A308-4517	Screw(15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=40)	2	2	2	2	
E-53	06-036A-7400	Needle Bearing	니이들 베어링	1	1	1	1	
E-54	06-135A-7400	Feed Cam Connecting Rod	베어링 로드	1	1	1	1	
E-55	06-032P-7400	Slide Block Shaft	베어링 로드 연결핀	1	1	1	1	
E-56	06-131A-7400	Slide Block	슬라이드 블럭	2	2	2	2	
E-57	06-130C-7400	Slide Block Guide Plate	슬라이드 블럭 안내판	2	2	2	2	
E-58	SC-0543-2302	Screw(11/64" n=40)	톱 카바 고정판 고정나사(11/64" n=40)	4	4	4	4	
E-59	06-129A-7400	Feed Regulator Shaft	절환기 몸체	1	1	1	1	
E-60	06-034W-7400	Stop Ring C	절환기 와셔	1	1	1	1	
E-61	02-121A-1230	Collar For E-59	상축 카라	1	1	1	1	
E-62	SC-A129-4515	Screw(1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	2	2	2	2	
E-63	06-033M-7400	Felt	절환기 헬트	4	4	4	4	
E-64	06-137A-7400	Level Feed Connecting Link	수평 피이드 연결링크(KS007)	1	1	1	1	
E-65	06-140P-7400	Stud For E-40	연결핀	1	1	1	1	
E-66	06-020C-7400	E-Ring (φ 6)	E링(φ 6)	2	2	2	2	
E-67	44-025C-7400	Wick Holder For E-59	절환기 유심잡이	1	1	1	1	
E-68	SC-0549-2302	Screw(1/8" n=44)	바늘대 후레임 실결이 나사(1/8" n=44)	2	2	2	2	



Ref. No.	Parts No.	Name of Parts	품 명	Q' ty				비 고
				KM-817	KM-827	KM-816	KM-826	
F-1	09-118A-8170	Post(KM-817, 816)	포스트	1		1		
F-2	09-118A-8270	Post(KM-827, 826)	포스트		1		1	
F-3	09-025W-8270	Washer for F-1, F-2	새들 쥘나사 와셔	2	4	2	4	
F-4	SC-0344-8260	Screw(5/16" n=24)	포스크 고정나사(5/16" n=24)	2	4	2	4	
F-5	06-053M-7400	Felt for Feed Dog Lever	포크 헬트	1	1	1	1	
F-6	09-020A-8270	Saddle	새들	1	2	1	2	
F-7	09-125W-8270	Washer for F-6	새들 쥘나사 와셔	2	4	2	4	
F-8	SC-0326-8260	Screw(5/16" n=24)	새들 쥘나사(5/16" n=24)	2	4	2	4	
F-11	02-019W-1230	Washer for F-10	상축 헬트 와셔	6	12	6	12	
F-12	SC-0365-3710	Screw(9/64" n=40)	면판 측면 카바나사(하) (9/64" n=40)	2	4	2	4	
F-13	02-009M-7400	Felt for F-6	상축 앞 붓싱 헬트	1	2	1	2	
F-14	GP-010492-00	Hook Cover	가마축 슬라이드	1	2	1	2	
F-15	09-123C-8170	Post Cover(F)	포스트 커버(前)	1		1		
F-16	SC-A301-4119	Screw(9/64" n=40)	홈볼이 접시 작은나사(9/64" n=40)	8	16	8	16	
F-17	SC-0537-8260	Screw(3/16" n=32)	포스트 고정나사(대)(3/16" n=32)	1	3	1	3	
F-18	01-023C-3710	Washer for F-17	와셔5	1	4	1	4	
F-19	09-124C-8170	Post Cover(R)	포스트 커버(後)	1		1		
F-20	09-124C-8270	Post Lever Cover(F)	포스트 커버(후)		1		1	
F-21	09-121C-8270	Post Right Cover(F)	포스트 커버(좌)		1		1	
F-22	09-123C-8270	Post Left Cover(R)	포스트 커버(전)		1		1	
F-23	09-122C-8270	Post Right Cover(R)	포스트 커버(우)		1		1	
F-24	09-001A-8170	Post Cover	포스트 커버(좌)	1		1		
F-25	SC-0501-2302	Screw(11/64" n=40)	실채기 카바나사(11/64" n=40)	4		4		
F-26	09-102A-8170	Post Support	포스트 받침	1		1		
F-27	09-125W-8270	Screw(11/64" n=40)	윗뚜껑 쥘나사(11/64" n=40)	4		4		
F-28	09-025W-8270	Washer for F-29	새들 쥘나사 와셔	2		2		
F-29	SC-0326-8260	Screw(5/16" n=24)	새들 쥘나사(5/16" n=24)	2		2		
F-30	SN-0116-3400	Nut(1/4" n=40)	수평 운동조절 축 너트(1/4" n=40)	1	1	1	1	
F-31	09-009W-8270	Washer for F-32	슬라이드 블럭 와셔	1	1	1	1	
F-32	09-006S-8270	Slide Block Shaft	슬라이드 블럭 나사	1	1	1	1	
F-33	09-107A-8270	Slide Block	톱니 레버 슬라이드 블럭	1	1	1	1	
F-34	09-008S-8270	Screw for F-33	슬라이드 블럭 마개 나사	1	1	1	1	
F-35	09-011A-8270	Feed Dog Lever	톱니 레버	1	1	1	1	
F-36	06-008S-8270	Stud Screw for Feed Bar	톱니 받침 나사	1	1	1	1	
F-37	SN-0115-7400	Nut(3/16" n=32)	오프너 너트(3/16" n=32)	1	1	1	1	
F-38	09-005C-8270	Guide Plate for F-35	톱니 레버 보강판	1	1	1	1	
F-39	SC-0543-2302	Screw(11/64" n=24)	톱 카바 한지 고정나사(11/64" n=40)	2	2	2	2	
F-40	06-001A-8170	Feed Dog(KM-817)	톱니	1				
F-41	06-012A-8270	Feed Dog(KM-827)	톱니(3/32)		1			
F-42	06-001A-8160	Feed Dog(Roller Presser Type)	톱니(로울러 노루발용)			1		
F-43	06-001A-8260	Feed Dog(Roller Presser Type)	톱니				1	
F-44	06-011A-8160	Feed Dog(Flat Presser Type)	톱니(평노루발용)			1		
F-45	06-001A-8260	Feed Dog(Roller Presser Type)	톱니				1	
F-46	SC-0543-2302	Screw(1/8" n=44)	톱 카바 한지 고정나사(1/8" n=44)	1	1	1	1	
F-47	01-005A-8170	Needle Plate(KM-817)	침판	1				
F-48	01-004A-8270	Needle Plate(KM-827)	침판(3/32)		1			
F-49	01-005A-8160	Needle Plate(Roller Presser Type)	침판(로울러 노루발용)			1		
F-50	01-005A-8260	Needle Plate(Roller Presser Type)	침판(3/32)				1	
F-51	01-015A-8160	Needle Plate(Flat Presser Type)	침판(평노루발용)	1				
F-52	01-015S-8260	Needle Plate(Flat Presser Type)	침판(3/16)		1			
F-53	SC-0310-8130	Screw(9/64" n=40)	침판 나사(9/64" n=40)	2	2	2	2	
F-54	09-113A-8270	Hook Shaft	훅 축	1	2	1	2	
F-55	09-036A-8570	Rotary Hook Assembly	가마	1Set	2Set	1Set	2Set	
F-57	SC-0147-8270	Screw(9/64" n=40)	가마 고정나사(9/64" n=40)	1	2	1	2	
F-58	09-130A-7400	Bobbin	보빈	1	2	1	2	
F-59	09-002A-7400	Rotary Hook Gear	기어(소)	1	2	1	2	
F-60	SC-A550-4517	Screw(1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	3	6	3	6	
F-61	09-114A-8270	Opener	오프너	1	2	1	2	
F-62	09-015S-8270	Stud Screw for F-61	오프너 단나사	1	2	1	2	
F-63	09-116A-8270	Fork for F-61	오프너 블럭	1	2	1	2	
F-64	SC-0502-2302	Screw (9/64" n=40)	윗뚜껑 고정판 고정나사(대)(9/64" n=40)	2	4	2	4	




Ref. No.	Parts No.	Name of Parts	품 명	Q' ty				비 고
				KM-817	KM-827	KM-816	KM-826	
G-1	44-001A-7400	Oil Receive Plate	기름 받침판	1	1	1	1	
G-2	SC-0502-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(대)(9/64" n=40)	10	10	10	10	
G-3-1	44-006A-7400	Oil Adjusting Knob	오일 조절축	1	1	1	1	
G-3-2	44-007P-7400	Pin(A) For G-3-1	오일 조절 축핀(대)	1	1	1	1	
G-3-3	44-008W-7400	Washer For G-3-2	오일 조절 축 와셔	1	1	1	1	
G-3-4	44-008P-7400	Pin(B) For G-3-1	오일 조절 축핀(소)	2	2	2	2	
G-4	44-012R-7400	Cap For Oil Inlet	주유구 마개(6-8)	1	1	1	1	
G-5	44-011C-7400	Felt Presser	유심 헬트 고정판(6-7)	1	1	1	1	
G-6	44-010M-7400	Felt	오일 탱크 헬트(6-6)	1	1	1	1	
G-7	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-8	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-9	44-009G-7400	Spring Plate	오일 조절판 스프링	1	1	1	1	
G-10	SC-0502-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(대)(9/64" n=40)	1	1	1	1	
G-11	44-013R-7400	Packing For G-1	기름받침 판 박킹	1	1	1	1	
G-12	44-014C-7400	Wick Holder	오일 유심 안내(6-11)	1	1	1	1	
G-13	SC-0531-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(소)(9/64" n=40)	2	2	2	2	
G-14	44-015C-7400	Oil Guide Tube	오일 안내	1	1	1	1	
G-15	02-014M-2302	Felt	상축 급유 헬트	1	1	1	1	
G-16	44-017C-7400	Oil Cover	기름막이 판	1	1	1	1	
G-17	44-018C-8130	Presser For G-16	기름막이 누름판	1	1	1	1	
G-18	06-024S-7400	Screw(3/16" n = 32)	흡블이 냄비 작은나사(3/16" n=32)	1	1	1	1	
G-19	44-016M-7400	Felt For Thread Take-Up Lever	실채기 급유 헬트(6-14)	1	1	1	1	
G-20	SC-A156-4118	Screw(9/64" n = 40)	흡블이 냄비 작은나사(9/64" n=40)	1	1	1	1	
G-21	01-017C-7400	Oil Pipe	오일 파이프(1-14)	1	1	1	1	
G-22	44-027C-7400	Oil Gauge Window	유창	1	1	1	1	
G-23	06-043R-1230	Facking For G-22	피이드 조절기 붓싱 오링	1	1	1	1	
G-24	44-022C-7400	Oil Tube Supporter	오일 파이프 고정캡	1	1	1	1	
G-25	44-023M-7400	Felt	베드 오일 헬트	1	1	1	1	
G-26	SC-0518-7400	Screw(9/64" n = 40)	헬트 쥘나사(9/64" n=40)	1	1	1	1	
G-27	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-28	44-012C-1230	Oil Tube For G-27	환류 파이프	1	1	1	1	
G-29	44-026G-7400	Tube Holder For G-28	헬트 잡이 스프링	1	1	1	1	
G-30	SC-0531-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(소)(9/64" n=40)	1	1	1	1	
G-31	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-32	44-012C-1230	Oil Tube For G-31	환류 파이프	1	1	1	1	
G-33	44-026G-7400	Tube Holder For G-32	헬트 잡이 스프링	1	1	1	1	
G-34	SC-0531-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(소)(9/64" n=40)	1	1	1	1	
G-35	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-36	44-012C-1230	Oil Tube For G-35	환류 파이프	1	1	1	1	
G-37	44-026G-7400	Tube Holder For G-36	헬트 잡이 스프링	1	1	1	1	
G-38	SC-0531-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(소)(9/64" n=40)	1	1	1	1	
G-39	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-40	44-012C-1230	Oil Tube For G-39	환류 파이프	1	1	1	1	
G-41	44-026G-7400	Tube Holder For G-40	헬트 잡이 스프링	1	1	1	1	
G-42	SC-0531-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(소)(9/64" n=40)	1	1	1	1	
G-43	44-011C-7400	Oil Wick Setting Plate For G-36, 40	유심헬트 고정판(6-7)	1	1	1	1	
G-44	SC-0531-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(소)(9/64" n=40)	1	1	1	1	
G-45	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-46	44-012C-1230	Oil Tube For G-45	환류 파이프	1	1	1	1	
G-47	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-48	44-012C-1230	Oil Tube For G-47	환류 파이프	1	1	1	1	
G-49	44-026G-7400	Tube Holder For G-48	헬트 잡이 스프링	2	2	2	2	
G-50	SC-0531-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(소)(9/64" n=40)	2	2	2	2	
G-51	44-011C-7400	Oil Wick Setting Plate For G-36, 40	유심헬트 고정판(6-7)	1	1	1	1	
G-52	SC-0531-2302	Screw(9/64" n = 40)	윗뚜껑 고정판 고정나사(소)(9/64" n=40)	1	1	1	1	
G-53	44-0000-1230	Oil Wick	유심	1	1	1	1	
G-54	44-019M-7400	Felt	앞 하축 붓싱 마개 헬트(5-3)	1	1	1	1	
G-55	44-019M-7400	Felt For Lower Shaft Bushing(F)	후 몸체 전 붓싱 헬트(6-19)	1	1	1	1	
G-56	07-003M-7400	Felt For Lower Shaft Bushing(M)	후 몸체 전 붓싱 헬트(6-19)	1	1	1	1	
G-57	44-001M-8270	Felt	헬트	1	1	1	1	
G-58	44-002A-8270	Cover For G-57	헬트 받침판	1	1	1	1	
G-59	SC-0543-2302	Screw(11/64" n = 40)	툽카바 힌지 고정나사(11/64" n=40)	2	2	2	2	



Ref. No.	Parts No.	Name of Parts	품 명	Q' ty				비 고
				KM-817	KM-827	KM-816	KM-826	
H-1	07-101A-8270	Lower Shaft	하축	1	1	1	1	
H-2	07-102A-8270	Lower Shaft Bushing(F)	하축 앞 붓싱	1	1	1	1	
H-3	07-004M-7400	Felt For H-2	하축 앞 붓싱 펠트(5-4)	1	1	1	1	
H-4	SC-0507-1230	Screw (15/64" n = 28)	상축 중 붓싱 고정나사(15/64" n=28)	1	1	1	1	
H-5	09-001A-7400	Lower Shaft Spiral Gear	기어(대)	1	2	1	2	
H-6	SC-A117-4417	Screw(1/4" n = 40)	홈볼이 멈춤나사(1/4" n = 40)	1	2	1	2	
H-7	SC-A308-4517	Screw(1/4" n = 40)	홈볼이 멈춤나사(1/4" n = 40)	2	4	2	4	
H-8	06-054A-5700	Vertical Feed Eccentric Cam	편심 캠	1	1	1	1	
H-9	SC-A550-4517	Screw(1/4" n = 40)	홈볼이 멈춤나사(1/4" n = 40)	1	1	1	1	
H-10	07-103A-8270	Lower Shaft Bushing (M)	하축 중 붓싱	1	1	1	1	
H-11	07-004M-7400	Felt For H-10	하축 앞 붓싱 펠트(5-4)	1	1	1	1	
H-12	SC-0507-1230	Screw(15/64" n = 28)	상축 붓싱 고정나사(15/64" n=28)	1	1	1	1	
H-19	07-007A-7400	Bearing Bushing	베어링 홀다	1	1	1	1	
H-20	SC-A117-4417	Screw(1/4" n = 40)	육각구멍볼이 멈춤나사(1/4" n = 40)	1	1	1	1	
H-21	SC-A308-4517	Screw(1/4" n = 40)	육각구멍볼이 멈춤나사(1/4" n = 40)	1	1	1	1	
H-22	07-008A-7400	Bearing(6203NR)	하축 베어링(6203)	1	1	1	1	
H-24	07-009A-7400	Bearing Presser	베어링 카바	1	1	1	1	
H-25	SC-0155-7400	Screw(9/64" n = 40)	접시머리 보울트(9/64" n = 40)	3	3	3	3	
H-26-1	02-015C-7400	Belt Pulley Ring	후렌치	1	1	1	1	
H-26-2	80-002A-8270	Belt Pulley(L)	타이밍 폴리(하)	1	1	1	1	
H-26-3	SC-A117-4417	Screw(1/4" n = 40)	육각홈볼이 멈춤나사(1/4" n = 40)	1	1	1	1	
H-26-4	SC-A308-4517	Screw(1/4" n = 40)	육각홈볼이 멈춤나사(1/4" n = 40)	1	1	1	1	

Accessories 액세서리



Ref. No.	Parts No.	Name of Parts	품명	Q' ty				비고
				KM-817	KM-827	KM-816	KM-826	
I-1	91-001C-1230	Accessory Bag	액세서리 박스	1	1	1	1	
I-2	91-001C-8270	Head Cover	미싱커버(소)	1	1	1	1	
I-3	91-108C-1230	Oil	오일캔	1	1	1	1	
I-4	91-002C-7400	Oiler	유차	1	1	1	1	
I-5	91-011C-1230	Oil Receiver	유차병	1	1	1	1	
I-6		Nail	못	6	6	6	6	
I-7	91-103R-7400	Head Cushion	헨지 고무(소)	4	4	4	4	
I-8	91-106R-7400	Rubber Cushion For Hinge	헨지 고무(대) <White>	2	2	2	2	
I-9	91-004C-7400	Head Hinge	헨지쇠	2	2	2	2	
I-10	SC-0118-7400	Screw (1/4" n=24)	헨지 죠나사(1/4" n=24)	4	4	4	4	
I-11	09-130A-7400	Bobbin	보빈	2	2	2	2	
I-12		Needle	바늘	5	5	5	5	
I-13	91-007C-7400	Thread Inserting Guide	실끼기	1	1	1	1	
I-14	01-024M-7400	Felt	윗실 급유 헬트	1	1	1	1	
I-15	91-001A-7400	Oil Pan	오일 팬	1	1	1	1	
I-16	91-102C-1230	Driver (Large)	드라이버(大)	1	1	1	1	
I-17	91-103C-1230	Driver (Middle, Small)	드라이버(中, 小)	1	1	1	1	
I-19	90-003A-8670	Head Rest	두부 지지봉	1	1	1	1	
I-20	91-007A-2302	Thread Stand Assembly	실패꽃이(組)	1Set		1Set		
I-21	91-008A-7400	Thread Stand Assembly	3본 사립봉		1Set		1Set	
I-22	91-101A-2700	Bobbin Winder Assembly	실감기(組)	1Set	1Set	1Set	1Set	
I-23	43-007A-7400	Knee Lifting Assembly	무릎올림(組)	1Set	1Set	1Set	1Set	
I-23-1	91-002S-3400	Screw For I-23	목나사	3	3	3	3	
I-23-2	91-001C-2700	Wrench (3MM)	L-렌치(3MM)	1	1	1	1	
I-23-3	43-010G-3400	Spring for I-23	무릎 받침축 리턴 S/P	1	1	1	1	
I-24	60-003A-8270	Belt Cover "A"	벨트커버 "A"	1	1	1	1	
I-25	60-004A-8270	Belt Cover "B"	벨트커버 "B"	1	1	1	1	
I-26	GP-011266-00	Belt Cover "C"	벨트커버 "C"	1	1	1	1	
I-27	SC-0331-7400	Screw (15/16" n=28)	가마토대 슬리브 고정나사	1	1	1	1	
I-28	SC-0546-1230	Screw (15/16" n=28)	제어체 운동나사(대)	1	1	1	1	
I-29	SC-0545-1230	Screw (15/16" n=28)	제어체 운동나사(소)	1	1	1	1	
I-30	60-003S-7400	Screw For I-25	벨트커버B (하)고정나사	2	2	2	2	
I-31	SC-0196-2700	Screw M3.0×0.5	슬레노이드 부착 고정나사	2	2	2	2	
I-32	11-017W-2700	Washer For I-31	슬레노이드 부착 평와셔	2	2	2	2	
I-33	60-006P-7400	Support Pin	벨트커버 지지핀	1	1	1	1	
I-34	60-004W-7400	Washer	벨트커버 스프링 와셔	1	1	1	1	
I-35	SC-0543-2302	Screw (11/64" n=40)	벨트커버 고정나사	1	1	1	1	



Gauge Parts 게이지 관계



KM-827

	(C-15)	(D-30)	(F-41)	(F-48)
Gauge Size	 Needle Clamp	 Presser Foot	 Feed Dog	 Needle Plate
1/16" (1.6mm)	02-221A-7400	05-210A-7400	06-113A-8270	01-204A-8270
3/32" (2.4mm)	02-121A-7400	05-210A-7400	06-012A-8270	01-004A-8270
1/8" (3.2mm)	02-521A-7400	05-510A-7400	06-013A-8270	01-304A-8270
3/16" (4.8mm)	02-321A-7400	05-310A-7400	06-112A-8270	01-104A-8270
1/4" (6.4mm)	02-021A-7400	05-010A-7400	06-115A-8270	01-404A-8270
1" (25.4mm)	02-921A-7400	05-910A-7400	06-116A-8270	01-504A-8270

KM-826 (Roller Presser Type)

	D-33-12	C-16	F-43	F-50
Gauge Size	 Needle Clamp	 Presser Foot	 Feed Dog	 Needle Plate
1" (25.4mm)	81-036A-8260	04-051A-8260	06-012A-8260	01-045A-8260
3/64" (1.2mm)	81-046A-8260	04-021A-8260	06-013A-8260	01-025A-8260
1/16" (1.6mm)	81-016A-8260	04-011A-8260	06-014A-8260	01-015A-8260
3/32" (2.4mm)	81-006A-8260	04-001A-8260	06-001A-8260	01-005A-8260
1/8" (3.2mm)	81-026A-8260	04-031A-8260	06-011A-8260	01-035A-8260

KM-826 (Flat Presser Type)

	C-15	D-30	F-45	F-52
Gauge Size	 Needle Clamp	 Presser Foot	 Feed Dog	 Needle Plate
1/8" (3.2mm)	02-521A-7400	05-510A-7400	06-011A-8260	01-035A-8260
1/4" (6.4mm)	02-021A-7400	05-010A-7400	06-021A-8260	01-155A-8260