



Frame catalog

FRAMES

For all models

Cap Frame

1.	Cap frame unit.....	7
	■ Cap frame 1 (BGWU).....	7
	■ Cap frame 2 (for slim cylinder).....	7
2.	Wide cap frame	7
	■ TCW.....	7
3.	Semi-wide cap frame	8
	■ TCW-180, TCW-180R.....	8
4.	Cap frame gauge	8
	■ CGWR.....	8
5.	Cap frame gauge ring B	8
	■ CGWR-B	8
6.	Pocket frame	9
	■ TPF	9
7.	Use of cap frame	9

Tubular Goods Frame

1.	Tubular hooping stand	10
	■ TG	10
	■ TGH2	11
2.	Tubular frames	11
	■ TSU2 (TMEZ-KC, TMAR-KC, TMAR-VC, TFMX-2C)	11
	■ TFA	12
	■ TFA2	12
3.	Application list for TFA, TFA2	14

Border Frame

1.	Composition	16
■	TMCR-VF, TMCP-VF, TMCS-VF, TMAR-VF, TFMX-L, TLMX, TCWM, TCMX, PAR-V, HAR-V, PAX-V	16
■	TMAR-VC	18
■	TMEZ-KC, TMAR-KC	19
■	TFMX-2, TFMX-2C	20
■	TMEZ-SC, TMBR-SC, TMBP-SC, TMBU-SC, TCMX-601	21
■	TFMX-C single head machine, TWMX-C	21
2.	Middle sash and clip	22
■	Middle sash [A]	22
■	Middle sash stay	23
■	Middle sash supporter	25
■	BFF (border frame clip)	29
■	BSC-B (one-touch type special clip)	30
■	BSCA-B (one-touch type special clip)	31

Special use frames / holders

1.	Wooden frame holder.....	32
	■ FHBU (wooden frame holder uni-type) (TMAR-VC).....	32
	■ FHBE-C (wooden frame holder for SPF-21 and SPFH) (TFMX-2C, TMAR-KC, TMEZ-KC)	33
	■ FSMA (wooden frame holder for OFAM) (TFMX-2C, TMAR-KC, TMEZ-KC)	33
2.	Frame holder for OFAM, spring frame	34
	■ FSEM (frame holder for OFAM) (TCMX-601)	34
	■ FAA (Spring frame)	34
3.	Spider net frame holder, spider net frame.....	35
	■ PFH1, PFH2 (spider net frame holder)	35
	■ PFH-C (spider net frame holder for tubular type).....	35
	■ SPFHA (spider net frame).....	36
	■ SPFH1 (spider net frame)	36
4.	Plastic frame	37
	■ SPF (round frame, oblong frame)	37
	■ SIPF (round frame)	38
	■ SIPF2 (oblong frame).....	39
5.	Aluminum square frame	40
	■ SBGA (fixed by screws)	40
	■ SBGM, SBGM3A (magnet type)	41
	■ SBIM, SBIM3A (magnet type).....	42
	■ Anti-warp insert	45
6.	One-touch frame	46
	■ OFAM (round frame).....	46
	■ OFAM (oblong frame)	46
	■ OFAM2 (oblong frame)	46

Pneumatic Auto Clamp Frame

1. Air type clamp frame 2 / pocket frame 2..... 49
 - Air type clamp frame 2 / pocket frame 2
(TFMX-C, TWMX-C, TMBR-SC, TMBP-SC, TMBU-SC, TMEZ-SC) 49

Sock Frame

1. Sock frame sash..... 50
 - SSE-A (with cradle of plate spring type) 50
 - SST (for tubular goods frame)..... 51
2. Sock frame 51
 - SHE 51
3. Sock frame gauge 51
 - SGE 51
4. Cradle 52
 - SHB 52


Cylindrical Frame

1. Drive ring 53
 - BCF-68 53
2. Frame base for uni-type 53
 - BCUX 53
3. Needle plate 53
 - CNP-68-25 53
4. Cylindrical frame..... 54
 - CFCM-68 (clamp type)..... 54
 - CFCP-68 (clip type)..... 54
5. Cylindrical frame gauge..... 54
 - CGF-68 54

Cap Frame


1. Cap frame unit

■ Cap frame 1 (BGWU)



Name	Part No.	Remarks
CAP FRAME DRIVE RING :BGWU[A]	934200500A00	TFMX-C single head machine, TWMX-C

■ Cap frame 2 (for slim cylinder)



Name	Part No.	Remarks
CAP FRAME :SMALL NUMBERED HEAD[A]	0G4320150A12	2 to 8 head machine, 12 head machine
CAP FRAME :SINGLE HEAD[A]	0G4320210A22	Single-head machine

2. Wide cap frame


■ TCW



Name	Part No.	Emb. space (Y) × (X)	Remarks
WIDE CAP FRAME :TCW :360[A]	934100100A78	75×360	-

3. Semi-wide cap frame


TCW-180, TCW-180R



Name	Part No.	Emb. space (Y) × (X)	Remarks
WIDE CAP FRAME :TCW :180[A]	934100300A11	83×180	Square front type cap
WIDE CAP FRAME :TCW :180R[A]	934100400A11	65-83×180	Round front type cap

4. Cap frame gauge


CGWR



Name	Part No.	Remarks 1	Remarks 2
SET FRAME :WIDE :150MM DIA.[A]	0G4160250A01	CGWR-360	For TCW-360
SET FRAME :SEMI-WIDE :150MM DIA.[A]	0G4160251A01	CGWR-180	For TCW-180 / 180R

5. Cap frame gauge ring B


CGWR-B



Name	Part No.	Remarks
GAUGE RING :B	0G4160130012	CGWR-360B (for wide cap frame)
GAUGE RING :B	0G4160140012	CGWR-180B (for semi-wide cap)

6. Pocket frame








TPF



Name	Part No.	Use
POCKET FRAME :65*100[A]	0G7310170A01	For pockets, for sides and back of cap
POCKET FRAME :100*75[A]	0G7310171A01	

- Pocket frame can be installed to the cylinder-type machines that have a cap frame system.

7. Use of cap frame


Size of cap (Circumference)	52cm or more		
Cap height	Height		Normal
Type	Semi-wide cap frame		Wide cap
	TCW-180	TCW-180R	TCW-360
	Embroidery space X:180 Y:83 	Embroidery space X:180 Y:65-83 	Embroidery space X: 360 Y: 75 
Cap frame gauge	CGWR-180 		CGWR-360 
Drive ring	Cap frame 1 TFMX-C single head machine TWMX-C  Cap frame 2 TMAR-KC TMEZ-KC TMEZ-SC TFMX-2C TMBR-SC TMBP-SC 		

Tubular Goods Frame


1. Tubular hooping stand

■ TG


Type A



Type B




Type C



Type	Name	Part No.	Remarks
A	GAUGE FRAME :SLEEVE :70MM DIA.	933300100000	-
	GAUGE FRAME :SLEEVE :90MM DIA.	933300200000	-
	GAUGE FRAME :SLEEVE :120MM DIA.	933300300000	-
	GAUGE FRAME :SLEEVE :150MM DIA.	933300400000	-
	GAUGE FRAME :SLEEVE :180MM DIA.	933300500000	-
	GAUGE FRAME :SLEEVE :210MM DIA.	933300600000	-
B	TUBULAR GOODS GAUGE :TG :FRONT BODY PART :210*120	933300700011	-
	TUBULAR GOODS GAUGE :TG :FRONT BODY PART :255*255	933300800011	-
	TUBULAR GOODS GAUGE :TG :FRONT BODY PART :260*335	933300900011	-
	TUBULAR GOODS GAUGE :TG :FRONT BODY PART :335*335	933301000011	-
	GAUGE FRAME :FRONT BODY PART :335*329	933301100000	-
	GAUGE FRAME :FRONT BODY PART :340*310	933301300000	-
	GAUGE FRAME :FRONT BODY PART :335*453	933301200000	-
	GAUGE FRAME :FRONT BODY PART :380*310	933301400000	-
	GAUGE FRAME :FRONT BODY PART :413*239	933301500000	-
	GAUGE FRAME :FRONT BODY PART :413*342	933301600000	-
	GAUGE FRAME :FRONT BODY PART :450*230	933301800000	-
	GAUGE FRAME :FRONT BODY PART :450*320	933301900000	-
	GAUGE FRAME :FRONT BODY PART :450*395	933302000000	-
	GAUGE FRAME :FRONT BODY PART :475*310	933302500000	-
C	GAUGE FRAME :FRONT BODY PART :413*467	933301700000	-
	GAUGE FRAME :FRONT BODY PART :475*410	933302600000	-
	GAUGE FRAME :FRONT BODY PART :475*450	933302700000	-
	GAUGE FRAME :FRONT BODY PART :475*480	933302800000	-
	GAUGE FRAME :FRONT BODY PART :575*410	933302900000	-


■ TGH2



Name	Part No.	Remarks 1	Remarks 2
GAUGE FRAME :450*450/TUBULAR GOODS FRAME	UG4100000011	TGH2-1	For X: 275, 360, 400, 460
GAUGE FRAME :450*500/TUBULAR GOODS FRAME	UG4100000111	TGH2-2	For X: 500 or more
GAUGE FRAME :610*625/TUBULAR GOODS FRAME	UG4100000411	-	For TWMX-C

2. Tubular frames

■ TSU2 (TMEZ-KC, TMAR-KC, TMAR-VC, TFMX-2C)^[*1]




For Y-emb. space: 450

Name	Part No.	Remarks 1	Remarks 2
FRAME HOLDER :Y450 :P360[A]	0G3140260A00	For 360P	TSU2-360
FRAME HOLDER :Y450 :P500[A]	0G3140290A00	For 500P	TSU2-500

[*1] Please specify the target model, serial no. and embroidery space when ordering.



■ TFA



It is the same part as No. 2 of page 38.

Name	Part No.	Inner frame width (a)	Inner frame height	Remarks
TUBULAR GOODS FRAME :TFA :360P :70MM DIA.[A]	933100239A14	58	21	TFA-70
TUBULAR GOODS FRAME :TFA :360P :90MM DIA.[A]	933100439A14	78	21	TFA-90
TUBULAR GOODS FRAME :TFA :360P :120MM DIA.[A]	933100639A14	110	21	TFA-120
TUBULAR GOODS FRAME :TFA :360P :150MM DIA.[A]	933100839A14	136	21	TFA-150
TUBULAR GOODS FRAME :TFA :360P :180MM DIA.[A]	933101039A14	166	21	TFA-180
TUBULAR GOODS FRAME :TFA :360P :210MM DIA.[A]	933101239A14	196	21	TFA-210


■ TFA2



It is the same part as A of page 46.

It is the same part as No. 2 of page 38.

Name	Part No.	Emb. space (X)	Inner frame width (a) × (b)	Inner frame height
TUBULAR GOODS FRAME :TFA :360P :210*120[A]	933200239A23	360	190×102	21
TUBULAR GOODS FRAME :TFA :360P :255*160[A]	933204939A11	360	240×143	10
TUBULAR GOODS FRAME :TFA :360P :255*255[A]	933200339A23	360	228×228	21
TUBULAR GOODS FRAME :TFA :360P :260*335[A]	933200539A22	360	236×309	10
TUBULAR GOODS FRAME :TFA2 :500P :335*453[A]	933203450A12	500	300×423	21
TUBULAR GOODS FRAME :TFA :360P :338*338[A]	933206700A01	360	310×310	10
TUBULAR GOODS FRAME :TFA :360P :395*325[A]	933203639A11	360	360×290	10
TUBULAR GOODS FRAME :TFA2 :360P :413*239[A]	933203939A12	360	378×209	21
TUBULAR GOODS FRAME :TFA2 :360P :413*342[A]	933204439A12	360	380×314	10
TUBULAR GOODS FRAME :TFA2 :500P :413*467[A]	933204750A12	500	380×435	21
TUBULAR GOODS FRAME :TFA2 :610*625[A]	933206500A13	550	580×600	21



Name	Part No.	Emb. space (X)	Inner frame width (a) × (b) ^[*1]	Remarks
TUBULAR GOODS FRAME :TFA2 :500P :510*450[A]	933206100A14	500/520	480×419	TWMX-C, TFMX-C single head machine
TUBULAR GOODS FRAME :TFA2 :500P :510*450[A]	933206900A01	500/520	480×419	TMAR-KC, TFMX-2C
TUBULAR GOODS FRAME :TFA2 :360P :510*310[A]	933206200A12	360/400	480×279	TWMX-C, TFMX-C single head machine
TUBULAR GOODS FRAME :TFA2 :360P :510*310[A]	933206800A01	360/400	480×279	TMAR-KC, VC, TFMX-2C

[*1] Inner frame height is 21 mm.

3. Application list for TFA, TFA2

Name	Part No.	Inner frame width	Inner frame height
TUBULAR GOODS FRAME :TFA :360P :70MM DIA.[A]	933100239A14	58	21
TUBULAR GOODS FRAME :TFA :360P :90MM DIA.[A]	933100439A14	78	21
TUBULAR GOODS FRAME :TFA :360P :120MM DIA.[A]	933100639A14	108	21
TUBULAR GOODS FRAME :TFA :360P :150MM DIA.[A]	933100839A14	136	21
TUBULAR GOODS FRAME :TFA :360P :180MM DIA.[A]	933101039A14	166	21
TUBULAR GOODS FRAME :TFA :360P :210MM DIA.[A]	933101239A14	196	21
TUBULAR GOODS FRAME :TFA :360P :210*120[A]	933200239A23	190×102	21
TUBULAR GOODS FRAME :TFA :360P :255*255[A]	933200339A23	228×228	21
TUBULAR GOODS FRAME :TFA :360P :260*335[A]	933200539A22	236×309	10
TUBULAR GOODS FRAME :TFA2 :360P :340*310[A]	933200839A23	304×275	20
TUBULAR GOODS FRAME :TFA :360P :255*160[A]	933204939A11	241×146	10
TUBULAR GOODS FRAME :TFA :360P :395*325[A]	933203639A11	361×291	10
TUBULAR GOODS FRAME :TFA :360P :338*338[A]	933206700A01	310×310	10
TUBULAR GOODS FRAME :TFA2 :360P :413*239[A]	933203939A12	378×209	18
TUBULAR GOODS FRAME :TFA2 :360P :413*342[A]	933204439A12	380×314	10
TUBULAR GOODS FRAME :TFA :360P :450*320[A]	933201239A12	435×286	10
TUBULAR GOODS FRAME :TFA2 :360P :510*310[A]	933206200A12	480×279	21
TUBULAR GOODS FRAME :TFA2 :500P :335*453[A]	933203450A12	300×423	18
TUBULAR GOODS FRAME :TFA2 :500P :413*467[A]	933204750A12	380×435	18
TUBULAR GOODS FRAME :TFA2 :500P :510*450[A]	933206100A14	480×419	21
TUBULAR GOODS FRAME :TFA2 :410*555[A]	933206300A13	379×525	21
TUBULAR GOODS FRAME :TFA2 :610*625[A]	933206500A13	580×595	21


○ applicable ✕ Not applicable

[illegible]

Border Frame

1. Composition


- TMCR-VF, TMCP-VF, TMCS-VF, TMAR-VF, TFMX-L, TLMX, TCWM, TCMX, PAR-V, HAR-V, PAX-V



- BORDER FRAME [T] part number [*1]

Machine type	Part No.
TMCR-VF	30G@@@@@T01
TMCP-VF	
TMCS-VF	301@@@@@T02
TFMX-L	30C@@@@@T00
TLMX	
TCWM	
TCMX	30A@@@@@T02
PAR-V	4G0A101@0T01
HAR-V	
PAX-V	


- Base sash inner dimensions



(a)	(b)	
	Other than TCMX	TCMX
Head × head interval + 160 Mixed type machine: Pairs × (head interval + offset) + 160	Y-emb. space + 80	Y-emb. space + 110

[*1] Please specify the target model, serial no., emb. space and type of border frame (BFF2 or BFF3) when ordering.


■ TMAR-VC



- BORDER FRAME [A] part number [*1]

Machine type	Part No.
12H360P	30HC39010A01


- Base sash inner dimensions



Machine type	(a)	(b)
12H360P	4450	530

[*1] Please specify the type of border frame sash (BFF2 or BFF3) when ordering.

■ TMEZ-KC, TMAR-KC




● Part number

No.	Name	Part No.	Remarks
1	BORDER FRAME [A] ^[*1]	30H@@@010A01	-
2	KNOBBED SCREW :NO.2 :M5*8[S]	511F05100S00	-
3	KNOBBED SCREW :NO.2 :M5*6[S]	511F05110S00	-
4	Y-AXIS FEED PLATE[A]	0F3290320A01	4H500P model or larger

[*1] Please specify the target model, serial no., emb. space, and type of border frame (BFF2 or BFF3) when ordering.

TFMX-2, TFMX-2C




Part number

No.	Name	Part No.	Remarks
1	BORDER FRAME [A] ^[*1]	308@@@010A11	-
2	SUPPORTER :BS-450E[A]	930100300A01	For border frame BFF2 4H500P or larger of TFMX- 2C
	MIDDLE SUPPORTER :BSLB :450[A]	0G0310102A04	For border frame BFF3 4H500P or larger of TFMX- 2C

[*1] Please specify the target model, serial no., emb. space, and type of border frame (BFF2 or BFF3) when ordering.


■ TMEZ-SC, TMBR-SC, TMBP-SC, TMBU-SC, TCMX-601



● BORDER FRAME [A] part number

Machine type	Part No.		Embroidery space
	BFF3	BFF2	
TMEZ-SC	303150060A20	303150070A10	360×500
TMBR-SC			
TMBP-SC			
TMBU-SC			
TCMX-601	30B154040A11	30B154050A00	460×550

■ TFMX-C single head machine, TWMX-C




● BORDER FRAME [A] part number

Machine type	Part No.		Embroidery space
	BFF3	BFF2	
TFMX-C single head machine	309152030A11	390152010A13	450×520
TWMX-C	30F160010A20	911702400A00	550×600

2. Middle sash and clip

■ Middle sash [A]

How to attach the middle sash [A], refer to the separate “Basics” manual.




● Middle sash [A] part number ^[*1]

Machine type	Part No.
TMCR-VF	30G@@@@@CA01
TMCP-VF	
TMCS-VF	30A@@@@@CA02
TFMX-L	30G@@@@@CA01
TLMX	
TCWM	
TCMX	30A@@@@@CA02
PAR-V	4G03101@0A00
HAR-V	
PAX-V	

[*1] Please specify the target model, serial no., and embroidery space when ordering.

■ Middle sash stay

How to attach the middle sash [A], refer to the separate “Basics” manual.




● Middle sash stay part number

No.	Name	Part No.	Total length
1	STAY :MIDDLE SASH :A	0G031005A004	162
	STAY :MIDDLE SASH :B	0G031005B004	249
	STAY :MIDDLE SASH :C	0G031005C004	326
	STAY :MIDDLE SASH :D	0G031005D004	420
	STAY :MIDDLE SASH :E	0G031005E004	545
	STAY :MIDDLE SASH :F	0G031005F004	715
2	SPACER :MIDDLE SASH :T2	0G0310070000	-
3	JOINT :MIDDLE SASH	0G0310060000	-


• How to use the middle sash stay

For the machines with an Y-emb. space of 750 mm or larger, there are two red dots on the border frame lengthwise sash. If you install the middle sash in the position marked by one of the two red dots, the Y-emb. space will be 680 mm or 450 mm. Use the red dots as rough guidelines when installing the middle sash.




Stay	Size (a)	Stay	Size (a)	Stay	Size (a)
A+A	164-264	B+C	415-515	C+F	861-981
A+B	251-351	B+D	509-609	D+D	680-780
A+C	328-428	B+E	634-734	D+E	805-905
A+D	422-522	B+F	784-904	D+F	955-1075
A+E	547-647	C+C	492-592	E+E	930-1030
A+F	697-817	C+D	586-686	E+F	1080-1200
B+B	338-438	C+E	711-811	F+F	1230-1370

■ Middle sash supporter




● BSL2 (L-type)




Name	Part No.	Machine type	Remarks
MIDDLE SUPPORTER :BSL2 :450[A]	0G0310141A00	TFMX-2, TFMX-2C	For BFF2 only
MIDDLE SUPPORTER :BSL2 :450[A]	0G0310142A00	TMCP, TMCR, TMCS, TFMX, TLMX, TFGN	
MIDDLE SUPPORTER :BSL2 :550[A]	0G0310143A00		
MIDDLE SUPPORTER :BSL2 :680[A]	0G0310144A00		
MIDDLE SUPPORTER :BSL2 :750[A]	0G0310145A00		
MIDDLE SUPPORTER :BSL2 :800[A]	0G0310146A00		
MIDDLE SUPPORTER :BSL2 :850[A]	0G0310147A00		
MIDDLE SUPPORTER :BSL2 :450[A]	0G0310148A00	TCMX	
MIDDLE SUPPORTER :BSL2 :550[A]	0G0310149A00		
MIDDLE SUPPORTER :BSL2 :680[A]	0G031014AA00		
MIDDLE SUPPORTER :BSL2 :750[A]	0G031014BA00		
MIDDLE SUPPORTER :BSL2 :800[A]	0G031014CA00		
MIDDLE SUPPORTER :BSL2 :850[A]	0G031014DA00		
CLAMP :MIDDLE SUPPORTER[T]	930100600T00	For BS, BSL2	Fastening only (A)+(A)

- BS




Name	Part No.	Machine type	Remarks
SUPPORTER :BS :360[A]	93010300PA06	TMCP, TMCR, TMCS, TFMX, TLMX, TFGN	For BFF2 only
SUPPORTER :BS :450[A]	930103001A06		
SUPPORTER :BS :550[A]	930103002A06		
SUPPORTER :BS :680[A]	930103003A06		
SUPPORTER :BS :750[A]	930103004A06		
SUPPORTER :BS :800[A]	930103005A06		
SUPPORTER :BS :850[A]	930103006A06		
SUPPORTER :BS :950[A]	930103007A06		
SUPPORTER :BS :1000[A]	930103008A06		
SUPPORTER :BS :1200[A]	93010300JA06		
SUPPORTER :BS :1500[A]	93010300KA06		
SUPPORTER :BS :450[A]	930103009A06	TCMX	
SUPPORTER :BS :550[A]	93010300AA06		
SUPPORTER :BS :680[A]	93010300BA06		
SUPPORTER :BS :750[A]	93010300CA06		
SUPPORTER :BS :800[A]	93010300DA06		
SUPPORTER :BS :850[A]	93010300EA06		
SUPPORTER :BS :950[A]	93010300FA06		
SUPPORTER :BS :1000[A]	93010300GA06		
SUPPORTER :BS :360[A]	93010300HA06	TMBP-SC, TMBR-SC, TMBU-SC (For frame length 468)	
SUPPORTER :BS :360[A]	93010300NA06	TMBP-SC, TMBR-SC, TMBU-SC (For frame length 472)	
SUPPORTER :BS :450[A]	93010300LA06	TFMX-C single head machine	
CLAMP :MIDDLE SUPPORTER[T]	930100600T00	For BS, BSL2	Fastening only (A)+(A)

- BSLB (L-type)




Name	Part No.	Machine type	Remarks
MIDDLE SUPPORTER :BSLB :450[A]	0G0310102A04	TFMX-2, TFMX-2C	For BFF3 only
MIDDLE SUPPORTER :BSLB :450[A]	0G0310103A04	TMCP, TMCR, TMCS, TFMX, TLMX, TFGN	
MIDDLE SUPPORTER :BSLB :550[A]	0G0310104A04		
MIDDLE SUPPORTER :BSLB :680[A]	0G0310105A04		
MIDDLE SUPPORTER :BSLB :750[A]	0G0310106A04		
MIDDLE SUPPORTER :BSLB :850[A]	0G0310107A04		
MIDDLE SUPPORTER :BSLB :1200[A]	0G031010EA04		
MIDDLE SUPPORTER :BSLB :1500[A]	0G031010DA04		
MIDDLE SUPPORTER :BSLB :450[A]	0G0310108A04	TCMX	
MIDDLE SUPPORTER :BSLB :550[A]	0G0310109A04		
MIDDLE SUPPORTER :BSLB :680[A]	0G031010AA04		
MIDDLE SUPPORTER :BSLB :750[A]	0G031010BA04		
MIDDLE SUPPORTER :BSLB :850[A]	0G031010CA04		
MIDDLE SUPPORTER :BSLB :550[A]	0G031010FA04	TWMX-C	
CLAMP :MIDDLE SUPPORTER :FOR BSLB[T]	930100610T00	For BSLB	Fastening only (A)+(A)

- BSW2 (reinforced type)



名称	パーツ No.	機種	備考
MIDDLE SUPPORTER :BSW2 :550[A]	93010260EA02	Excluding TCMX	For BFF2 only
MIDDLE SUPPORTER :BSW2 :680[A]	93010260FA02		
MIDDLE SUPPORTER :BSW2 :800[A]	93010260GA02		
MIDDLE SUPPORTER :BSW2 :950[A]	930102601A02		
MIDDLE SUPPORTER :BSW2 :1000[A]	930102602A02		
MIDDLE SUPPORTER :BSW2 :1200[A]	930102603A02		
MIDDLE SUPPORTER :BSW2 :1500[A]	930102605A02		
MIDDLE SUPPORTER :BSW2 :680[A]	93010260HA02	TCMX	
MIDDLE SUPPORTER :BSW2 :1000[A]	930102608A02		
MIDDLE SUPPORTER :BSW2 :1200[A]	930102609A02		
MIDDLE SUPPORTER :BSW2 :1500[A]	93010260BA02		


- BSWB (reinforced type)



名称	パーツ No.	機種	備考
MIDDLE SUPPORTER :BSWB :680[A]	0G031008LA08	Excluding TCMX	For BFF3 only
MIDDLE SUPPORTER :BSWB :750[A]	0G031008HA08		
MIDDLE SUPPORTER :BSWB :850[A]	0G031008FA08		
MIDDLE SUPPORTER :BSWB :950[A]	0G0310080A08		
MIDDLE SUPPORTER :BSWB :1000[A]	0G0310081A08		
MIDDLE SUPPORTER :BSWB :1200[A]	0G0310082A08		
MIDDLE SUPPORTER :BSWB :1500[A]	0G0310084A08		
MIDDLE SUPPORTER :BSWB :680[A]	0G031008KA08	TCMX	
MIDDLE SUPPORTER :BSWB :950[A]	0G0310086A08		
MIDDLE SUPPORTER :BSWB :1000[A]	0G0310087A08		
MIDDLE SUPPORTER :BSWB :1200[A]	0G0310088A08		
MIDDLE SUPPORTER :BSWB :1500[A]	0G031008AA08		


■ BFF (border frame clip)

● BFF8-C




Name	Part No.	Dimension
BORDER FRAME CLIP :BFF8 :L220[S]	0G0520218S00	220
BORDER FRAME CLIP :BFF8 :L230[S]	0G0520217S00	230
BORDER FRAME CLIP :BFF8 :L270[S]	0G0520214S00	270
BORDER FRAME CLIP :BFF8 :L290[S]	0G0520212S00	290
BORDER FRAME CLIP :BFF8 :L300[S]	0G0520211S00	300

● BFF4-C




Name	Part No.	Dimension
BORDER FRAME CLIP :BFF4 :L220	0G0520158026	220
BORDER FRAME CLIP :BFF4 :L270	0G0520154026	270
BORDER FRAME CLIP :BFF4 :L290	0G0520152026	290
BORDER FRAME CLIP :BFF4 :L300	0G0520151026	300

● BFF6-C



Name	Part No.	Dimension
BORDER FRAME CLIP :BFF6 :L220	0G0520073047	220
BORDER FRAME CLIP :BFF6 :L290	0G0520077047	290
BORDER FRAME CLIP :BFF6 :L300	0G0520078047	300


■ BSC-B (one-touch type special clip)



Name	Part No.	Dimension
BORDER FRAME CLIP :L290[A]	0G0540040A11	290
BORDER FRAME CLIP :L360[A]	0G0540050A11	360
BORDER FRAME CLIP :L420[A]	0G0540060A11	420
BORDER FRAME CLIP :L470[A]	0G0540070A11	470
BORDER FRAME CLIP :L480[A]	0G0540080A11	480
BORDER FRAME CLIP :L500[A]	0G0540090A11	500
BORDER FRAME CLIP :L550[A]	0G0540100A11	550
BORDER FRAME CLIP :L560[A]	0G0540110A11	560
BORDER FRAME CLIP :L570[A]	0G0540120A11	570
BORDER FRAME CLIP :L675[A]	0G0540130A11	675

No.	Name	Part No.
1	HANDLE :BORDER FRAME CLIP	0G0540010001
2	BASE :CLIP HANDLE	0G0540030000
3	COUNTERSUNK HEAD SCREW :M3*8	S150030801MZ

■ BSCA-B (one-touch type special clip)




Name	Part No.	Dimension
BORDER FRAME CLIP :BFN :L290[A]	0G0571010A02	290
BORDER FRAME CLIP :BFN :L360[A]	0G0571020A02	360
BORDER FRAME CLIP :BFN :L420[A]	0G0571030A02	420
BORDER FRAME CLIP :BFN :L470[A]	0G0571040A02	470
BORDER FRAME CLIP :BFN :L480[A]	0G0571050A02	480
BORDER FRAME CLIP :BFN :L500[A]	0G0571060A02	500
BORDER FRAME CLIP :BFN :L550[A]	0G0571070A02	550
BORDER FRAME CLIP :BFN :L560[A]	0G0571080A02	560
BORDER FRAME CLIP :BFN :L570[A]	0G0571090A02	570
BORDER FRAME CLIP :BFN :L675[A]	0G0571100A02	675

No.	Name	Part No.
1	HANDLE :BORDER FRAME CLIP	0G0571120001
2	BASE :CLIP HANDLE :B	0G0571110001
3	COUNTERSUNK HEAD SCREW :M3*12	S150031201MZ

Special use frames / holders

1. Wooden frame holder

■ FHBU (wooden frame holder uni-type) (TMAR-VC)^[*1]



Usable plastic round frame


Plastic frame	480*	480*	475*	475*				335*		300*	SPF:150	SPF:120
	481	451	410	395	320	270	192	335	260	200		
Type	-	-	-	-	B	B	B	B	B	B	C	C

* Frame holder for alternate use (W)


[*1] Please specify the target model, serial no., and embroidery space when ordering.

■ FHBE-C (wooden frame holder for SPF-21 and SPFH)
(TFMX-2C, TMAR-KC, TMEZ-KC)^[*1]

FHBE-C :210MM DIA. :360S[A]




FHBE-C :210MM DIA. :500S[A]




Name	Part No.	No. of heads (X-emb. space)	Remarks
FHBE-C :210MM DIA. :360S[A]	939300100A12	2 (360)	-
FHBE-C :210MM DIA. :500S[A]	939300200A12	2 (500)	-

■ FSMA (wooden frame holder for OFAM) (TFMX-2C, TMAR-KC, TMEZ-KC)^[*1]



Name	Part No.	No. of heads (X-emb. space)	Remarks
WOODEN FRAME HOLDER :FSMA :480*451 :02/500S[A]	939400100A14	2 (500)	2H×1
WOODEN FRAME HOLDER :FSMA :475*320 :04/360S[A]	939400200A14	4 (360)	4H×1
WOODEN FRAME HOLDER :FSMA :480*451 :04/500S[A]	939400300A14	4 (500)	




Name	Part No.	No. of heads (X-emb. space)	Remarks
WOODEN FRAME HOLDER :FSMA :475*320 :06/360S[A]	939400400A15	6 (360)	3H×2
WOODEN FRAME HOLDER :FSMA :480*451 :06/500S[A]	939400500A15	6 (500)	
WOODEN FRAME HOLDER :FSMA :475*320 :08/360S[A]	939400600A15	8 (360)	4H×2
WOODEN FRAME HOLDER :FSMA :480*451 :08/500S[A]	939400700A13	8 (500)	

[*1] Please specify the target model, serial no. and embroidery space when ordering.

2. Frame holder for OFAM, spring frame

■ FSEM (frame holder for OFAM) (TCMX-601)




Name	Part No.	No. of heads (X-emb. space)	Remarks
FRAME HOLDER :FSEM :C01/550 :TCMX[A]	0G5200240A00 ^[*1]	1 (550)	X-emb. space: 460
FRAME HOLDER :FSEM :C01/550[A]	0G5200230A00 ^[*2]	1 (550)	-

[*1] Manufactured after May 2018

[*2] Manufactured before May 2018


■ FAA (Spring frame)



Name	Part No.	Outer dimension	Remarks
SPRING FRAME :SFAA :120MM DIA.	931500100001	120	-
SPRING FRAME :SFAA :150MM DIA.	931500200001	150	-
SPRING FRAME :SFAA :180MM DIA.	931500300001	180	-
SPRING FRAME :SFAA :210MM DIA.	931500400001	210	-
SPRING FRAME :SFAA :250MM DIA.	931500500001	250	-

3. Spider net frame holder, spider net frame


■ PFH1, PFH2 (spider net frame holder)



Name	Part No.	Remarks
SPIDER NET FRAME HOLDER :PFH1 :NO.1 :X200[A]	938100120A01	Single-use (for head interval 200)
SPIDER NET FRAME HOLDER :PFH1 :NO.2 :X200[A]	938100220A01	Double-use (head interval: 200)
SPIDER NET FRAME HOLDER :PFH1 :NO.3 :X200[A]	938100320A01	Triple-use (head interval: 200)
SPIDER NET FRAME HOLDER :PFH2 :NO.1 :Y370[A]	938100700A01	Single-use
SPIDER NET FRAME HOLDER :PFH2 :NO.1 :Y440[A]	938100800A01	Single-use
SPIDER NET FRAME HOLDER :PFH2 :NO.1 :Y550[A]	938101000A01	Single-use (for head interval: 230)
SPIDER NET FRAME HOLDER :PFH2 :NO.2 :Y550[A]	938100423A01	Double-use (head interval: 230), Y-axis emb. space: 450 or more
SPIDER NET FRAME HOLDER :PFH2 :NO.3 :Y825[A]	938100523A01	Triple-use (head interval: 230), Y-axis emb. space: 450 or more
SPIDER NET FRAME HOLDER :PFH2 :NO.2 CE[A]	938600123A00	Double-use (for TCMX), Y-axis emb. space: 450 or more

No.	Name	Part No.	Remarks
1	Rubber sponge	619100310000	

■ PFH-C (spider net frame holder for tubular type)




Name	Part No.	Remarks
PFH-C	BF1226000360	For head interval: 360


No.	Name	Part No.	Remarks
1	Rubber sponge	619100310000	-

■ SPFHA (spider net frame)


SPFHA:70




SPFHA:90




SPFHA:120



SPFHA:150




SPFHA:180




Name	Part No.	Outer dimension
SPIDER NET FRAME :SPFHA :70MM DIA.	938300100000	223
SPIDER NET FRAME :SPFHA :90MM DIA.	938300200000	
SPIDER NET FRAME :SPFHA :120MM DIA.	938300300000	
SPIDER NET FRAME :SPFHA :150MM DIA.	938300400000	
SPIDER NET FRAME :SPFHA :180MM DIA.	938300500000	

■ SPFH1 (spider net frame)


SPFH1:70




SPFH1:90



SPFH1:120




SPFH1:150



Name	Part No.	Outer dimension	Remarks
SPIDER NET FRAME :SPFH1 :70MM DIA. :X200	938400120000	193	For 200P
SPIDER NET FRAME :SPFH1 :90MM DIA. :X200	938400220000		
SPIDER NET FRAME :SPFH1 :120MM DIA. :X200	938400320000		
SPIDER NET FRAME :SPFH1 :150MM DIA. :X200	938400420000		

4. Plastic frame

■ SPF (round frame, oblong frame)




Name	Part No.	Outer dimension	Inner frame width (a)	Inner frame height
PLASTIC FRAME :SPF :70MM DIA.[A]	931300100A11	78	62	10
PLASTIC FRAME :SPF :90MM DIA.[A]	931300200A11	99	82	
PLASTIC FRAME :SPF :120MM DIA.[A]	931300300A11	129	112	
PLASTIC FRAME :SPF :150MM DIA.[A]	931300400A11	162	140	
PLASTIC FRAME :SPF :180MM DIA.[A]	931300500A11	194	170	
PLASTIC FRAME :SPF :210MM DIA.[A]	931300600A11	224	200	

Name	Part No.	Outer dimensions	Inner dimensions (a) × (b)	Inner frame height
PLASTIC FRAME :SPF :395*325[A]	931401000A11	394×324	360×290	10
PLASTIC FRAME :SPF :450*395[A]	931401300A12	478×398	435×361	

No.	Name	Part No.	L-size
2	FRAME ADJUSTING SCREW :M3.5-19	511J35020000	19
2	FRAME ADJUSTING SCREW :M3.5-21	511J35030000	21
2	FRAME ADJUSTING SCREW :M3.5-23	511J35010000	23
2	FRAME ADJUSTING SCREW :M3.5-27	511J35040000	27

■ SIPF (round frame)




Name	Part No.	Outer dimensions	Inner dimensions (a)	Inner frame height
PLASTIC FRAME :SIPF :250MM DIA.[A]	931100700A11	270	240	10


No.	Name	Part No.	L-size
2	FRAME ADJUSTING SCREW :M3.5-19	511J35020000	19
2	FRAME ADJUSTING SCREW :M3.5-21	511J35030000	21
2	FRAME ADJUSTING SCREW :M3.5-23	511J35010000	23
2	FRAME ADJUSTING SCREW :M3.5-27	511J35040000	27

■ SIPF2 (oblong frame)

Refer to page 46.




Refer to page 46.



Name	Part No.	Outer dimensions	Inner dimensions (a) × (b)	Inner frame height
PLASTIC FRAME :SIPF2 :240*240[A]	931204300A11	268×256	228×228	10
PLASTIC FRAME :SIPF2 :200*300[A]	931204200A11	347×225	308×196	
PLASTIC FRAME :SIPF2 :240*300[A]	931203300A11	347×264	309×236	
PLASTIC FRAME :SIPF2 :300*300[A]	931203400A11	347×338	310×310	
PLASTIC FRAME :SIPF2 :335*453[A]	931200700A12	337×455	300×423	21
PLASTIC FRAME :SIPF2 :340*310[A]	931200800A12	350×311	304×275	
PLASTIC FRAME :SIPF2 :413*467[A]	931201200A12	417×467	380×435	
PLASTIC FRAME :SIPF2 :450*230[A]	931203600A12	478×225	435×191	10
PLASTIC FRAME :SIPF2 :475*270[A]	931203700A12	478×270	435×236	
PLASTIC FRAME :SIPF2 :475*320[A]	931203800A12	478×317	435×286	
PLASTIC FRAME :SIPF2 :475*395[A]	931203900A12	478×398	435×361	
PLASTIC FRAME :SIPF2 :480*451 CE[A]	931202100A12	479×448	439×419	14
PLASTIC FRAME :SIPF2 :710*325[A]	931204400A12	711×325	660×290	18
PLASTIC FRAME :SIPF2 :710X355[A]	931204500A12	711×355	660×315	
PLASTIC FRAME :SIPF2 :710*395[A]	931202800A12	711×390	660×357	21
PLASTIC FRAME :SIPF2 :710*395 CE[A]	931202900A12	708×395	660×357	14
PLASTIC FRAME :SIPF2 :710*455[A]	931203000A12	713×450	660×417	21
PLASTIC FRAME :SIPF2 :710*455 CE[A]	931203100A12	713×450	660×417	14
PLASTIC FRAME :SIPF2 :710*545[A]	931203200A12	712×542	660×504	21
PLASTIC FRAME :SIPF2 :710*545 CE[A]	931204000A12	712×542	660×504	14

5. Aluminum square frame


■ SBGA (fixed by screws)^[*1]



Name	Part No.	Embroidery space
SQUARE FRAME :SBGA :450-*345S[A]	937H002@0A01	~ 850 × ~ 500
SQUARE FRAME :SBGA :450-*645S[A]	937H003@0A01	950 ~ × ~ 500
SQUARE FRAME :SBGA :450-*500/230(780P)[A]	937H001@0A01	ALL × 501 ~

[*1] Please specify the target model, serial no., and embroidery space when ordering.

■ SBGM, SBGM3A (magnet type)^[*1]




Name	Part No.	Embroidery space
SQUARE FRAME :SBGM :S[A]	9377001@@A03	~ 850 × ~499
SQUARE FRAME :SBGM :S[A]	937B005@@A05	950 ~ × ~ 499
SQUARE FRAME :SBGM3A :S[A]	937D005@@A04	ALL × 500 ~

No.	Name	Part No.	Remarks
1	BASE PLATE :CRADLE A	930900500011	-
2	PLATE BASE :ONE-TOUCH FRAME	932300600011	-
3	COUNTERSUNK HEAD SCREW :M3*6	S150030601MZ	-
4	PAN HEAD SCREW :M3*10	S160031002SD	-
5	SCREW RING :SQUARE FRAME	0G5400120012	-
6	SCREW WITH WASHER :M3*6	S660030601MZ	-


- Aluminum square frame inner dimensions
(Y): - 28mm from outer dimension, (X): -54mm from outer dimension
- As for aluminium square frames other than SBGA with an X-emb.space of more than 500mm and Y-emb. space more than 750mm, 3A type is always applied.

[*1] Please specify the target model, serial no., and embroidery space when ordering.

■ SBIM, SBIM3A (magnet type)^[*1]



[How to attach]



Name	Part No.	Embroidery space
SQUARE FRAME :SBIM :S[A]	937F001@@A02	~ 850 × ~ 499
SQUARE FRAME :SBIM :S[A]	-	950 ~ × ~ 499
SQUARE FRAME :SBIM3A :S[A]	937G001@@A02	ALL × 500 ~

No.	Name	Part No.	Remarks
1	BASE PLATE :CRADLE A	930900500011	-
2	PLATE BASE :ONE-TOUCH FRAME	932300600011	-
3	COUNTERSUNK HEAD SCREW :M3*6	S150030601MZ	-
4	PAN HEAD SCREW :M3*10	S160031002SD	-
5	SCREW RING :SQUARE FRAME	0G5400120012	-
6	SCREW WITH WASHER :M3*6	S660030601MZ	-

- Aluminum square frame inner dimensions
(Y): - 28mm from outer dimension, (X): -54mm from outer dimension
- As for aluminium square frames other than SBGA with an X-emb.space of more than 500mm and Y-emb. space more than 750mm, 3A type is always applied.

[*1] Please specify the target model, serial no., and embroidery space when ordering.

Clip sizes used for each aluminum square frame

Y-emb. space ^[*1]	Clip (0G052015****)														
	100	150	162	170	180	200	210	220	230	250	260	270	280	290	300
680							4	2							
750							2			4					
800								2				4			
850												6			
900											2				4
950								2	6						
1000							2			6					
1100								2					6		
1200											2				6
1500											2				8

[*1] Y-emb. space - 34mm = Inner dimension

X-emb. space ^[*1]	Clip (0G052015****)														
	100	150	162	170	180	200	210	220	230	250	260	270	280	290	300
240					2										
275							2								
300									2						
330												2			
345													2		
360															2
400				4											
450					2	2									
480							4								
500								4							
550									2		2				
570							2								2
600									2						2
615												4			
645														4	
660															4
680															4
700							4	2							
750									6						
800									2	4					
900													6		

[*1] X-emb. space - 60mm = Inner dimension


For TCMX

Y-emb. space ^[*1]	Clip (0G052015****)														
	100	150	162	170	180	200	210	220	230	250	260	270	280	290	300
680								4	2						
750								4							2
800								2				2			2
850													6		
900														2	4
950							4	2							2
1000									6						2
1100								2				2			4
1200														2	6


[*1] Y-emb. space - 4mm = Inner dimension. X-emb. space is the same as page 43.

■ Anti-warp insert

These parts are attached to parts A, B, and C in the figure below to prevent bending of the aluminum square frame. It is more effective when larger sized aluminum square frames.




● Anti-warp insert part numbers



No.	Name	Part No.	Remarks
1	HOLDER :ANTI-WARP :Y	937000400002	-
	HOLDER :ANTI-WARP :Y :60	937000401004	For 60 mm offset
2	HOLDER :ANTI-WARP :X	937000300000	-
3	SASH STOPPER :L110[A]	937001100A01	L: 110
4	SASH STOPPER :L700[A]	937001101A01	L: 700


6. One-touch frame

OFAM (round frame)




Name	Part No.	Outer dimension	Inner frame width (a)	Inner frame height
ONE-TOUCH FRAME :OFAM :250MM DIA.[A]	932100700A11	270	240	10
ONE-TOUCH FRAME :OFAM2 :300MM DIA.[A]	932100800A22	332	293	10

OFAM (oblong frame)



Refer to page 48 for individual parts.

OFAM2 (oblong frame)




Refer to page 48 for individual parts.

Name	Part No.	Outer dimensions	Inner dimensions (a) × (b)	Inner frame height
ONE-TOUCH FRAME :OFAM2 :240*240[A]	932203700A11	268×256	228×228	10
ONE-TOUCH FRAME :OFAM2 :200*300[A]	932203600A11	225×347	196×308	10
ONE-TOUCH FRAME :OFAM2 :240*300[A]	932202700A11	264×347	236×309	10
ONE-TOUCH FRAME :OFAM2 :300*300[A]	932202800A11	347×338	310×310	10
ONE-TOUCH FRAME :OFAM2 :413*342[A]	932201000A12	411×345	380×314	10
ONE-TOUCH FRAME :OFAM2 :450*230[A]	932203000A12	478×225	435×191	10
ONE-TOUCH FRAME :OFAM2 :475*270[A]	932203100A12	478×270	435×236	10
ONE-TOUCH FRAME :OFAM2 :475*320[A]	932203200A12	478×317	435×286	10
ONE-TOUCH FRAME :OFAM2 :475*395[A]	932203300A12	478×398	435×361	10
ONE-TOUCH FRAME :OFAM2 :480*451[A]	932201900A12	479×448	439×419	14
ONE-TOUCH FRAME :OFAM2 :480*481[A]	932202000A12	479×480	439×449	14
ONE-TOUCH FRAME :OFAM2 :480*451 CE[A]	932600800A12	480×451	439×419	14
ONE-TOUCH FRAME :OFAM2 :710*270[A]	932202300A12	711×268	660×232	21
ONE-TOUCH FRAME :OFAM2 :710*325[A]	932203400A12	711×325	660×290	18
ONE-TOUCH FRAME :OFAM2 :710*355[A]	932203500A12	711×355	660×315	18
ONE-TOUCH FRAME :OFAM2 :710*395[A]	932202400A12	711×390	660×357	21
ONE-TOUCH FRAME :OFAM2 :710*455[A]	932202500A12	713×450	660×417	21
ONE-TOUCH FRAME :OFAM2 :710*455 CE[A]	932601200A12	713×450	660×417	14
ONE-TOUCH FRAME :OFAM2 :710*545[A]	932202600A12	712×542	664×504	21
ONE-TOUCH FRAME :OFAM2 :710*545 CE[A]	932601300A12	712×542	664×504	14

- As for OFAM frames for TFMX-C and TCMX models, please specify model name when ordering.

- Frame arm A, B, C



No.	Name	Part No.	Remarks
1	MAGNET CRADLE :WITH SPACER :A[S]	930900810S11	With magnet, spacer
2	MAGNET CRADLE :B[S]	930901200S12	With magnet
3	SPACER :CRADLE B[S]	930901700S11	For TCMX
4-1	ARM :ONE-TOUCH FRAME	932300500013	10mm inner frame height
4-2	ARM :ONE-TOUCH FRAME	932301200001	For TCMX 10mm inner frame height
4-3	ARM :ONE-TOUCH FRAME	932300800011	For TFMX-C
4-4	ARM :ONE-TOUCH FRAME	932300200013	14, 18, 21mm inner frame heights
4-5	ARM :ONE-TOUCH FRAME	932300400013	For TCMX 14mm inner frame height
4-6	ARM :ONE-TOUCH FRAME	932300700011	-
5-1	BRACKET :PLATE BASE	932300300012	14, 18, 21mm inner frame heights
5-2	BRACKET :PLATE BASE	932300900011	10mm Inner frame height
6	PLATE BASE :ONE-TOUCH FRAME[A]	930901500A11	-
7	TRUSS HEAD SCREW :M3*6	S130030602SD	-
8	KNURLED SCREW :M4*37	511D04060012	L:51mm
9	E-RING :3MM DIA.	611100060000	3 mm
10	FRAME ADJUSTING NUT	933A00200023	-
11	FRAME ADJUSTING FITTING	933A00300023	-


Pneumatic Auto Clamp Frame

1. Air type clamp frame 2 / pocket frame 2

■ Air type clamp frame 2 / pocket frame 2

(TFMX-C, TWMX-C, TMBR-SC, TMBP-SC, TMBU-SC, TMEZ-SC)

- This product is sold as a set of Air Type Clamp Frame 2 and Air type pocket Frame 2 with Piping/Wiring Set.
Please note that the product is not sold as an individual unit.




Name	Part No.	Machine type
Air Type Clamp Frame2 & Air Type Pocket Frame2 :E1/E2[S]	9W0202200S00	TMBR-SC TMBP-SC TMBU-SC
Air Type Clamp Frame2 & Air Type Pocket Frame2 :MW[S]	9W0202000S00	TWMX-C
Air Type Clamp Frame2 & Air Type Pocket Frame2 :MG[S]	9W0201900S00	TFMX-C
Air Type Clamp Frame2 & Air Type Pocket Frame2 :B1[S]	9ZJ1010A0110	TMEZ-SC

Sock Frame


1. Sock frame sash

■ SSE-A (with cradle of plate spring type)

Double-use / single-use



Single-use / double-use



● TMCR-VF, TMAR-VC^[*1]

Double-use / single-use Dimension (a)	Single-use / double-use Dimension (a)
~ 3000	~ 3000
3001 ~ 4000	3001 ~ 4000
4001 ~ 5000	4001 ~ 5000
5001 ~ 6000	5001 ~ 6000
6001 ~ 7000	6001 ~ 7000

[TMCR-VF]

SSE-** / P: $(a) = P \times (H-1) + 520$

[TMAR-VC]

SSE-A** / P:

$(a) = P \times (H-1) + 865.5$


P: head interval, H: number of heads

● TFMX-2C, TFMX-C^[*1]

Model	Remarks
For 2H	Sash and SHB-2×2
For 4H	Sash and SHB-2×4 (X-emb. space: 360, 500)
For 6H	Sash and SHB-2×6
For 8H	Sash and SHB-2×8

[*1] Please specify the target model, serial no., and embroidery space when ordering.

■ SST (for tubular goods frame)




Name	Part No.	Remarks
SOCK FRAME :FOR TUBULAR GOODS FRAME[A]	936700100A00	Installed possible to Tubular Arm for Uni-Type (TUS, TUS2) for 360mm in X-axis.

2. Sock frame

■ SHE

Single-use
SHE-1A (adult-use)
SHE-2A (child-use)

Double-use
SHE-1 (adult-use)
SHE-2 (child-use)



Name	Part No.	Dimension (b)	Remarks
SOCK FRAME :SHE :NO.1 :FOR ADULTS[T]	936100100T00	61	SHE-1A
SOCK FRAME :SHE :NO.1 :FOR CHILDREN[T]	936100400T00	51	SHE-2A
SOCK FRAME :SHE :NO.2 :FOR ADULTS[T]	936100300T00	61	SHE-1
SOCK FRAME :SHE :NO.2 :FOR CHILDREN[T]	936100600T00	51	SHE-2
SOCK FRAME :SHE :NO.1 :FOR ADULTS :85[T]	936100200T00	-	For adult, 85mm width
SOCK FRAME :SHE :NO.1 :FOR CHILDREN :85[T]	936100500T00	-	For child, 85mm width

3. Sock frame gauge

■ SGE




Name	Part No.	Dimension (b)	Remarks
SOCKS GAUGE :SGE :FOR ADULTS[A]	936500200A00	71	For adult
SOCKS GAUGE :SGE-2	936500100012	61	For child

- This gauge applies to both single and double-use types.

4. Cradle

■ SHB




Name	Part No.	Remarks 1	Remarks 2
FRAME GUIDE RAIL :TWIN :SOCK FRAME :SHB-1[T]	936200100T00	SHB-1	Includes spacers, roller plate springs and screws
FRAME GUIDE RAIL :SINGLE TYPE :SOCK FRAME :SHB-2[T]	936200200T00	SHB-2	

Cylindrical Frame

1. Drive ring


■ BCF-68^[*1]



Name	Part No.	Remarks
CYLINDRICAL FRAME DRIVE RING :BCF-68[A]	935300100A12	TFMX-C single head machine

2. Frame base for uni-type

■ BCUX



Name	Part No.	Remarks
BCUX-1/500/520	999999999999	TFMX-C single head machine

3. Needle plate

■ CNP-68-25^[*1]




Name	Part No.	Remarks
NEEDLE PLATE :CYLINDRICAL FRAME :68MM DIA.[S]	050340520S11	Needle plate hole: 2.5mm (TFMX-C single head machine)

[*1] Please specify the target model, serial no., and embroidery. space when ordering.


4. Cylindrical frame

■ CFCM-68 (clamp type)



Name	Part No.	Emb. space (Y) × (X)
CLAMP CYLINDRICAL FRAME :CFCM[A]	935100100A12	170×60 (TFMX-C single head machine)


■ CFCP-68 (clip type)



Name	Part No.	Emb. space (Y) × (X)
CLIP CYLINDRICAL FRAME :CFCP[A]	935200100A11	100/70×140 (TFMX-C single head machine)

5. Cylindrical frame gauge

■ CGF-68



Name	Part No.	Remarks
GAUGE FRAME :CYLINDRICAL FRAME	UG4000000012	(TFMX-C single head machine)

1st edition July, 2023

2nd edition July, 2024

■ **Manufactured by: TISM Co.,Ltd.**

Address : NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, Japan
TEL : 81-568-33-1161 Fax : 81-568-33-1191

■ **Distributed by: Tajima Industries Ltd.**

Address : NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, Japan
TEL : 81-568-37-1130 Fax : 81-568-37-1230

●**Copying, reprinting, or reforming of any part in its entirety, this manual without permission is prohibited.**