



服装整理设备运营商

Operators Of Garment
Pressing Equipment



浙江盛田科技有限公司

Zhejiang Shengtian Technology Co.,Ltd.

地址: 中国浙江台州市临海市沿江镇长甸 Add: Changdian,YanjiangTown,Linhai,Taizhou City,Zhejiang,China

销售电话(Sales Tel):0576-85603368 售后电话(Service Tel):0576-85603028 传真(FAX):0576-85601128

E-mail: sales@garment-machine.com 网址: www.zjstjx.com www.garment-machine.com



扫一扫 了解更多

ABOUT US
关于盛田

浙江盛田科技有限公司作为服装行业整理设备整体解决方案运营商之一，自创立以来，我们始终将发展服装整理设备作为自己的神圣使命。

30年来，浙江盛田科技有限公司一直致力于服装整理设备科技的研究与创新，引领着中国服装行业的不断发展与突破，通过为广泛领域的客户提供专业全面的服装整理设备产品、服务与解决方案。拥有国家质量监督检验总局颁发的锅炉制造许可证，(编号：20303026)，台州市著名商标，多项国家实用新型专利。目前，公司有下属合资公司：台湾合资临海盛田洗涤机械有限公司、台州盛田刺绣设备有限公司、临海盛田自动化设备有限公司。

Our Linhai Shengtian Wash Machinery Co.,Ltd as a Garment finishing equipment solutions supplier, We always developing garment finishing equipment as our primary goal.

For past 30 years, Linhai Shengtian Wash Machinery Co.,Ltd Company has been committed to the garment finishing euipment's research and innovation of technology, leading the Chinese apparel industry continues to develop and breakthrough, through a wide range of customers to provide professional and comprehensive products, services and Solutions.The State Administration of Quality Supervision, Inspection has issued a boiler manufacturing license, (ID: 20303026), Taizhou famous trademarks, a number of national utility model patents. At present, the company has a subsidiary joint venture company: Taiwan joint venture in Linhai Shengtian Washing Machinery Co., Ltd.,Taizhou shengtian embroidery Equipment Co., Ltd.

公司位于浙江省临海市沿江镇，毗邻灵江，水陆交通十分方便，距台州高铁站八公里，台金高速沿江出口2公里。

盛田牌服装机械产品系列有：电脑绣花机、钢带裁布机、粘合机、蒸汽锅炉、热转印设备、烫台钉珠机、装扣机、烫袋机、吹裤机等。

公司具有严密的组织管理机构和一整套能够确保质量的保证体系，建立并规范质量保证体系正常运转的见证资料，编制必要的企业标准，以确保公司的每件产品的合格出厂。

Linhai Shengtian Automation Equipment Co.,

The company is located in the Yanjiang town ,Linhai ,Taizhou City, Zhejiang Province, China.

Our main productions as follows: Computerized embroidery machines and Band knife, Fusing machine, steam boiler, Heater transfer machine, ironing table, beading machine, installed dbutton machine, procket creasing machine pants finisher and so on.

The company has strict management organization to ensure the quality assurance system, quality assurance system, also have establish and regulate the normal operation of the witness information, the preparation of the necessary corporate standards, which in order to ensure each product can be satisfied before shipment.

带刀裁剪机
BAND KNIFE

01 DCQ700~900

01 DCQ1200-2

粘合机
FUSING MACHINE

07 NHG450(500)(600)-B

13 NHG300(400)(500)(600)-C

19 NHG900-Q1/1000-Q1/1200-Q1

25 NHG900-Q2/1000-Q2/1200-Q2

33 NHG900-QS2/1000-QS2/1200-QS2

45 NHG1400-QS2/1600-QS2/1800-QS2

烫画机
HEAT TRANSFER

53 THS-3838D/4060D/4080D

57 THS-4050K/4060K

63 THQ-1010S/1515S/2525S

67 THQ-4040S/4060S

71 THQ-4040S2/4060S2

锅炉
BOILER

79 ST-01A

87 DLD3-0.4-A1

93 DLD3-0.4-C4

97 DLD6-0.4-E2

101 DLD6~12-0.4-B2

107 DLD6~12-0.4-B3

113 DLD6~12-0.4-B4

119 DLD6~12-0.4-A2

125 DLD12-0.4-F1

131 DLD18~24-0.4-A2

137 DLD6(9)(12)-0.4-D1

143 LDR0.09-0.7-1

149 LDR0.15-0.7-1A

161 SZS0.015~0.1-0.4-Q

烫台
IRONING TABLE

171 TDZ-B1

175 TDZ-B5 B7

179 TP-B4

183 TP-B6

187 TDC-B6

191 TDG-B6

197 TDG-B1

205 TDZ-Q1

209 TDZ-Q2

213 TDZ-Q3

217 TDZG-Q3

225 TDZ-K

吸线头机
THREAD PIECES
COLLECTORS

233 XXT560


2019年12月

带刀裁剪机 BAND KNIFE

DCQ700~900
DCQ1200-2



4K104107 LTA-205  警示灯	2D106023  手轮 外径67mm 内径12mm	4F101019 YL8034  电机 750W 220V
A1219Li  钢带 2L104001 L=3500 2L104002 L=3560 2L104003 L=3860/3870 2L104004 L=3900 2L104005 L=4560	4B106003 QSC1-A1  起动开关	2D106026  磨刀砂轮
2RB 110-7AA11  气泵 4F201001 400W 380V 4F201002 250W 380V 4F201004 250W 220V	UCF-205 UCF-206 2H1031 2H1035  轴承座	4A114002 NZ100-1R5G-2  变频器 (选配) INPUT: 1PH 220V 50Hz/60Hz OUTPUT: 3PH 220V 7.0A 150% 60S

4C1007 AD16-22DSAC  信号灯 380V绿色	4B114013  四脚航空插座	2F101015  弹簧 1、端部型式：YI型两端并紧，每端磨平3/4圈 2、总圈数12、有效圈数10 3、旋向：右旋 4、热处理后硬度：45-50HRC； 5、钢丝直径Φ5，表面发黑
2C112072  SNUS钨钢012.7×4.76	2A110008  盖型螺帽M16	2A110002  碟型螺帽M8
2D105007  星型把手M6×20	2D105009  星型把手M6×40	2D105011  星型把手M8×20

2D1050113  星型把手M8×40	2H1076 51104  轴承	2H1042 609-2Z  轴承
2H1041 608-2Z  轴承	2H10652 6205-RZ  轴承	2H1031 F205  轴承
2H1035 F206  轴承	4B101011 J3-A4A1  接近开关	4K104133 SA-2402  电磁铁（选配） 1.0KgF 15mm RAT. CONT


1G401017	1G401008	1G401007
 被动轮	 主动轮	 被动轴
1G401008	2D104009	
 主动轴	 3寸铁万向轮	

粘合机 FUSING MACHINE NHG450(500)(600)-B



 粘合带 2L101033 NHG450(500)(600) 2L101035 2L101040 上粘合带450×1350/500×1350/600×1350mm 下粘合带450×1660/500×1660/600×1660mm 2L101034 2L101036 2L101041	4F102001 60JB100G08  纠偏电机 YN60-220-6 220V 50Hz 6W 0.12A 1250r/min 0.8μF/500V	 4H101051 4H101053 电热管 500-B 600-B L=538 L=638 L1=116 L1=116 L2=180 L2=180 1.3KW 1.5KW
4A122003 RV24YN-20S B203  电位器	2H1070 6904  轴承	4J108003 SF8025AT P/N 2082HBL  80×80×25风扇 220-240V~50/60Hz 0.10A
2H1073 10098  微小轴承	2H1062 6204  轴承	2H1048 1203  万向轴承

2H1048 YN80-25W/ JB50G10	4A124006 SS-32B	500: 1G202012 600: 1G202013
		
主调速电机	调速器	胶辊
4B109002 KCD6	4A1120021 TC4S-14R	4B105002 HBY5
		
船型开关 6A 250V AC	温度控制器 POWER: 100-240VAC	按钮开关(红) DC24V
4B105001 HBY5	2K136052 M10	4J101011 TB-2504L
		
按钮开关(绿) DC24V	八角梅花手轮	接线端子 600V 25A

4A120006 SSR · YHD4880A	4A115001 MY2N AC220V	4A115008 G7L-2A-BUB
		
固态继电器 80A OUTPUT 480VAC 50/60Hz	欧姆龙中间继电器	欧姆龙继电器
4A112004	4A126015 S8FS-C01524J	4B107004 V-103-1A4-T
		
电脑板	电源 INPUT 50/60Hz 100-240VAC 0.4A OUTPUT 24VDC 0.7A	微动开关 10A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC
4A103009 DZ47-60 C40	2N112001	2H1057 6202
		
断路器 400V~ 6000A 50Hz	链条 06B-1	轴承

4A112004	2F101009	2F101009
		
电脑板	扭簧左	扭簧右

粘 合 机


FUSING MACHINE

NHG300(400)(500)(600)-C



4J109015 69L17  电压表 250V	 粘合带 2L101002 2L101005 2L101011 2L101015 NHG300(400)(500)(600) 上粘合带300×1530/400×1350/500×1350/600×1530mm 下粘合带300×1840/400×1840/500×1840/600×1840mm 2L101003 2L101006 2L101012 2L101017	 电热管 400-C 500-C 600-C L=390 L=490 L=590 L1=100 L1=170 L1=170 L2=150 L2=180 L2=180 1.0KW 1.3KW 1.5KW 4H101049 4H101052 4H101056
4A122002 WH118-1  电位器 2WA	2N112001  胶辊	2N112001  链条 06B-1
YN100-70WCF/ JB30G15L	4A124006 SS-32B  调速器	SF11025AT P/N 2112HBL 4J108003  风扇 220-240V~50/60Hz 0.10A
4F102011  调速电机 YN90-60WCF/ JB30G15L (NHG300, 400)		

4B109001 KCD3  船型开关 6A 250V AC	4A111015 ET100  温度控制器 K 0-400℃ VOLTS 180 to 240VAC	4B105004 HBY5  按钮开关(红) AC220V
4B105005 HBY5  按钮开关(绿) AC220V	2D105009 M6×35  四角梅花手柄	2D105020 M8×63  星形把手~手柄
4A115001 MY2N AC220V  欧姆龙中间继电器	4A106001 RT18-32  断路器底座 500V~ 32A	4A120006 SSR·YHD4880A  固态继电器 80A OUTPUT 480VAC 50/60Hz

4J101009 Tb1512  接线端子	4J101006 Tb1506  接线端子	4J101012 TB2506  接线端子
2H1073 10098  微小轴承	2H1057 6202  轴承	2H1052 6001  耐高温轴承
2F101009  扭簧左	2F101009  扭簧右	 加压支架1

		
加压支架2		



粘 合 机 FUSING MACHINE

NHG900-Q1/1000-Q1/1200-Q1



2N116001 AL2000 AR2000  调理组合	4B111004 TN2BMR-1C  急停开关	LAS1-A  控制按钮 Φ10 4B105025 红色 4B105027 绿色 4B105026 白色
2N226001 AR20001  压力表	4A1120021 TC4S-14R  温度控制器 POWER: 100-240VAC	4A103005 DZ47-60 C10  断路器 230/400V~ 6000A 50Hz
4A103017 DZ47-60 C40  断路器 400V~ 6000A 50Hz	4A115001 MY2N AC220V  欧姆龙中间继电器	4B114007 Rt1322  钮子开关二档 250VAC 15A 125VAC 20A

4A117002 JSZ3  时间继电器	4A114002 NZ100-1R5G-2  变频器 INPUT: 1PH 220V 50Hz/60Hz OUTPUT: 3PH 220V 7.0A 150% 60S	4A101009 CJX2-1810  交流接触器 220V 50Hz
4A101001 CJX2-1201  交流接触器 220V 50Hz	4A101029 JZC1-44  交流接触器 220V 50Hz	4J101001 TD-1525  接线端子 TD-15A (AZ1) 660V
4J101003 TD-3012  接线端子 TD (AZ1) 660V 30A	4B107004 V-103-1A4-T  微动开关 10A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC	4F103004 CH18-200-30S  减速机 POWER 1/2HP 200W TYPE CH-18 RATIO 1:30

2M1018 MAL32X50CA  气缸	气缸2M1026 底座2M1027 SDA50×20  气缸 气缸底座 1200使用SDA63×20	2H1010 F-M10×125U  内螺纹关节轴承
2H1011 F-M10×125U  外螺纹关节轴承	2H1057 6202  轴承	2H1049 1204或6204  万向轴承
2N116001 AR2000  压力调节旋钮 MAX. PRESS 1.0MPa (10.0bar) ADJ. RANGE 0.05-0.9MPa (0.5-9.0bar)	4A109009 4V21008A  电磁阀 AC220V	4A109027 200M2F  电磁阀底座

2J101001 YK-0.6  压力控制器	2D104009  3寸铁万向轮	2D105007  M6×20星形把手
2H1062 6204  高温轴承	 胶辊 1G202007 900 Φ76 1G202008 1000 Φ76 1G202009 1200 Φ112	 摇手
2N119017  Y型接头 M10	4C1002  指示灯 绿	2N111002  快换接头 Φ8×5 (1/4)

2N112001  链条 06B-1	2N114026  APE6接头	2K106008  APZA6接头
	4K104017  帆布带	 电热管 L=1075 1000w L=1175 1100w 1000型 4H101057 900型 4H101058 1600型 4H101054 1800型 4H101055
 粘合带 2L101019 2L101020 NHG900 上900×2450mm 下900×2614mm 2L101053 2L101054 NHG1000 上1000×2450mm 下1000×2614mm 2L101058 2L101059 NHG1200 上1200×2650mm 下1200×2820mm	2M1027 SDA50×20  气缸底座 2M1031 1200使用SDA63×20	2F102020  拉簧 22×2.8
 电热管 L=1000 2.2Kw L=1100 2.3Kw 1000型 4H101057 900型 4H101058 1600型 4H101054 1800型 4H101055		


		
齿轮1	齿轮2	齿轮3
		
齿轮4		


粘 合 机 FUSING MACHINE

NHG900-Q2/1000-Q2/1200-Q2



2N116001 AL2000 AR2000  调理组合	4B111004 TN2BMR-1C  急停开关	LAS1-A  控制按钮 Φ 10 4B105025 红色 4B105027 绿色 4B105026 白色
2N226001 AR20001  压力表	4A1120021 TC4S-14R  温度控制器 POWER: 100-240VAC	4A103005 DZ47-60 C10  断路器 230/400V~ 6000A 50Hz
4A103017 DZ47-60 C40  断路器 400V~ 6000A 50Hz	4A115001 MY2N AC220V  欧姆龙中间继电器	4B114007 Rt1322  钮子开关二档 250VAC 15A 125VAC 20A

4A117002 JSZ3  时间继电器	4A114002 NZ100-1R5G-2  变频器 INPUT: 1PH 220V 50Hz/60Hz OUTPUT: 3PH 220V 7.0A 150% 60S	4A101009 CJX2-1810  交流接触器 220V 50Hz
4A101001 CJX2-1201  交流接触器 220V 50Hz	4A101029 JZC1-44  交流接触器 220V 50Hz	4J101001 TD-1525  接线端子 TD-15A (AZ1) 660V
4J101003 TD-3012  接线端子 TD (AZ1) 660V 30A	4B107004 V-103-1A4-T  微动开关 10A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC	4F103004 CH18-200-30S  电机 POWER 1/2HP 200W TYPE CH-18 RATIO 1:30

2M1018 MAL32X50CA  气缸	气缸2M1026 底座2M1027 SDA50×20  气缸 气缸底座 1200使用SDA63×20	2H1010 F-M10×125U  内螺纹关节轴承
2H1011 F-M10×125U  外螺纹关节轴承	2H1057 6202  轴承	2H1049 1204或6204  万向轴承
2N116001 AR2000  压力调节旋钮 MAX. PRESS 1.0MPa (10.0bar) ADJ. RANGE 0.05-0.9MPa (0.5-9.0bar)	4A109009 4V21008A  电磁阀 AC220V	4A109027 200M2F  电磁阀底座

2J101001 YK-0.6  压力控制器	2D104009  3寸铁万向轮	2D105007  M6×20梅花手轮
2H1062 6204  高温轴承	 胶辊 1G202007 900 Φ76 1G202008 1000 Φ76 1G202009 1200 Φ112	 摇手
2N119017  Y型接头 M10	 指示灯 绿	2N111002  快换接头 Φ8×5 (1/4)

2N112001  链条 06B-1	2N114026  APE6接头	2K106008  APZA6接头
 粘合带 2L101019 上900×2450mm 下900×2614mm 2L101053 上1000×2450mm 下1000×2614mm 2L101058 上1200×2650mm 下1200×2820mm 2L101020 上900×2614mm 下900×2820mm 2L101054 上1000×2614mm 下1000×2820mm 2L101059 上1200×2820mm 下1200×3000mm	4K104017  帆布带	1000型 4H101057 900型 4H101058 1600型 4H101054 1800型 4H101055  电热管 L=1075 1000w L=1175 1100w
 电热管 1000型 4H101057 900型 4H101058 1600型 4H101054 1800型 4H101055 L=1000 2.2Kw L=1100 2.3Kw	2M1027 SDA50×20  气缸底座 2M1031 1200使用SDA63×20	2F102020  拉簧 22×2.8

FH160-B-230L-62		
		
4J108002 风扇 VOLTAGE: 220V~240VAC CURRENT: 0.24A FREQUENCY: 50/60Hz	900×1625 2L102003 1200×1625 2L102006 1133×563 2L102005 网带	


粘 合 机


FUSING MACHINE

NHG900-QS2/1000-QS2/1200-QS2





4A117002 JSZ3  时间继电器	4A115001 MY2N AC220V 4A115002 MY2N DC24V  欧姆龙中间继电器	4A103005 DZ47-60 C10  断路器 230/400V~ 6000A 50Hz
4A106001 RT18-32  断路器底座 500V~ 32A	4A120006 SSR · YHD4880A  固态继电器 80A OUTPUT 480VAC 50/60Hz	4A101001 CJX2-1201  交流接触器 220V 50Hz
4A126015 S8FS-C01524J  电源 INPUT 50/60Hz 100-240VAC 0.4A OUTPUT 24VDC 0.7A	4A114001 SS2 SERIES  变频器 INPUT 9.3A 1PH AC220~240V 50/60Hz OUTPUT 4.5A MAX 3PH AC200~240V 0.75kW FREQ RANGE 0.1~650Hz IP20	4A105003 NM1-125S/3300  空气开关 In 80A Uimp 8KV f 50Hz

4A121001 B1-14MR2-D24  可编程控制器 POWER 24VDC 3W	4A109009 4V21008A  电磁阀 AC220V 1200使用DC24V 4A109008	2N116001 AL2000  调理组合
4B111004 TN2BMR-1C  急停开关	4A122003 RV24YN-20S B203  电位器	LAS1-A  控制按钮 Φ 22 4B105025 红色 4B105027 绿色 4B105026 白色
4A1120021 TC4S-14R  温度控制器 POWER: 100-240VAC	2J102002 Y60×1.0  压力表	4A109028 200M3F  电磁阀座 Thread Type PT

4B107004 V-103-1A4-T  微动开关 10A 1/2HP 125 250VAC 0. 6A 125VDC 0. 3A 250VDC	4F103004 CH18-200-30S  减速机 POWER 1/2HP 200W 1200使用400W TYPE CH-18 RATIO 1:30 4F103006	2N116001 AR2000  压力调节旋钮 MAX. PRESS 1. 0MPa (10. 0bar) ADJ. RANGE 0. 05-0. 9MPa (0. 5-9. 0bar)
SDA63×20-60 -TZ1768A 2M1030  气缸	SDA80×20-25 -TZ1767A 2M10324  气缸	4A109027 200M2F  电磁阀底座
2H1010 ①F-M10×125U ②F-M14×150U  内螺纹关节轴承	F-M10×125U 2H1011  外螺纹关节轴承	2H1032 SBLF205G  轴承 NHG900 NHG1000 用

SBLF207G	SCT32×25×25 2M10172	FH160-B-230L-62
		
轴承 1200用	气缸	4J108002 风扇 VOLTAGE: 220V~240VAC CURRENT: 0.24A FREQUENCY: 50/60Hz
2J101001 YK-0.6	2N119017	2M1031 SDA63×20
		
压力控制器	Y型接口 M10×1.25	气缸底座
2M10071 SDA80×20	F-SC32CA (SC/SU32-CA)	
		
气缸底座	2M1027 气缸底座	胶辊 16202007 900 Φ112 16202008 1000 Φ112 16202009 1200 Φ120

	4K104017	
		
粘合带 NHG900 上900×3700mm 下900×3770mm 2L101048 2L101049	帆布带	1000型 4H101057 900型 4H101058 1600型 4H101054 1800型 4H101055 L=1075 1000w L=1175 1100w 电热管
		2H1041 608
		
1000型 4H101057 900型 4H101058 1600型 4H101054 1800型 4H101055 L=1000 2.2Kw L=1100 2.3Kw 电热管	摇手	轴承
2H1062 6204	2D105007	2D104009
		
高温轴承	M6×20星形把手	NHG900用 3寸铁万向轮

2N112001	2F102020	2D104016
 链条 06B-1	 拉簧 22×2.8	 NHG1200用 重型万向轮 4寸
 900×1625 2L102003 1200×1625 2L102006 1133×563 2L102005 网带		

粘 合 机
FUSING MACHINE
NHG600-QS3/1000-QS3





粘 合 机 FUSING MACHINE

NHG1400-QS2/1600-QS2/1800-QS2





4A117002 JSZ3	4A115001 MY2N AC220V 4A115002 MY2N DC24V	4A103005 DZ47-60 C10
 时间继电器	 欧姆龙中间继电器	 断路器 230/400V~ 6000A 50Hz
4A106001 RT18-32	4A120006 SSR · YHD4880A	4A101001 CJX2-1201
 断路器底座 500V~ 32A	 固态继电器 80A OUTPUT 480VAC 50/60Hz	 交流接触器 220V 50Hz
4A126015 S8FS-C01524J	4A114001 SS2 SERIES	4A105003 NM1-125S/3300
 电源 INPUT 50/60Hz 100~240VAC 0.4A OUTPUT 24VDC 0.7A	 变频器 INPUT 9.3A 1PH AC220~240V 50/60Hz OUTPUT 4.5A MAX 3PH AC200~240V 0.75KW FREQ RANGE 0.1~650Hz IP20	 空气开关 In 80A Uimp 8KV f 50Hz

4A121001 B1-14MR2-D24  可编程控制器 POWER 24VDC 3W	4A109009 4V21008A  电磁阀 AC220V 1200使用DC24V 4A109008	2N116001 AL2000  调理组合
4B111004 TN2BMR-1C  急停开关	4A122003 RV24YN-20S B203  电位器	LAS1-A  控制按钮 Φ 22 4B105025 红色 4B105027 绿色 4B105026 白色
4A1120021 TC4S-14R  温度控制器 POWER: 100-240VAC	2J102002 Y60×1.0  压力表	4A109028 200M3F  电磁阀座 Thread Type PT

4B107004 V-103-1A4-T  微动开关 10A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC	4F103004 CH18-200-30S  电机 POWER 1/2HP 200W 1200使用400W TYPE CH-18 RATIO 1:30 4F103006	2N116001 AR2000  压力调节旋钮 MAX. PRESS 1.0MPa (10.0bar) ADJ. RANGE 0.05-0.9MPa (0.5-9.0bar)
SDA63×20-60 -TZ1768A 2M1030  气缸	SDA80×20-25 -TZ1767A 2M10324  气缸	4A109027 200M2F  电磁阀底座
2H1010 ①F-M10×125U ②F-M14×150U  内螺纹关节轴承	F-M10×125U  外螺纹关节轴承	2N112001  链条 06B-1

SBLF207G	SCT32×25×25 2M10172	FH160-B-230L-62
		
轴承 1200用	气缸	4J108002 风扇 VOLTAGE: 220V~240VAC CURRENT: 0.24A FREQUENCY: 50/60Hz
2J101001 YK-0.6	2N119017	2M1031 SDA63×20
		
压力控制器	Y型接口 M10×1.25	气缸底座
2M10071 SDA80×20	F-SC32CA (SC/SU32-CA)	
		
气缸底座	2M1027 气缸底座	1G202010 Φ120 胶辊

	4K104017	
		
粘合带 NHG1400 上1400×5450mm 下1400×5520mm NHG1600 上1600×5450mm 下1600×5520mm 2L101062 2L101063 NHG1800 上1800×5450mm 下1800×5520mm 2L101066 2L101067	帆布带	1000型 4H101057 900型 4H101058 1600型 4H101054 1800型 4H101055 1600 L=1780 1500w 电热管
2F102020		2H1041 608
		
拉簧 22×2.8	摇手	轴承
2H1062 6204	2D105007	2D104016
		
高温轴承	M6×20梅花手轮	重型万向轮 4寸

 1800×1625 2L102007 网带 1600×1625 2L102009		

烫画机

Heat Press Machine

THS-3838D/4060D/4080D



M12	M12×285	M12×55
 手轮 2D105016	 050110430 调节螺杆	 调节螺杆
2C112015	4B107004 V-103-1A4-T	4A106005 6×30
 手柄海绵胶套	 微动开关 10A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC	 保险丝盒 10A 250VAC 15A 125VAC
4J106003 PG11	4A101001 GJX2-1201	4B109006 KCD2
 管接头	 交流接触器 220V 50Hz	 船型开关 16A 125VAC 16 (4) A 250VAC T85

4A111033		4A1110172 ET60-401T
		
热电偶 (K线)	玻璃体保险丝 4A107006 6×30 15A 4A107005 6×30 5A	温度控制器 K 0-300℃ VOLTS 180to240VAC FREQ 50/60Hz
38×38	4A101009 CJX2-1810	40×60
		
4H102004 电热板 220V 2.2KW	交流接触器 220V 50Hz 4080D专用	4H102006 电热板 220V 2.5KW
40×80	2G1080113	2G102017
		
4H102030 电热板 220V 3KW	铁氟龙高温布	海绵

380×380×10 2C107007 400×600×12 2C107015 400×800×10 2C107012		
		
硅胶板		

烫画机

Heat Press Machine

THS-4050K/4060K



M12	M12×345	M12×75
 手轮 2D105016	 050110430 调节螺杆	 调节螺杆
2C112015	4B107004 V-103-1A4-T	4A106005 6×30
 手柄海绵胶套	 微动开关 10A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC	 保险丝盒 10A 250VAC 15A 125VAC
4J106003 PG11	4A101001 CJX2-1201	4B109006 KCD2
 管接头	 交流接触器 220V 50Hz	 船型开关 16A 125VAC 16 (4) A 250VAC T85

手动烫画机拉簧

THS-3838D



THS-4060D



THS-4080D



THS-4050K



THS-4060K



节距3.3 旋向：右
钩环两头内壁长度178.4
每台机器用2根

钢丝直径3.3
中径20.3
有效圈数40
偏心圆钩环拉簧



节距3.8 旋向：右
钩环两头内壁长度208
每台机器用2根

钢丝直径3.8
中径22.6
有效圈数38
偏心圆钩环拉簧



节距4 旋向：右
钩环两头内壁长度200
每台机器用2根

钢丝直径4
中径21
有效圈数36
偏心圆钩环拉簧



节距3.3 旋向：右
钩环两头内壁长度178.4
每台机器用2根

钢丝直径3.3
中径20.3
有效圈数40
偏心圆钩环拉簧




节距3.8 旋向：右
钩环两头内壁长度208
每台机器用2根

钢丝直径3.8
中径22.6
有效圈数38
偏心圆钩环拉簧

全自动转移印标机（气压式）

Heat Press Machine

THQ-1010S/1515S/2525S



2D106010  M10×30橡胶脚	4A109009 4V21008A  电磁阀 AC220V	2M10322 SDA63×50B  1515用 气缸 MAX. PRESS 1.0MPa
2H1019 LMF35  线轴承	4A1110172 ET60-401T  温度控制器 K 0-300°C VOLTS 180to240VAC FREQ 50/60Hz	4J106003 Pg11  穿线扣
2N104005 PL8-02  接头	2N105004 SL8-02  接头	2N103032 Pm8  接头


2N103058	2N116007 TR2000-02	4B107004 V-103-1A4-T
		
1分消音器	气源 0.05-0.85MPa	微动开关 10A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC
4A107005	4B109006 KCD2	4B111004 TN2BMR-1C
		
玻璃体保险丝 5A	船型开关 16A 125VAC 16 (4) A 250VAC T85	急停开关
4A106005 6×30	4A111033	4A120005 SSR · YHD4840A
		
保险丝盒 10A 250VAC 15A 125VAC	热电偶 (K线)	固态继电器

全自动转移印标机（气压式）

Heat Press Machine

THQ-4040S/4060S



2F101023	2H10821 SCS35UU	2H1050 6000
 弹簧 Φ 25 × 50	 线轴承	 轴承
2H1053 6003	2D104005	2D1060141
 轴承	 2寸万向轮	 M10×80橡胶脚
2N105004 SL8-02	2N103032 Pm8	2N103058
 接头	 接头	 1分消音器

2N116003 GFR2000  气源 SET PRESS. 0.05~0.85MPa	4A109009 4V21008A  电磁阀 AC220V	4B107004 V-103-1A4-T  微动开关 10A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC
2N104006 PL8-03  接头	2N104005 PL8-02  接头	4A106005 6×30  保险丝盒 10A 250VAC 15A 125VAC
4A107005  玻璃体保险丝 5A	4A120005 SSR·YHD4840A  固态继电器	4A111033  热电偶 (K线)


4B109006 KCD2  船型开关 16A 125VAC 16(4)A 250VAC T85	4B111004 TN2BMR-1C  急停开关	4A1110172 ET60-401T  温度控制器 K 0~300℃ VOLTS 180to240VAC FREQ 50/60Hz
4J106003 Pg11  出线扣	4J101011 TB-2504L  接线端子 600V 25A	2M10351 Sc100×80  气缸

全自动转移印标机（气压式）

Heat Press Machine

THQ-4040S2/4060S2



2H1080 608  轴承（包胶）	2F101023  弹簧 Φ 25 × 50	4K104237  弹簧 Φ 20 × Φ 3 L=48
4J105001  方形外堵塞 30 × 30	2N103058  1分消音器	4J106003 Pg11  出线扣
4A103009 DZ47-60 C40  断路器 400V~ 6000A 50Hz	4A106005 6×30  熔断器 10A 250VAC 15A 125VAC	4A107008  保险丝RT14-10*38/ 6A


4A115001 MY2N AC220V  欧姆龙中间继电器	4A101001 CJX2-1201  交流接触器 220V 50Hz	4A111033  热电偶 (K线)
4B109006 KCD2  船型开关 16A 125VAC 16 (4) A 250VAC T85	4B111004 TN2BMR-1C  急停开关	4A1110172 ET60-401T  温度控制器 K 0-300°C VOLTS 180to240VAC FREQ 50/60Hz
4B105005 HBY5  按钮开关(绿) AC220V	4J101022 TBR-10  接线端子	2N116003 GFR2000  气源 SET PRESS. 0.05~0.85MPa

2N104005 PL8-02  接头	2N104007 PL8-04  接头	2N103002 PC8-02  接头
4A109009 4V21008A  电磁阀 AC220V	2M1035 Sc100×125  气缸 Pressure: 1.0~9.0Kgf/cm ²	

全自动转移印标机（液压式）

Heat Press Machine

THY-4060S





10098	6202	Pg13
 微小轴承	 轴承	 出线扣
F1004		
 万向轴承	 弹簧 Φ 25 × 50	 万向轮 2寸
 橡皮脚 L=120		


电加热锅炉

Electrically Heated Boiler


ST-01A



4A103006 DZ47-60 C20  断路器 400V~ 6000A 50Hz	6Q1063  温控探头	4A112021  电脑板
2K130011 L=170  探针	4J103025  探针护套	2J101009 JYYL-5  压力控制器 0.4Mpa G1/8 16A/220VAC
2N114002 JKY-2-1/8  汽管接头	2K106008 G1/8 14×24  压力控制器接头	2K117015 JYAQ-5L  安全阀 0.7Mpa G1/8

4B109008 KCD6	4K104253	
		
船型开关 6A 250V AC	压力表 0.6bar Φ40	排污总成
4F2030021 DP003D1	2K105004	4A101011 CJX2-2501
		
水泵 OPEN FLOW: 3.5L/min VOLTS: 220VAC AMPS: 0.6A MAX WORKING: 100PSI	3X2补芯	交流接触器 220V 50Hz
2D104001		
		
1.5寸M8万向轮	炉胆及安装板	顶盖

	2K136030	2K108016
		
Φ6×1压力控制器铜管	3分出气阀	3×2铜弯头带3分并帽
2K1370032	2K135008	2K135011
		
不锈钢抱箍 Φ8, Φ9.5, 14-16mm, 13-19mm	4分插10外螺纹易接头	2分插10内螺纹易接头
0103010673231	2K1080065	0103010673252
		
2分蒸汽胶管 L=170	2分外螺弯头	2分蒸汽胶管 L=240


2K118010	2K135010	4B109006 KCD2
		
4分内外螺球阀	铜三通易接头	船型开关 16A 125VAC 16 (4) A 250VAC T85
	2K135007	2N115009 YL-06
		
排污管及排污管罩 2K13605 2D106033	4分插10内螺纹易接头	进水电磁阀 (两位三通) 通径Φ3, AC220V, G1/4
0103050271 0103050272	4H10101200 R1097盛田	4A106001 RT18-32
		
进水过滤器	电热管 220V 4KW	断路器底座 500V~ 32A


4B109006 RT28-32	01030312062	4J104004
		
保险丝 500V~100kA 2A	塑料拉手	护线圈 Φ10
4J104008	2K115007	2K110005
		
护线圈 Φ18	4分三通	4分镀锌内接
2K109002	6Q1083	2K111001
		
4分内外螺弯头	4分内外螺止回阀	2分铜内接

2K108018	2K135021	
 4分×2分弯头	 2分插8内螺纹易接头	

电加热锅炉
Electrically Heated Boiler
DLD3-0.4-A1



2D106025	2A111001	2A111003
 门锁	 垫圈5	 垫圈8
2A111008	2D106025	E1=270 E2=280 2K130020 2K130021
 垫圈18	 尼龙垫 Φ4	 探针
2A112002	4H101004	2K122004 Φ12×200
 弹簧垫圈8	 电热管 220V 3KW	 玻璃管

2K136032 M22×1.5  水位计弯头	2K136033 M22×1.5  水位计三通	2K136006 G1/4  真空破坏阀
2J101001 YK-0.6  压力控制器	 压力控制器铜管	 压力表铜管
2C101006 Y60×1.0  压力表	2K106002  1/2×1/4异径内接头	2K118009  内外螺球阀DN15

2K117017 A22H-16T  弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa	2K118007  球阀DN15	2K119003  浮球阀DN15
6Q1083  立式止回阀DN15	2K110005  内接头N8-1/2-Zn	2K116009  1/4×Φ8卡套弯头
2K116002  1/2×Φ8卡套接头	2K109002  内外丝弯头A4-1/2-Zn	2C112026  水箱提手



2K136019	4F202002	6Q1045
 过滤器	 水泵 1/4 550W	 水箱热水咀 Dn15

电加热锅炉

Electrically Heated Boiler

DLD3-0.4-C4



2D104004	E1=170 E2=180 2K130011 2K130012	2H101004
		
Φ42万向轮M10	探针	电热管
4K135002	4K135003	4K104253
		
3/8内外螺对接头	1/2内外螺对接头	Φ40毛细管压力表
2K136030	2J101001 YK-0.6	2K115010
		
一叉出气阀	压力控制器	JKYΦ6-G1/8三通

4F202008	2K116002	2K116003
		
热水漩渦泵 15DW-550W	1/2×Φ8卡套接头	1/2×Φ8卡套弯头
2K115007	2K118007	2K109002
		
4分三通	球阀DN15	4分内外螺弯头
2K110005	6Q1083	2C112026
		
4分内接	立式止回阀DN15	水箱提手

2K136019	2K119003	2K108009
		
过滤器	浮球阀DN15	2分内外螺铜弯头
2K118002	2K111001	E=50
		
2分内外螺球阀	2分铜内接	探针
2K1080065	2K116011	
		
2分外螺弯头	1/4×Φ6卡套弯头	

电加热锅炉


Electrically Heated Boiler

DLD6-0.4-E2



2J101001 YK-0.6  压力控制器	2K101003  曲管M12×1.25	2K136024  曲管三通
2C101006 Y60×1.0  压力表	2K101001  曲管M14×1.5	2K110005  4分内接
2K115007  4分三通	2K109002  4分内外螺弯头	6Q1083  立式止回阀DN15

2K118007	2K136030	2K105002
		
球阀DN15	二叉出气阀	补芯1/2×3/8
2K117006 A28H-16C	2K116002	2K109007
		
弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa	1/2×Φ8卡套接头	内外螺弯头DN20
2K119003	2C112026	2K136019
		
浮球阀DN15	水箱提手	过滤器


4F202008	4H101014	E1=180; E2=190; E3=210 2K130012 2K130013 2K130015
		
水泵 15DW-550	电热管 6KW	探针
2K136052		
		
梅花手轮		

电加热锅炉

Electrically Heated Boiler

DLD6~12-0.4-B2



2D104007	E1=210 E2=220 E3=250 2K130015 2K130016 2K130019	
		
M12万向轮	探针	电热管 4H101016 4H101020 4H101024 6KW 9KW 12KW
2K122001 Φ12×160	2K136032 M22×1.5	2K136033 M22×1.5
		
玻璃管	水位计弯头	水位计三通
2K136006 G1/4	2K117006 A28H-16C	2K109002
		
真空破坏阀	空压机弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3~0.7MPa	4分内外螺弯头

2J102003 Y60×1.0	2K104002 M16×1.5	2K136003 Φ6
 压力表	 压力表压紧螺母	 卡套内套
2J101001 YK-0.6		
 压力控制器	 压力控制器铜管	 压力表铜管
2K102001	2K136030	2D105020
 管接内套6	 单叉出气阀	 梅花手轮

4F202006	2K116002	2K116009
 水泵 15DW-550	 1/2×Φ8卡套接头	 1/4×Φ8卡套弯头
6Q1083	2K115007	2K110005
 内外螺回阀DN15	 4分三通	 4分内接
2K118007	2C112026	2K119003
 球阀DN15	 水箱提手	 浮球阀DN15

2K136019




过滤器

电加热锅炉

Electrically Heated Boiler

DLD6~12-0.4-B3



2D104007	4H101016	6Q1082
 M12万向轮	 电热管 6KW	 浮球液位控制器
2K117006 A28H-16C	2K109002	2K109001
 弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa	 4分内外螺弯头	 4分弯头DN15
2K109007	2K115010	4K104253
 6分内外螺弯头DN20	 1/8铜三通	 Φ40毛细管压力表

2K104002 M16×1.5	2K136003 Φ6	2J101001 YK-0.6
		
压力表压紧螺母	卡套内套	压力控制器
		2K102001
		
压力控制器铜管	压力表铜管	管接内套6
4A109005 ZCQ-01B	4F202002	2K110005
		
出气电磁阀	水泵 奥龙1/4DW-370	内接DN15


6Q1083	2K116002	2K116009
		
立式止回阀DN15	1/2×Φ8卡套接头	1/4×Φ8卡套弯头
2K135003	2K129008	2K129010
		
2分Φ6易插弯头	2分Φ10锁母弯头	4分Φ10锁母
2K118007	2C112026	2K119003
		
球阀DN15	水箱提手	浮球阀DN15



[illegible]


电加热锅炉

Electrically Heated Boiler

DLD6~12-0.4-B4

2D104007	4H101016	2K115010
		
M12万向轮	电热管 6KW	1/8铜三通
		2J101001 YK-0.6
		
压力控制器铜管	压力表铜管	压力控制器
2C101006 Y60×1.0	2K136003 Φ6	6Q1082
		
压力表	卡套内套	浮球液位控制器

2K117005	2K107002	2K133002
		
4分铜安全阀	压力表接头	2分锁紧螺母
4F202006	2K118007	2K109002
		
水泵 奥龙15DW-550	球阀4分	4分内外螺弯头
2F101001	2K116002	2K116003
		
球阀弹簧	1/2×Φ8卡套接头	1/2×Φ8卡套弯头

6Q1083	2K116008	2C112043
		
4分立式止回阀	1/4×Φ8卡套接头	红球M6
2K106010	2K118002	2K105004
		
2分对接S17×30	2分内外螺球阀	补芯铜接头3/8×1/4
2K135003	4A109007 ZCQ-9313	4A109003 ZCQ-20B-99
		
2分Φ6铜弯头	电磁阀 AC220V/230V	电磁阀 AC220V/230V



2K136019	6Q1045	
		
过滤器	水箱热水咀 Dn15	

电加热锅炉

Electrically Heated Boiler

DLD6~12-0.4-A2



2D104007	2C106001	E1=180 E2=190 E3=210 2K130012 2K130013 2K130015
		
M12万向轮	2寸合页	探针
	2K136034	2K121001
		
电热管 4H101016 4H101020 4H101024 6KW 9KW 12KW	水位计（上下床）	3/8小球阀（长柄燃气阻）
2K122003 Φ12×180	2K136006 G3/8	2K136052
		
玻璃管	真空破坏阀	梅花手轮

2K136052	2K117006 A28H-16C	2K109002
		
梅花手轮	弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa	4分内外螺弯头DN15
2K109007	2C101006 Y60×1.0	2K107002
		
6分内外螺弯头DN20	压力表	压力表接头
2J101001 YK-0.6		
		
压力控制器	压力控制器铜管	压力表铜管

2K103002 Φ6	2K102001	2K136030
		
铜管压紧螺母	管接内套6	单叉出气阀
2K136024	2K105002	4F202002
		
曲管三通	4×3补芯 9和12KW用	水泵 1/4WD 550W
2K118007	2K116002	2K116003
		
球阀4分201B	1/2×Φ8卡套接头	1/2×Φ8卡套弯头



[illegible]


电加热锅炉

Electrically Heated Boiler

DLD12-0.4-F1



2D104029	2D104021	E1=220 E2=230 E3=250 2K130016 2K130017 2K130019
		
2寸定向轮	2寸万向轮	探针
2C106001		2K110008
		
2寸合页	电热管 4H101016 4H101020 4H101024 6KW 9KW 12KW选1	6分内接
2K123002	2K122003 $\Phi 12 \times 180$	2K136006 G3/8
		
3分堵头	玻璃管	真空破坏阀

2K136059	2K136060	2J101001 YK-0.6
		
三叉出气阀	四叉出气阀	压力控制器
2C101006 Y60×1.0	2K115011	2K109007
		
压力表	6分三通	6分内外螺弯头DN20
2K104001 M16×1.5		
		
压力表压紧螺母	压力控制器铜管	压力表铜管

2K102001	2K105002	4F202006
		
管接内套6	4×3补芯	水泵 15DW-550W
6Q1083	2K118012	2K110007
		
4分止回阀	6分内外螺球阀	4分×2分内接
2K116002	2K116003	2K119003
		
1/2×Φ8卡套接头	1/2×Φ8卡套弯头	浮球阀DN15

2K118007	2K103002 $\Phi 6$	2K110005
		
4分球阀	铜管压紧螺母	4分内接
2K125001	2K115007	2K111001
		
1/2×3/4补芯	4分三通	2分内接
2K136034	2K117006 A28H-16C	2K109002
		
水位计（上下床）	弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa	4分内外螺弯头DN15


2K136019	6Q1045	
		
过滤器	水箱热水咀DN15	

电加热锅炉


Electrically Heated Boiler

DLD18~24-0.4-A2



2D106024	E1=310 E2=320 E3=340 2K130024 2K1300241 2K1300251	2K136006 3/8
		
门锁240	探针	真空破坏阀
2K121001	2K136034	2K122003 Φ12×180
		
3/8小球阀（长柄燃气咀）	水位计（上下床）	玻璃管
	4F202002	2K119003
		
电热管 4H101024 (4H101019) 12 (9) kW	多级漩涡泵 7132, 1/4W (0.4)	浮球阀DN15

6Q1045	2K117007 A28H-16C	2K109007
	 弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.7-1.0MPa	 6分内外螺弯头
2K118007	2K110005	2K136025
 球阀DN15 Q11F-16T	 4分内接	 曲管三通(宽)
2J102004 Y100×1.0	2K101002	2J101003 JC-206
 压力表	 曲管M20×1.5	 压力控制器 0.4MPa

2J101004 JC-210	2K134001	2K101003
 压力控制器 0.7MPa	 压力控制器中间接头	 曲管M12×1.25
6Q1083	2K118012	2K115011
 4分立式内外螺止回阀	 6分内外螺球阀 Q11F-16T	 6分三通
2K116002	2K116009	2K116003
 1/2×Φ8卡套接头	 1/4×Φ8卡套弯头	 1/2×Φ8卡套弯头


2K125001	2K136019	2C112026
		
1/2×3/4补芯	过滤器	水箱提手

电加热锅炉


Electrically Heated Boiler

DLD6 (9) (12) -0.4-D1



2D106024	2K123014	2K130021 E1=280
 门锁240	 M14×1.5堵头	 探针
	2K122004 Φ12×200	2K136006 G1/4
 电热管 6kw 4H101016	 玻璃管	 真空破坏阀
2K136032 M22×1.5	2K136033 M22×1.5	2K105002
 水位计弯头	 水位计三通	 补芯1/2×3/8

2K136030	2K110005	2N119019
		
二叉出气阀	4分内接	4分Y型三通
2K106002	2K118012	2K136059
		
4×2接头	球阀 Q11F-16	4×2三叉
2K117006 A28H-16C	2K109007	2K103002 Φ6
		
弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa	内外丝弯头DN20	铜管压紧螺母

2K136003 Φ6		
		
卡套内套	压力控制器铜管	压力表铜管
2K104002 M16×1.5	2C101006 Y60×1.0	2J101001 YK-0.6
		
压力表压紧螺母	压力表	压力控制器
4F202005	2K132002	2K116002
		
水泵 1/4WD 370W或550W	注水接头 3/8-M16×1.5	1/2×Φ8卡套接头


电加热锅炉



Electrically Heated Boiler

LDR0.09-0.7-1



2D106024	E1=210 E2=230 E3=280 2K130015 2K130017 2K130021	2K113003
		
门锁240	探针	1寸活接头
2K110009	2K118009	2K121001
		
1寸内接	内外螺球阀DN15	3/8小球阀（长柄燃气咀）
2K136034	2K122006 $\Phi 12 \times 280$	2K136006 3/8
		
水位计（上下床）	玻璃管	真空破坏阀

	4F202008	2K117007 A28H-16C
 电热管 4H101028 4H101027 4H101022 18 15 12kw	 高压漩涡泵 15DW-750W	 弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.7-1.0MPa
2K110010	2K109009	2K118012
 1寸二内接	 一寸二弯头	 球阀DN20
2K136025	2J102004 Y100×1.0	2K101002
 曲管三通3/8(宽)	 压力表	 曲管M20×1.5

2K110008	2J101004 JC-210	2K134001
 6分内接	 压力控制器 0.7MPa	 压力控制器中间接头
2K101003	2K102003	2K132003
 曲管M12×1.25	 管接内套10	 注水接头 1/2-M16×1.5
6Q1083	2K109002	2K109001
 4分内外螺止回阀	 4分内外丝弯头	 4分弯头


电加热锅炉

Electrically Heated Boiler

LDR0.15-0.7-1A



2D106024	E1=210 E2=230 E3=280 2K130015 2K130017 2K130021	2K113003
		
门锁240	探针	1寸活接头
2K110009	2K118009	2K121001
		
1寸内接	内外螺球阀DN15	3/8小球阀（长柄燃气阻）
2K119003	2K122006 Φ12×280	6Q1045
		
浮球阀DN15	玻璃管	水箱热水阻DN15

4H101025	4F202008	2K117007 A28H-16C
 电热管 80Kw锅炉: 13.5Kw 4H101026 96Kw锅炉: 12Kw 4H101025 108Kw锅炉: 13.5Kw 4H101026 120Kw锅炉: 15Kw 4H101027	 高压漩涡泵 15DW-750W (0.7)	 弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.7-1.0MPa
2K110012	2K109010	2N112001
 二寸内接	 二寸弯头	 球阀DN40
2K110011	2K136025	2J102004 Y100×1.0
 一寸半内接	 曲管三通(宽)	 压力表

2K101002	2J101004 JC-210	2K134001
 曲管M20×1.5	 压力控制器 0.7MPa	 压力控制器中间接头
2K101003	2K113001	2K109002
 曲管M12×1.25	 4分活接头	 4分内外螺弯头
6Q1083	2K110005	2K102003
 4分内外螺立式止回阀	 4分内接	 管接内套10

LNS系列燃油燃气锅炉
Electrically Heated Boiler
LNS0.03~0.06-0.4-YC





全自动燃气锅炉

Electrically Heated Boiler

SZS0.015~0.1-0.4-Q



2D106024	E1=120 E2=160 E3=210 2K130006 2K130010 2K130015	4K103010
		
门锁240	探针	点火装置
4K106002	2K110005	2K106002
		
铜管接头	100L用 4分内接	1/2×1/4异径内接头
2K135008	4A109003 ZCQ-20B-99	2C110001
		
G1/2×10软管接头	点火电磁阀1/4 AC220V/230V	15L用 燃烧咀 15排


2C110001	2C110007	2C110004
		
28L用 燃烧咀 15排	50L用 燃烧咀 30排	100L用 燃烧咀 25排
2K109002	4A109002 2W160-15	2K115007
		
内外丝弯头A4-1/2-Zn-B 15 28 50L用	主电磁阀1/2 15 28 50L用	三通B1-1/2-Zn-B 15 28 50L用
2K102003	2K102003	2K104002 Φ10
		
100L用 管接内套10	100L用 注水接头 1/2-M16×1.5	100L用 压紧螺母

2K115014	2K113001	2K109002
		
四通B1-1/2-Zn-B 100L用	活接头U1-1/2-Zn-B 100L用	内外丝弯头A4-1/2-Zn-B 100L用
2K115007	2K109001	4A109002 2W160-15
		
三通B1-1/2-Zn-B 100L用	弯头A1-1/2-Zn-B 100L用	主电磁阀1/2 100L用
2K136034	2K121001	2K122003 Φ12×180
		
水位计（上下床）	3/8小球阀（长柄燃气咀）	玻璃管

2K136006 3/8  真空破坏阀	4F202008  热水漩渦泵 (铁) 15DW-550W	2K110005  内接头N8-1/2-Zn-B 15 28 50L用
2K118007  球阀DN15 Q11F-16T 15L用	2K118007  球阀DN15 Q11F-16T 28L用	2K118007  球阀DN15 Q11F-16T 50L用
2K118012  球阀DN20 Q11F-16T 100L用	2K110008  内接头N8-3/4-Zn-B 100L用	2C101006 Y60×1.0  压力表 15 28L用

2J101001 YK-0.6  15 28L用 压力控制器	2K136024  15 28L用 曲管三通	2J102004 Y100×1.0  50 100L用 压力表
2J101003 JC-206  50 100L用 0.4MPa 压力控制器	2K136025  50 100L用 曲管三通宽	2J101004 JC-210  100L用 0.7MPa 压力控制器
2J102005 Y100×1.6  100L用 压力表	2K101003  曲管M12×1.25	2K101002  100 50L用 曲管M20×1.5

2K101001	2K117006 A28H-16C	2K109007
		
曲管3/8 M14×1.5 15 28L用	弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa 15 28 50L用	内外丝弯头A4-3/4-Zn-B 15 28 50L用
2K117006 A28H-16C	2K117007 A28H-16C	2K110010
		
弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa 100L用	弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.7-1.0MPa 100L用	内接头N8-11/4-Zn-B 100L用
2K109009	6Q1083	2K109002
		
弯头A1-11/4-Zn-B 100L用	4分立式止回阀DN15	内外丝弯头A4-1/2-Zn-B

2K102003	2K132003	2K104002 M16×1.5
		
管接内套10	注水接头 1/2-M16×1.5	压紧螺母 M16×1.5
2K110005	2K110008	2K109006
		
内接头N8-1/2-Zn-B 15 28L用	内接头N8-3/4-Zn-B	弯头A1-3/4-Zn-B
2K118012	6Q1045	2K136019
		
球阀DN20 Q11F-16	水箱热水咀DN15	过滤器

2C112026	2K119003	2K118007
		
水箱提手	浮球阀DN15	排污阀DN15

烫台
Electrically Heated Boiler
TDZ-B1



4H101040	4A106005 6×30	4B109006 KCD2
 台面电热管 220V 1Kw	 保险丝盒 10A 250VAC 15A 125VAC	 船型开关 16A 125VAC 16 (4) A 250VAC T85
2F102003	4F101010 YY8012	4A111006 WK-R113
 摇臂拉伸弹簧 L1V×1×Φ9×43	 电机 220V 750W	 台面温控
4A111006 WK-R113	2D102006	6Q1085
 模头温控	 叶轮 铁或铝 19轴 (直径Φ190 高度95) 反 (左) 旋	 弹簧撑杆

烫台

Electrically Heated Boiler

TDZ-B5 B7



4A106005 6 × 30  保险丝盒 10A 250VAC 15A 125VAC	4B109006 KCD2  船型开关 16A 125VAC 16 (4) A 250VAC T85	6Q1085  弹簧撑杆
4F101002 YY7134  电机 220V 550W	2D103003  叶轮 塑料 (直径Φ280 高度130) 正 (右) 旋 配14轴法兰	4J106002 PG9  穿线扣
1G801015  叶轮法兰 Φ14 h=35	2F101010  脚踏板压缩弹簧 YA Φ1. 2X9. 8X27	4B107006 KW3A  微动开关 160PA 125/250VAC 40J105 SE4 us 1/3hp 125VAC 10A 30VDC 16 (4) A 125/250VAC 40T105 SE4 10A 30VDC 40T105 SE4 16 (4) A 250VAC 10T105 SE4

烫台
Electrically Heated Boiler
TP-B4




6Q1085	1G801016	4F101002 YY7134
 弹簧撑杆	 叶轮法兰 $\phi 16$ h=30	 电机 220V 550W
2D103002	4J106002 PG9	4B106003 QCS1-A1
 叶轮 塑料 (直径 $\phi 280$ 高度100) 正 (右) 旋 配16轴铝法兰	 穿线扣	 起动开关

烫台

Electrically Heated Boiler

TP-B6



2D105002	6Q1043	2H1006
 星型把手 M5×10	 弹簧挂钩	 左旋关节轴承M6
2H1007	4B110002 CBSN-310	2D103007
 右旋关节轴承M6	 扣押开关	 叶轮 铁 (直径Φ280 高度110) 正 (右) 旋 16轴
4F101002 YY7134	4F104012	
 电机 220V 550W	 罩极电机 JHF-YJ6126-BTF-CW 50HZ	


烫台

Electrically Heated Boiler

TDC-B6




2D105002	6Q1043	2F102003
 星型把手 M5×10	 弹簧挂钩	 拉簧 L14×1×Φ9×43
4F101002 YY7134	2D103007	4B107001 RV-166-1C25
 电机 220V 550W	 叶轮 铁 (直径Φ280 高度110) 正 (右) 旋 16轴	 微动开关 16A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC 16(3)A 250~
4A106005 6×30	1G801016	4B109006 KCD2
 保险丝盒 10A 250VAC 15A 125VAC	 叶轮法兰 h=35 Φ16	 船型开关 16A 125VAC 16(4)A 250VAC T85


	4F104012	
 信号灯 AD16-22D/S AC220V 4C1006 AD16-22D/S AC380V 绿色 4C1007	 罩极电机 JHF-YJ6126-BTF-CW 50HZ	

烫台
Electrically Heated Boiler
TDG-B6




4C1001	4C1002	4B109006 KCD2
		
信号灯红	信号灯绿	船型开关 16A 125VAC 16 (4) A 250VAC T85
4A103017 DZ47-60 C40	4K104253	6Q1043
		
断路器 400V~ 6000A 50Hz	Φ40毛细管压力表	弹簧挂钩
2D105002	4F101002 YY7134	2D103007
		
星型把手 M5×10	电机 220V 550W	叶轮 铁 (直径Φ280 高度110) 正 (右) 旋 16轴

2D104007	2M2010005	2J101001 YK-0.6
		
2寸万向轮	铁氟龙管	压力控制器
2K115010	2K110005	2K115007
		
1/8铜三通	4分内接	三通B1-1/2-Zn
2K109001	2K109002	2K118003
		
弯头A1-1/2-Zn	内外丝弯头A4-1/2-Zn	2分内螺球阀

2K118007	2K109007	2K116002
		
球阀DN15	6分内外螺弯头	4分卡套接头
2K116003	4F202006	4H101012
		
4分卡套弯头	热水高压铜泵 15DW-550W/AC220V	电热管 4.5Kw
2K119003	2C112026	2K136019
		
浮球阀DN15	水箱提手	过滤器

2K129008	2K1080065	6Q1083
		
2分 Φ10锁母弯头	1/4×6外螺弯头	4分内外螺立式止回阀
2K118009	2C106001	E1=160 E2=170 E3=180 2K130010 2K130011 2K130012
		
排污阀DN15	2寸合页	探针
2K111001	2F101010	4B107007 RZ-15GQ-B3
		
2分内接	脚踏板压缩弹簧 YA Φ1.2X9.8X27	微动开关 RZ-15GQ-B3 GNBER 15A 125, 250 or 480VAC 1/8HP 125VAC 15A 250V- 0.5A 125VDC 0.3A 250VDC GNBER ELECTRONIC COMPANY LIMITED NO:20190322

6Q1100	6Q1045	4F104012
		
球阀 Dn08 16	水箱热水咀DN15	罩极电机 JHF-YJ6126-BTF-CW 50HZ



烫台

Electrically Heated Boiler

TDG-B1



6Q1085  弹簧撑杆	4C1001  信号灯红	4C1002  信号灯绿
4B109006 KCD2	2C101006 Y60×1.0	2C112003
 船型开关 16A 125VAC 16(4)A 250VAC T85	 压力表	 垫
4B107007 RZ-15GQ-B3	2K129005	2K111001
 微动开关 15A 125, 250 or 480VAC 1/8HP 125VAC 15A 250V- 0.5A 125VDC 0.3A 250VDC 1/8HP 125VAC 1/4HP 250VAC 15A 250V	 2分锁母	 2分内接

2K118003	2D106025	2D104006
		
1/4内螺球阀	门锁MS300	2寸万向轮
2D104007	4F101010 YY8012	2D102006
		
2寸万向轮 带刹车	电机 220V 750W	叶轮 铁或铝 (直径Φ190 高度95) 反 (左) 旋 19轴
E=220 2K130016	4F202008	4H101012
		
探针	水泵 15DW-550W	电热管 4.5KW

6Q1083	2K109002	2K110005
		
4分内外螺立式止回阀	内外丝弯头A4-1/2-Zn	4分内接
2K109004	2K116003	2K118007
		
4分45° 弯头	1/2×Φ8卡套弯头	球阀DN15
2K136019	2K119003	2K1080065
		
过滤器	浮球阀DN15	1/4外螺弯头

2N112001	2K118009	2C106001
		
1/4×Φ6卡套弯头	排污阀DN15	2寸合页
2K136006		
		
2分真空破坏阀	压力控制器铜管	压力表铜管
2J101001 YK-0.6	2K102001	2K136003 Φ6
		
压力控制器	管接内套6	卡套内套


2K105001	2K115010	2K103002 Φ6
		
1/8×1/4补芯	1/8铜三通	压力表压紧螺母
2K129007	2K117017 A22H-16T	6Q1100
		
2分Φ8气管弯头	弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa	球阀 Dn08 16
6Q1045	2D106011 M12×30	
		
水箱热水咀DN15	M12橡胶脚	

烫台

Electrically Heated Boiler

TDZ-Q1




4H101042  台面电热管 1.3Kw 220V	2D106019  红手柄 内孔M8	4A111006 WK-R113  台面温控
4A111006 WK-R113  模头温控	4H101034  摇臂电热管 350W 220V	2D102004  叶轮 铁(直径Φ180 高度85) 反(左)旋 16轴
4B109005 RK1-01  船型开关 红 16(6)A 250VAC T100/55 16A 250VAC 16RA 125VAC T85/55	4B107001 RV-166-1C25  微动开关 16A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC 16(3)A 250V	4B109006 KCD2  船型开关 16A 125VAC 16(4)A 250VAC T85

烫台

Electrically Heated Boiler

TDZ-Q2



6Q1085  弹簧撑杆	4A111006 WK-R113  台面温控	2D106019  红手柄 内孔M8
4B109006 KCD2  船型开关 16A 125VAC 16(4)A 250VAC T85	4A106005 6×30  保险丝盒 10A 250VAC 15A 125VAC	4H101042  台面电热管 1.3Kw 220V
4H101034  摇臂电热管 350W 220V	4A111006 WK-R113  模头温控	4A111006 YY7122  电机 220V 550W

[illegible]

烫台

Electrically Heated Boiler

TDZ-Q3



2D106021	4B108001 GLD11	4A111006 WK-R113
		
风门手柄	25A 万能转换开关	台面温控
4B109006 KCD2	6Q1085	4A111006 WK-R113
		
船型开关 16A 125VAC 16(4)A 250VAC T85	弹簧撑杆	模头温控
4H101042	2D105011	4H101034
		
台面电热管 1.3Kw 220V	M8×20星形把手	摇臂电热管 350W 220V

1F317041	4K104132	4A111006 YY7122
 日光灯管 40W	 平行器	 电机 220V 550W
2D102004	2F102003	2D106011 M12×30
 叶轮 铁(直径Φ180 高度85) 反(左)旋 16轴	 压缩弹簧 YA0.9×11.8×32	 M12橡胶脚
2F101010	4B107001 RV-166-1C25	
 脚踏板压缩弹簧 YAΦ1.2X9.8X27	 微动开关 16A 1/2HP 125 250VAC 0.6A 125VDC 0.3A 250VDC 16(3)A 250~	

烫台


Electrically Heated Boiler

TDZG-Q3



2D106021	4C1001	4C1002
		
风门手柄	信号灯红	信号灯绿
4B109006 KCD2	4A106005 6×30	4K104253
		
船型开关 16A 125VAC 16(4)A 250VAC T85	保险丝盒 10A 250VAC 15A 125VAC	Φ40毛细管压力表
4A111006 WK-R113	4A111006 WK-R113	4H101034
		
台面温控	模头温控	摇臂电热管 350W 220V

4H101042	4K104132	1F317041
 台面电热管 1.3Kw 220V	 平行器	 日光灯管 40W
2D105011	6Q1085	4A111006 YY7122
 M8×20梅花手轮	 弹簧撑杆	 电机 550W 220V
2D102004	2D106011 M12×30	2C112003
 叶轮 铁 (直径Φ180 高度85) 反 (左) 旋 16轴	 M12橡胶脚	 垫

E1=110 E2=120 2K130005 2K130006	4H101007	4F202005
 探针	 电热管 3Kw l=220	 高压漩涡泵 1/4DW-370W
2K102001	2J101001 YK-0.6	
 管接内套6	 压力控制器	 压力控制器铜管
2K117006 A28H-16C	2K115010	2K111001
 弹簧式安全阀 排量系数0.75MPa 整体压力0.43MPa 压力等级0.3-0.7MPa	 1/8铜三通	 2分内接

4A109005 ZCQ-01B	2K133002	2K118002
		
出气电磁阀	2分锁紧螺母	1/4内外螺球阀
2K118001	2K115004	2K108008
		
球阀G1/4	2分铜三通	1/4外螺弯头
6Q1083	2K118007	2K136019
		
4分内外螺立式止回阀	排污阀DN15	过滤器

2K116009	2K116002	2K110005
		
1/4×Φ8卡套弯头	1/2×Φ8卡套接头	4分内接
2K109002	2K115007	2K118007
		
内外丝弯头A4-1/2-Zn-B	三通B1-1/2-Zn-B	球阀DN15
2K106002	2F101001	2C112026
		
G1/2×1/4异径内接头	球阀弹簧	水箱提手

烫台
Electrically Heated Boiler
TDZ-K




4B109006 KCD2	4A106005 6×30	4A111006 WK-R113
 船型开关 16A 125VAC 16 (4) A 250VAC T85	 保险丝盒 10A 250VAC 15A 125VAC	 台面温控
6Q1085	2D102004	4A111006 YY7122
 弹簧撑杆	 叶轮 铁 (直径Φ180 高度85) 反 (左) 旋 16轴	 电机 550W 220V
2F102003	2D106011 M12×30	4B107001 RV-166-1C25
 压缩弹簧 YAO. 9×11. 8×32	 M12橡胶脚	 微动开关 16A 1/2HP 125 250VAC 0. 6A 125VDC 0. 3A 250VDC 16 (3) A 250~

4J106003 PG11	4H101042	4B109005 RK1-01
 穿线扣	 台面电热管 1Kw 220V	 船型开关 红 16 (6) A 250VAC T100/55 16A 250VAC 16RA 125VAC T85/55

吹裤机
Electrically Heated Boiler
TKJ-101




ZB2-BE101C	MY2N DC24V	DZ47-60 C40
		
按钮开关	欧姆龙中间继电器	断路器 400V~ 6000A 50Hz
V-103-1A4-T	4V21008A	RT18-32X
		
微动开关 10A 1/2HP 125 250VAC 0. 6A 125VDC 0. 3A 250VDC	电磁阀 AC220V	熔断器 6A 2A
S-P12E	S8VE-09024	
		
交流接触器	电源	脚踏开关

吸线头机

Electrically Heated Boiler

XXT560



2C106002	YY90L4	4B105005 HBY5
		
3寸合页	4F101020 1.5KW 220 4F101021 1.5KW 380 4F101022 3KW 380V	开关 绿 220V
2D103005	4B105004 HBY5	4A101009 CJX2-1810
		
叶轮 高280 直径360	开关 红 220V	交流接触器 220V 50Hz
4A108010	2D104007	
		
热过载继电器 7A~10A	2寸万向轮 带刹车	