

PARTS LIST

AFC-VIII




Table of Contents

● GENERAL VIEW	
● AFC FRAME A.....	AF-1a
● AFC FRAME B (TFGNII Y: 801mm or more).....	AF-1b
● CROSSWISE SASH.....	AF-2
● LENGTHWISE SASH.....	AF-3a
● FIXING SASH FABRIC GUIDE.....	AF-3b
● VIBRATION STOPPER / FABRIC PRESSER ON NEEDLE BASE.....	AF-4
● FABRIC GUIDE / FABRIC PRESSER.....	AF-5
● FABRIC FEEDING SECTION.....	AF-6
● FABRIC STAND.....	AF-7
● AIR PIPING.....	AF-8


Part Nos. of screws, nuts, washers etc. are listed at the end of volume.


*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.

*When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.

Ex.	TFGNII-920	1000 x 400S	No.G2920123
	[Model]	[Emb. Space]	[Mfg. No.]

GENERAL VIEW






AFC FRAME A

AF-1a

No.	Part Name	Part No.	Remark
1	AFC BASE FRAME[S]	35@@07@@@S00	
2	CORNER :AFC FRAME :FRONT L	0G812023A010	
3	CORNER :AFC FRAME :FRONT R	0G812023B010	
4	CORNER :AFC FRAME :REAR L	0G812023C010	
5	CORNER :AFC FRAME :REAR R	0G812023D010	
6	RAIL PLATE :0.5*10	518102@@0000	
7	MISALIGNMENT-PREVENTIVE PLATE	9A1706400000	
8	CORNER	0G0220060000	
9	CORK :T13.5[S]	0G0230020S20	
10	BASE :CORK[S]	0G0230130S00	
11	CORK :CORNER :T10.3[S]	0G0230120S00	
12	SPACER :18*3*1000	0G0240180000	
13	SPACER :23*6*1000	0G0240150000	
14	SPACER :23*9*1000	0G0240160000	
15	FELT :18*4.5*980	0G0240170000	
16	FELT :22*4.5*980	0G0240140000	
17	CORNER :AFC FRAME	0G8120260000	
18	POLYURETHANE SHEET :UNDER FRAME	0G812024@010	
19	FELT :12*1*1000	0G8120270000	
20	JOINT :AFC FRAME :Y450-1600[S]	0G812022@S00	2, 3 Roll
21	POINTER :EMBROIDERY FRAME	0G0270020000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)




AFC FRAME B (TFGNII Y: 801mm or more)

AF-1b

No.	Part Name	Part No.	Remark
1	AFC BASE FRAME[S]	35100107@S00	
2	CORNER :AFC BASE FRAME	0G8120380000	
3	CORNER	0G0220060000	
4	RAIL PLATE :0.7*12*330-6500	518302@@0000	
5	MISALIGNMENT-PREVENTIVE PLATE :0.7*12*30	518303010000	
6	FELT :15*4.5*980	0G0240260000	
7	FELT :18*4.5*980	0G0240170000	
8	FELT :22*4.5*980	0G0240140000	
9	SPACER :18*3*1000	0G0240180000	
10	CORK :T5	0G0230150000	
11	CORK :T5	0G0230160000	
12	FIXING PLATE :BEARING BRACKET	0G0280190000	Y: 1500mm or more
13	CORNER :AFC FRAME	0G8120260000	
14	POLYURETHANE SHEET :UNDER FRAME	0G812024@010	
15	FELT :12*1*1000	0G8120270000	
16	JOINT :AFC FRAME :Y450-1600[S]	0G812022@S00	2, 3 Roll
17	POINTER :EMBROIDERY FRAME	0G0270090000	
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)




CROSSWISE SASH

AF-2

No.	Part Name	Part No.	Remark
1	BOTTOM BOARD :BRACKET :FRAME CORNER SECTION	0G813010A000	
1	BOTTOM BOARD :BRACKET :FRAME CORNER SECTION	0G813064A000	TFGNII Y: 801mm or more
2	BOTTOM BOARD :BRACKET :FRAME CENTER	0G813010B010	
2	BOTTOM BOARD :BRACKET :FRAME CENTER	0G813064B000	TFGNII Y: 801mm or more
3	BRACKET :FIXING SASH :L	0G813011L000	
3	BRACKET :FIXING SASH :L	0G813063L000	TFGNII Y: 801mm or more
4	BRACKET :FIXING SASH :R	0G813011R000	
4	BRACKET :FIXING SASH :R	0G813063R000	TFGNII Y: 801mm or more
5	FIXING SASH :L/R	35@@02@@@000	
6	BEARING CASE :FABRIC PRESSER PIPE :DOUBLE-END[S]	0G813012AS00	
7	BEARING CASE :FABRIC PRESSER PIPE :MIDDLE[S]	0G813012BS00	
8	SHAFT :FABRIC PRESSER PIPE :DOUBLE-END	0G813021@000	
9	SHAFT :FABRIC PRESSER PIPE :MIDDLE	0G813023@000	
10	PIPE :FABRIC PRESSER	0G813024@000	
11	HOLDER :FABRIC PRESSER	0G8130250000	
12	FABRIC GUIDE[S]	0G813026@S00	
13	GUIDE :FABRIC PRESSER	0G813028@000	
14	FABRIC PRESSER :CROSSWISE SASH[S]	0G813029@S00	
15	REINFORCING PLATE :FABRIC PRESSER	0G813032@000	
16	ARM :FABRIC PRESSER PIPE :B :L	0G813044L010	
17	ARM :FABRIC PRESSER PIPE :B :R	0G813044R010	
18	PARALLEL PIN :6*20-S45C-Q	611200090000	
19	THIN-TYPE CYLINDER :CQSB16-40DM	673100370000	
20	KNUCKLE	0G8130340000	
21	COVER :CYLINDER :L	0G813035L000	
22	COVER :CYLINDER :R	0G813035R000	
23	COVER :ARM :L	0G813036L000	
24	COVER :ARM :R	0G813036R000	
25	TAPER PIN :4*20	611300030000	
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)




LENGTHWISE SASH

AF-3a

No.	Part Name	Part No.	Remark
1	LENGTHWISE SASH :Y680-1400[S]	0G814016@S00	
1	LENGTHWISE SASH :B :Y (Z)450-1500[S]	0G814050@S00	
2	KNUCKLE :CYLINDER	0G8140420000	
3	COLLAR :NO.1 :4.1MM DIA.	502541070000	
4	ADJUSTER :CYLINDER STROKE	0G8140060000	
5	BASE :FABRIC STRETCHING CYLINDER	0G8140320000	
6	BRACKET :BASE :L	0G814033L000	
7	BRACKET :BASE :R	0G814033R000	
8	THIN-TYPE CYLINDER :CQSB16-25D	673100350001	
9	CLAMP :LOWER[S]	0G8140340S00	
10	CLAMP :UPPER[S]	0G814019US00	
11	HOLDER :AIR CYLINDER[S]	0G8140200S00	
12	BRACKET :FABRIC PRESSER (V) CYLINDER :L	0G814021L000	
13	BRACKET :FABRIC PRESSER (V) CYLINDER :R	0G814021R000	
14	THIN-TYPE CYLINDER :CQSB16-15DM	673100360001	
15	COLLAR :NO.1 :4.1MM DIA.	502541060000	
16	KNUCKLE :A	0G814007A010	
17	LEVER :L	0G814022L000	
17	LEVER :B :L	0G814051L000	
18	LEVER :R	0G814022R000	
18	LEVER :B :R	0G814051R000	
19	PARALLEL PIN :4*15	611200010000	
20	PRESSER SASH :LENGTHWISE :Y (Z)680-1400[A]	0G814023@A00	
20	PRESSER SASH :LENGTHWISE :B :Y (Z)450-1500[A]	0G814052@A00	
21	BRACKET :REINFORCING SASH	0G8140250000	
22	REINFORCING SASH :LENGTHWISE :Y680-1400	0G814026@000	
23	PLATE :FRAME SASH PRESSER[S]	0G8140270S00	
24	SCALE SHEET	0P1200030000	
25	PAN HEAD SCREW :M3*32	511303010000	
26	PAN HEAD SCREW :M3*42	511303040000	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)




FIXING SASH FABRIC GUIDE

AF-3b

No.	Part Name	Part No.	Remark
1	BASE :FABRIC GUIDE	0G8130590000	
2	SLIDE NUT :FABRIC GUIDE	0G8130610000	
3	COMPRESSION SPRING :0.6MM DIA.	507606070000	
4	FABRIC GUIDE :LOWER :L[S]	0G819007LS10	
5	FABRIC GUIDE :LOWER :R[S]	0G819007RS10	
6	FABRIC GUIDE : UPPER	0G8190090000	
7	POINTER :FABRIC GUIDE :B :L	0G813060L000	
8	POINTER :FABRIC GUIDE :B :R	0G813060R000	
9	SCALE SHEET	0P1200030000	
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)




VIBRATION STOPPER / FABRIC PRESSER ON NEEDLE BASE

AF-4

No.	Part Name	Part No.	Remark
1	HOLDER PLATE :VIBRATION STOPPER[S]	0G8130160S00	
2	CYLINDER SUPPORT :FIXING SASH VIBRATION STOPPER	0G8130130010	
3	THIN-TYPE CYLINDER :CQSB16-20D	673100400000	
4	COLLAR :NO.1 :4.1MM DIA.	502541050000	
5	PRESSER PLATE :FIXING SASH VIBRATION STOPPER[S]	0G8130170S00	
6	VIBRATION STOPPER :FIXING SASH VIBRATION STOPPER[S]	0G8130180S10	
7	GUIDE SHAFT :FIXING SASH VIBRATION STOPPER	0G8130150000	
8	GUIDE BASE :FIXING SASH VIBRATION STOPPER[S]	0G8130140S10	
9	NEEDLE BAR CASE	09012001@000	TFGN
9	NEEDLE BAR CASE	09011007@030	TLMX-MIX
10	COVER :DUMMY CASE	09059006@000	
11	NEEDLE PLATE :DUMMY CASE	050340330000	
12	BASE :CYLINDER BRACKET :47 ARM	0G8150060000	
13	BRACKET :CYLINDER :47 ARM	0G8150070000	
14	AIR CYLINDER :CJ2KB16-40	67310042S000	
15	FABRIC PRESSER ON NEEDLE BASE[S]	0G8150080S00	
16	FINGER VALVE :VHK2-04F-04F	670100950000	
17	PAN HEAD SCREW :M4*22	511304010000	
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)



FABRIC GUIDE / FABRIC PRESSER

AF-5

No.	Part Name	Part No.	Remark
1	CLAMP :FABRIC GUIDE[S]	0G8410090S00	
2	PATCH PLATE :TABLE[S]	0G4160050S00	
3	PIPE HOLDER :FABRIC GUIDE :R	0G841006R000	
4	PIPE HOLDER :FABRIC GUIDE :L	0G841006L000	
5	HOLDER PIPE :FABRIC GUIDE :L2700 OR LESS	0G842004@000	
5	HOLDER PIPE :FABRIC GUIDE :L2701 OR MORE	0G842005@000	
6	PIPE PIN :FABRIC GUIDE	0G8420030000	
7	CYLINDER BASE :FABRIC GUIDE	0G8410070000	
8	AIR CYLINDER :CJ2B16-45	673100300000	
9	PIPE HOLDER :FABRIC GUIDE	0G8410080000	
10	PLATE :HOLDER SQUARE PIPE BASE	0G823014@000	
11	BASE :HOLDER SQUARE PIPE	0G8230150010	
12	STRAIGHT PIN :NO.1 :10P*92	503101330000	
13	STOPPER :HOLDER SQUARE PIPE HOLDER	0G8230220000	
14	COMPRESSION SPRING :1.6MM DIA.	507616020000	
15	HOLDER :HOLDER SQUARE PIPE :A	0G8230160010	
16	HOLDER :HOLDER SQUARE PIPE :B	0G8230230000	
17	HOLDER SQUARE PIPE :T3500 OR LESS[S]	0G822008@S00	
17	HOLDER SQUARE PIPE :T3501-5700[S]	0G822009@S00	
17	HOLDER SQUARE PIPE :T5701 OR MORE[S]	0G822010@S00	
18	ATTACHING PLATE :MIDDLE PRESSER BRACKET	0G823005@000	
19	BASE :PRESSER SQUARE PIPE	0G8230170000	
20	COLLAR :NO.1 :5.2MM DIA.	502552010000	
21	JOINT :PRESSER PIPE HOLDER	0G8230180000	
22	HOLDER :PRESSER SQUARE PIPE	0G8230190000	
23	PRESSER SQUARE PIPE :T3500 OR LESS[S]	0G821006@S00	
23	PRESSER SQUARE PIPE :T3501-5700[S]	0G821007@S00	
23	PRESSER SQUARE PIPE :T5701 OR MORE[S]	0G821008@S00	
24	TRUSS HEAD TAPPING SCREW :4P*20	S530042001SD	
25	TRUSS HEAD TAPPING SCREW :5P*30	S530053001SD	
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)




FABRIC FEEDING SECTION

AF-6


No.	Part Name	Part No.	Remark
1	BASE :FABRIC SHAFT HOLDER :L	0G851061@000	
2	BASE :FABRIC SHAFT HOLDER :R	0G851062@000	
3	JOINT :HOLDER BASE :K2500 OR LESS	0G851011@010	
3	JOINT :HOLDER BASE :K2501 OR MORE	0G851012@010	
3	JOINT :HOLDER BASE :SPLIT TYPE :K2000-4000	0G851031@010	Split Type
4	HOLDER :FABRIC SHAFT :B	0G854001B000	
5	SCREW WITH ROLLER PIN :NO.1 :M6[S]	514106250S20	
6	HOLDER :FABRIC SHAFT :A[S]	0G854010@S00	
7	SHAFT :FABRIC :REAR :K2500 OR LESS[S]	0G852016@S00	
7	SHAFT :FABRIC :REAR :K2501 OR MORE[S]	0G852017@S00	
8	HOLDER :FABRIC :A	0G854006A000	
9	KNOBBED BOLT :KT-B2/M6*15	S18106150100	
10	BASE :FABRIC FEED	0G8510190000	
11	BEARING CASE :NO.3 :15MM DIA.[S]	508315010S00	
12	NEEDLE COLLAR :15MM DIA.	502815010000	
13	RACK GEAR :FABRIC FEED	0G8510210000	
14	CUSHION RUBBER :RBXN-D25-L25-L20-V10	614100130000	
15	TENSION ROLLER :FABRIC FEED :K2501 OR MORE[A]	0G852023@A00	
15	TENSION ROLLER :FABRIC FEED :K2500 OR LESS[A]	0G852025@A00	
16	FEED ROLLER :FABRIC FEED :K2501 OR MORE[A]	0G852021@A00	
16	FEED ROLLER :FABRIC FEED :K2500 OR LESS[A]	0G852026@A00	
17	TIGHTENING COLLAR :15MM DIA.	502215020000	
18	THRUST WASHER :R-TW1530	633200090000	
19	NEEDLE BEARING :TA1813Z	634200200000	
20	NEEDLE INNER RING :IRT1513	634300090000	
21	PINION GEAR :FABRIC FEED	0G8510230000	
22	FEED LEVER BRACKET :FABRIC FEED	0G8510240000	
23	STEPPED SCREW :NO.1 :M6*6	51210601A000	
24	FEED BAR :FABRIC FEED	0G8510220000	
25	CYLINDER SUPPORT :FABRIC FEED	0G8510270000	
26	AIR CYLINDER :CM2D20-200A	673100380000	
27	ADJUSTER :CYLINDER STROKE	0G8140060000	
28	PILLOW BALL :PHS8	639200100000	
29	GEAR COVER :FABRIC FEED	0G851020@000	
30	SCALE SHEET	0P1200030000	
31	COLLAR :STAND	030610130000	
32	PLATE :TENSION	0G854008@000	
33	ROLLER :TENSION :A :K2250 OR LESS	0G852009@000	
33	ROLLER :TENSION :B :K2251 OR MORE	0G852010@000	Split Type
33	ROLLER :TENSION :C :K2251 OR MORE	0G8520110000	Split Type
34	BASE :FABRIC SHAFT HOLDER :SPLIT TYPE	0G8510320010	
35			
36			
37			
38			
39			
40			
41			
42			
43			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)



Split type




FABRIC STAND

AF-7

No.	Part Name	Part No.	Remark
1	BASE :FABRIC SHAFT HOLDER :FRONT	0G853009@010	
2	STEP STAND :K2500 OR LESS	0G853012@010	
2	STEP STAND :K2501 OR MORE	0G853013@010	
2	STEP STAND :SPLIT TYPE :K2000-4000	0G853019@000	
3	COVER :STAND BASE	030410150010	
4	HOLDER :FABRIC SHAFT :B	0G854001B000	
5	SCREW WITH ROLLER PIN :NO.1 :M6[S]	514106250S20	
6	HOLDER :FABRIC SHAFT :A[S]	0G854010@S00	
7	HOLDER :FABRIC SHAFT :B[S]	0G854011@S00	
8	SHAFT :FABRIC :FRONT :K2500 OR LESS[S]	0G852014@S00	Width of Fablic Stand: 2500mm or less
8	SHAFT :FABRIC :FRONT :K2501 OR MORE[S]	0G852015@S00	Width of Fablic Stand: 2501 to 3600mm
8	SHAFT :FABRIC :B :FRONT :K2501 OR MORE	0G852034@S00	Width of Fablic Stand: 3601mm or more
9	HOLDER :FABRIC :A	0G854006A000	Width of Fablic Stand: 3600mm or less
9	HOLDER :FABRIC :B	0G854006B000	Width of Fablic Stand: 3601mm or more
10	KNOBBED BOLT :KT-B2/M6*15	S18106150100	
11	CRANK HANDLE :BCH64S	613200050000	
12	BASE :FABRIC SHAFT HOLDER :MID	0G8530180000	
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)



AIR PIPING

AF-8

No.	Part Name	Part No.	Remark
1	POLYURETHANE TUBE :TU0604W-20	674100450000	
2	POLYURETHANE TUBE :TU0604B-20	674100370000	
3	POLYURETHANE TUBE :TU0425W-20	674100440000	
4	POLYURETHANE TUBE :TU0425B-20	674100330000	
5	POLYURETHANE TUBE :TU0425BU-20	674100350000	
6	POLYURETHANE TUBE :TU0425R-20	674100340000	
7	REDUCING TEES :KQ2T04-06	670100660000	
8	TEES :KJT04-00	670100770000	
9	ELBOW UNION :KQ2L04-M5	670100570000	
10	REDUCING TEES :PUG0604	67010073K000	
11	DOUBLE-END TEES UNION :KQ2T04-M5	670100600000	
12	SPEED CONTROLLER :AS2201F-R01-04	671200120000	
13	UNION Y :KJU04-00	670100020000	
14	STRAIGHT :KJH04-00	670100820000	
15	SPIRAL TUBE :TS-10-W	644500540000	
16	SPIRAL TUBE :TS-12-W	644500550000	
17	ELECTRO-MAGNETIC VALVE :SCB31-DB-4	67210023K000	
18	BRANCH UNION Y :KJU06-99	670100800000	
19	REDUCING BRANCH UNION Y :KJX04-06	670100750000	
20	SILENCER :ST02	67010079K000	
21	HALF UNION :PC0802	67010056K000	
22	POLYURETHANE TUBE :TU0805B-20	674100470000	
23	REGULATOR :AW2002-B[A]	671100100A00	
24	LUCKY HOSE	67410003K000	
25	GUIDE :URETHANE TUBE :B :Y680-1600	0G819010@000	
26	ROUND CAP :MC-1011I	617500010000	
27	SPIRAL TUBE :TS-20-W	644500560000	
28	HOLDER :TUBE	0G8120050000	
29	COMPRESSOR :OFP02P	679100150000	Option
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)

A. B

No.	Part No.	Remark	No.	Part No.	Remark
A	Flat Fillister Head Screw		B15	S120031203TD	M3*12
A1	SA41730351CN	1/8*44*3.5	B16	S120031201TN	M3*12
A2	SA41730501CN	1/8*44*5	B17	S120031502TD	M3*15
A3	SA41730551CN	1/8*44*5.5	B18	S120031501TN	M3*15
A4	SA41730601CN	1/8*44*6	B19	S120031601TN	M3*16
A5	SA41740301CN	9/64*40*3	B20	S120031801TN	M3*18
A6	SA41740402CN	9/64*40*4	B21	S120032003TD	M3*20
A7	SA41740401SA	9/64*40*4	B22	S120032001TN	M3*20
A8	SA41740403CL	9/64*40*4	B23	S120032501TN	M3*25
A9	SA41740404CN	9/64*40*4	B24	S120033001TN	M3*30 Half Threads
A10	SA41740501CN	9/64*40*5	B25	S120040501TD	M4*5
A11	SA41740601CN	9/64*40*6	B26	S120040502TN	M4*5
A12	SA41740602CN	9/64*40*6	B27	S120040602TD	M4*6
A13	SA41740701CN	9/64*40*7	B28	S120040601TN	M4*6
A14	SA41740801CN	9/64*40*8	B29	S120040801TD	M4*8
A15	SA41740802CN	9/64*40*8	B30	S120040802TN	M4*8
A16	SA41740803CN	9/64*40*8	B31	S120041001TD	M4*10
A17	SA41741001CN	9/64*40*10	B32	S120041002TN	M4*10
A18	SA41741202CN	9/64*40*12	B33	S120041201TD	M4*12
A19	SA41741501CN	9/64*40*15	B34	S120041202TN	M4*12
A20	SA41750431TN	11/64*40*4.3	B35	S120041401TN	M4*14
A21	SA41750701CN	11/64*40*7	B36	S120041502TD	M4*15
A22	SA41750751CN	11/64*40*7.5	B37	S120041501TN	M4*15
A23	SA41750901SH	11/64*40*9	B38	S120041601TN	M4*16
A24	SA41751151CN	11/64*40*11.5	B39	S120041801TN	M4*18
A25	SA41751201CN	11/64*40*12	B40	S120042002TD	M4*20
A26	S141030801SC	M3*8	B41	S120042001TN	M4*20
A27	S141030802SD	M3*8	B42	S120042502TD	M4*25
A28	S141031001CC	M3*10	B43	S120042501TN	M4*25
A29	S141041001SC	M4*10	B44	S120042504TN	M4*25 Half Threads
			B45	S120043001TN	M4*30
			B46	S120043502TD	M4*35
			B47	S120043501TN	M4*35
			B48	S120044001TN	M4*40
			B49	S120044501TN	M4*45
B	Hexagon Socket Head Cap Screw		B50	S120050601TN	M5*6
B1	S120020801TD	M2*8	B51	S120050801TD	M5*8
B2	S120021001TD	M2*10	B52	S120050802TN	M5*8
B3	S120480501TN	M2.6*5	B53	S120051001TD	M5*10
B4	S120030301TN	M3*3	B54	S120051002TN	M5*10
B5	S120030401TN	M3*4	B55	S120051004TP	M5*10
B6	S120030502TD	M3*5	B56	S120051201TD	M5*12
B7	S120030501TN	M3*5	B57	S120051202TN	M5*12
B8	S120030601TD	M3*6	B58	S120051401TN	M5*14
B9	S120030602TN	M3*6	B59	S120051501MZ	M5*15
B10	S120030804MZ	M3*8	B60	S120051502TD	M5*15
B11	S120030801TD	M3*8	B61	S120051503TN	M5*15
B12	S120030802TN	M3*8	B62	S120051601TN	M5*16
B13	S120031001TD	M3*10	B63	S120051801TN	M5*18
B14	S120031002TN	M3*10	B64	S120052001TD	M5*20

B. C

No.	Part No.	Remark	No.	Part No.	Remark
B	Hexagon Socket Head Cap Screw		<i>B114</i>	S120086001TN	M8*60
<i>B65</i>	S120052002TN	M5*20	<i>B115</i>	S120087001TN	M8*70
<i>B66</i>	S120052201TN	M5*22	<i>B116</i>	S120102002TD	M10*20
<i>B67</i>	S120052301TN	M5*23	<i>B117</i>	S120102001TN	M10*20
<i>B68</i>	S120052501TN	M5*25	<i>B118</i>	S120102501TN	M10*25
<i>B69</i>	S120053001TN	M5*30	<i>B119</i>	S120103001TN	M10*30
<i>B70</i>	S120053503TD	M5*35	<i>B120</i>	S120103501TN	M10*35
<i>B71</i>	S120053501TN	M5*35	<i>B121</i>	S120104001TN	M10*40
<i>B72</i>	S120053502TN	M5*35 Half Threads	<i>B122</i>	S120123001TN	M12*30
<i>B73</i>	S120054001TN	M5*40	<i>B123</i>	S120123501TN	M12*35
<i>B74</i>	S120054501TN	M5*45	<i>B124</i>	S120081801TN	M8*18
<i>B75</i>	S120055001TN	M5*50	<i>B125</i>	S120470501TN	M2.5*5
<i>B76</i>	S120055002TN	M5*50 Half Threads	<i>B126</i>	S120052502TD	M5*25
<i>B77</i>	S120055501TN	M5*55	<i>B127</i>	S120030302TD	M3*3
<i>B78</i>	S120056001TN	M5*60	<i>B128</i>	S120051504TN	M5*15 Low Head
<i>B79</i>	S120056003TN	M5*60 Half Threads	<i>B129</i>	S120031801TD	M3*18
<i>B80</i>	S120060801TN	M6*8	<i>B130</i>	S120052801TN	M5*28
<i>B81</i>	S120060901TN	M6*9	<i>B131</i>	S120044502TN	M4*45 Half Threads
<i>B82</i>	S120061001TN	M6*10	<i>B132</i>	S120081501TD	M8*15
<i>B83</i>	S120061202TD	M6*12	<i>B133</i>	S120051802TD	M5*18
<i>B84</i>	S120061201TN	M6*12	<i>B134</i>	S120470401TN	M2.5*4
<i>B85</i>	S120061501TD	M6*15	<i>B135</i>	S120033003SD	M3*30
<i>B86</i>	S120061502TN	M6*15	<i>B136</i>	S120030402TD	M3*4
<i>B87</i>	S120061801TD	M6*18	<i>B137</i>	S120033002TN	M3*30
<i>B88</i>	S120061802TN	M6*18	<i>B138</i>	S120067502TN	M6*75
<i>B89</i>	S120062001TN	M6*20	<i>B139</i>	S120050501TN	M5*5
<i>B90</i>	S120062501TN	M6*25			
<i>B91</i>	S120063001TN	M6*30			
<i>B92</i>	S120063501TN	M6*35			
<i>B93</i>	S120064001TN	M6*40			
<i>B94</i>	S120064501TN	M6*45			
<i>B95</i>	S120064502TN	M6*45 Half Threads	C Hexagon Bolt		
<i>B96</i>	S120065001TN	M6*50 Half Threads	<i>C1</i>	S121030601SD	M3*6
<i>B97</i>	S120066501TN	M6*65	<i>C2</i>	S121040801SD	M4*8
<i>B98</i>	S120067501TN	M6*75 Half Threads	<i>C3</i>	S121042501SD	M4*25
<i>B99</i>	S120068001TN	M6*80 Half Threads	<i>C4</i>	S121051001SD	M5*10
<i>B100</i>	S12006A001TN	M6*100	<i>C5</i>	S121051502SC	M5*15
<i>B101</i>	S120081201TN	M8*12	<i>C6</i>	S121051501SD	M5*15
<i>B102</i>	S120081502TN	M8*15	<i>C7</i>	S121052001SD	M5*20
<i>B103</i>	S120081503TP	M8*15	<i>C8</i>	S121061501SC	M6*15
<i>B104</i>	S120081601TN	M8*16	<i>C9</i>	S121062501TN	M6*25
<i>B105</i>	S120082001TN	M8*20	<i>C10</i>	S121064501SD	M6*45
<i>B106</i>	S120082502TN	M8*25	<i>C11</i>	S121065001SC	M6*50
<i>B107</i>	S120083001TN	M8*30	<i>C12</i>	S121065002SD	M6*50
<i>B108</i>	S120083501TN	M8*35	<i>C13</i>	S121065501SD	M6*55
<i>B109</i>	S120084001TN	M8*40	<i>C14</i>	S121066501SD	M6*65
<i>B110</i>	S120084002TN	M8*40 Half Threads	<i>C15</i>	S121067501SC	M6*75
<i>B111</i>	S120084501TN	M8*45	<i>C16</i>	S121081501TN	M8*15
<i>B112</i>	S120084502TN	M8*45 Half Threads	<i>C17</i>	S121081801TN	M8*18
<i>B113</i>	S120085001TN	M8*50	<i>C18</i>	S121103001TN	M10*30

C. D. E

No.	Part No.	Remark	No.	Part No.	Remark
C Hexagon Bolt			E7	S160470402MZ	M2.5*4
C19	S121103502SC	M10*35	E8	S160470501MZ	M2.5*5
C20	S121103501TN	M10*35	E9	S160470801MZ	M2.5*8
C21	S121104001SC	M10*40	E10	S160471301MZ	M2.5*13
C22	S121125001TN	M12*50	E11	S160471302SD	M2.5*13
C23	S12112B001TN	M12*110	E12	S160480601SD	M2.6*6
C24	S121082501TN	M8*25	E13	S160030301MZ	M3*3
C25	S121102501TN	M10*25	E14	S160030302SD	M3*3
C26	S121082202TN	M8*22	E15	S160030403CD	M3*4
C27	S121041001SD	M4*10	E16	S160030401MZ	M3*4
C28	S121040601SD	M4*6	E17	S160030402SD	M3*4
			E18	S160030501MZ	M3*5
			E19	S160030502SD	M3*5
			E20	S160030601MZ	M3*6
			E21	S160030603SA	M3*6
			E22	S160030602SD	M3*6
D Round Fillister Head Screw			E23	S160030801MZ	M3*8
D1	SA43740401CL	9/64*40*4	E24	S160030803SA	M3*8
D2	SA43740501CL	9/64*40*5	E25	S160030802SD	M3*8
D3	SA43740502CN	9/64*40*5	E26	S160031001MZ	M3*10
D4	SA43740503CN	9/64*40*5	E27	S160031003SC	M3*10 Half Threads
D5	SA43740504CN	9/64*40*5	E28	S160031002SD	M3*10
D6	SA43740601CL	9/64*40*6	E29	S160031101SC	M3*11 Half Threads
D7	SA43740602CN	9/64*40*6	E30	S160031201MZ	M3*12
D8	SA43740603CL	9/64*40*6	E31	S160031202SD	M3*12
D9	SA43740604CN	9/64*40*6	E32	S160031401SA	M3*14
D10	SA43740682CN	9/64*40*6.8	E33	S160031402SD	M3*14
D11	SA43740801CL	9/64*40*8	E34	S160031501SD	M3*15
D12	SA43740802CN	9/64*40*8	E35	S160031601SD	M3*16
D13	SA43741001CN	9/64*40*10	E36	S160031801SD	M3*18
D14	SA43741201CN	9/64*40*12	E37	S160032001SD	M3*20
D15	SA43750601CN	11/64*40*6	E38	S160033001SD	M3*30
D16	SA43750652CN	11/64*40*6.5	E39	S160034001SD	M3*40 Half Threads
D17	SA43751051CN	11/64*40*10.5	E40	S160035001SD	M3*50 Half Threads
D18	SA43751201CN	11/64*40*12	E41	S160040401SD	M4*4
D19	SA43751501CN	11/64*40*15	E42	S160040501SD	M4*5
D20	SA43812451CN	9/32*28*24.5	E43	S160040601MZ	M4*6
D21	S143030501SD	M3*5	E44	S160040602SD	M4*6
			E45	S160040801SD	M4*8
			E46	S160041001SD	M4*10
			E47	S160041201SD	M4*12
			E48	S160041501SD	M4*15
			E49	S160041801SD	M4*18
E Pan Head Screw			E50	S160043001SD	M4*30
E1	S160410141MZ	M1.4*1.4	E51	S160045001SD	M4*50
E2	S160020202MZ	M2*2	E52	S160046001SD	M4*60
E3	S160020301MZ	M2*3	E53	S160050601SD	M5*6
E4	S160020401MZ	M2*4	E54	S160050701SD	M5*7
E5	S160020801MZ	M2*8	E55	S160050801SD	M5*8
E6	S160470301MZ	M2.5*3	E56	S160051002MZ	M5*10

E. F. G. H

No.	Part No.	Remark	No.	Part No.	Remark
E Pan Head Screw			F27	S150040802SD	M4*8
E57	S160051001SD	M5*10	F28	S150041001MZ	M4*10
E58	S160051201SD	M5*12	F29	S150041002SD	M4*10
E59	S160053001SD	M5*12	F30	S150041201SD	M4*12
E60	S160051501SD	M5*15	F31	S150041401SD	M4*14
E61	S160054501SD	M5*45	F32	S150041501SD	M4*15
E62	S160055001SD	M5*50	F33	S150042001SD	M4*20
E63	S160056001SD	M5*60	F34	S150042201SD	M4*22
E64	S160047001SD	M4*70	F35	S150042501SD	M4*25
E65	S160480801SD	M2.6*8	F36	S150050601SD	M5*6
E66	S160030504SC	M3*5	F37	S150050801SD	M5*8
E67	S160480602MZ	M2.6*6	F38	S150051001MZ	M5*10
E68	S160031403MZ	M3*14	F39	S150051002SD	M5*10
E69	S160042001SD	M4*20	F40	S150051201SD	M5*12
E70	S160044501SD	M4*45	F41	S150051501SD	M5*15
E71	S160020203SD	M2*2	F42	S150053001SD	M5*30
E72	S160470502SD	M2.5*5	F43	S150053501SD	M5*35
E73	SA60740551TN	9/64*40*5.5	F44	S150054001SD	M5*40
E74	S160431001MZ	M1.7*10	F45	S150061502SC	M6*15
			F46	S150061503SD	M6*15
			F47	S150063501SD	M6*35
			F48	S150081201SD	M8*12
			F49	S150087001TN	M8*70
F Countersunk Head Screw					
F1	SA51741001CN	9/64*40*10			
F2	SA50750801CN	11/64*40*8			
F3	S150020601SD	M2*6			
F4	S150030401MZ	M3*4			
F5	S150030402SD	M3*4	G Round Countersunk Head Screw		
F6	S150030501MZ	M3*5	G1	SA53730601CL	1/8*44*6
F7	S150030502SD	M3*5	G2	SA53740301CL	9/64*40*3
F8	S151030601SD	M3*6	G3	SA53740351CL	9/64*40*3.5
F9	S150030601MZ	M3*6	G4	SA53740401CL	9/64*40*4
F10	S150030602SD	M3*6	G5	SA53740601CL	9/64*40*6
F11	S150030701SD	M3*7	G6	SA53740701CL	9/64*40*7
F12	S151030801SD	M3*8	G7	SA53740951CL	9/64*40*9.5
F13	S150030801MZ	M3*8	G8	SA53741201CL	9/64*40*12
F14	S150030804SC	M3*8	G9	SA53740681CL	9/64*40*6.8
F15	S150030802SD	M3*8			
F16	S150030803SN	M3*8			
F17	S150031002MZ	M3*10			
F18	S150031001SD	M3*10			
F19	S150031201MZ	M3*12			
F20	S150031202SD	M3*12	H Truss Head Screw		
F21	S150031501MZ	M3*15	H1	SA30730701CL	1/8*44*7
F22	S150031601SD	M3*16	H2	SA30740301CL	9/64*40*3.5
F23	S150040501SD	M4*5	H3	SA30740401CL	9/64*40*4
F24	S150040602MZ	M4*6	H4	SA31740401CM	9/64*40*4
F25	S150040601SD	M4*6	H5	SA30740601CL	9/64*40*6
F26	S150040801MZ	M4*8	H6	SA30740801CL	9/64*40*8

H. J. K

No.	Part No.	Remark	No.	Part No.	Remark
H	Truss Head Screw		<i>H56</i>	S130060801SD	M6*8
<i>H7</i>	S130470301MZ	M2.5*3	<i>H57</i>	S130061001SD	M6*10
<i>H8</i>	S130470302SD	M2.5*3	<i>H58</i>	S130062201SD	M6*22
<i>H9</i>	S130470401MZ	M2.5*4	<i>H59</i>	S130062501SD	M6*25
<i>H10</i>	S130470402SA	M2.5*4	<i>H60</i>	S130063501SD	M6*35
<i>H11</i>	S130470403SD	M2.5*4	<i>H61</i>	S130064001SD	M6*40
<i>H12</i>	S130030301MZ	M3*3	<i>H62</i>	S130031501SD	M3*15
<i>H13</i>	S130030302SD	M3*3	<i>H63</i>	S130043501SD	M4*35
<i>H14</i>	S130030402SD	M3*4	<i>H64</i>	S130020201SD	M2*2
<i>H15</i>	S130030501MZ	M3*5	<i>H65</i>	S130470501SD	M2.5*5
<i>H16</i>	S130030502SD	M3*5	<i>H66</i>	S130052002MZ	M5*20
<i>H17</i>	S130030601MZ	M3*6	<i>H67</i>	S130054501SE	M5*45
<i>H18</i>	S130030602SD	M3*6	<i>H68</i>	S130050502MZ	M5*5
<i>H19</i>	S130030603SA	M3*6	<i>H69</i>	S130054001SD	M5*40
<i>H20</i>	S130030802SD	M3*8	<i>H70</i>	S130055001SD	M5*50
<i>H21</i>	S130030803SA	M3*8			
<i>H22</i>	S130031001MZ	M3*10			
<i>H23</i>	S130031002SD	M3*10			
<i>H24</i>	S130032001SD	M3*20			
<i>H25</i>	S130040401MZ	M4*4			
<i>H26</i>	S130040402SD	M4*4	J	Round Head Screw	
<i>H27</i>	S130040501MZ	M4*5	<i>J1</i>	S162020301MZ	M2*3
<i>H28</i>	S130040502SD	M4*5	<i>J2</i>	S162030801SD	M3*8
<i>H29</i>	S130040601MZ	M4*6	<i>J3</i>	S162030802SE	M3*8
<i>H30</i>	S130040602SD	M4*6	<i>J4</i>	S162031001MZ	M3*10
<i>H31</i>	S130040651SD	M4*6.5			
<i>H32</i>	S130040801MZ	M4*8			
<i>H33</i>	S130040802SD	M4*8			
<i>H34</i>	S130040803MZ	M4*8 JIS			
<i>H35</i>	S130041002MZ	M4*10			
<i>H36</i>	S130041001SD	M4*10	K	Slotted Set Screw	
<i>H37</i>	S130041201SD	M4*12	<i>K1</i>	SA71730351CN	1/8*44*3.5
<i>H38</i>	S130041502SD	M4*15	<i>K2</i>	SA71740601CN	9/64*40*6
<i>H39</i>	S130042001SD	M4*20	<i>K3</i>	SA71750251CN	11/64*40*2.5
<i>H40</i>	S130050501SD	M5*5	<i>K4</i>	SA71750351CN	11/64*40*3.5
<i>H41</i>	S130050602MZ	M5*6	<i>K5</i>	SA71750401CN	11/64*40*4
<i>H42</i>	S130050601SD	M5*6	<i>K6</i>	SA71750501CN	11/64*40*5
<i>H43</i>	S130050651SD	M5*6.5	<i>K7</i>	SA71790501CN	15/64*28*5
<i>H44</i>	S130050701SD	M5*7	<i>K8</i>	SA71791001CN	15/64*28*10
<i>H45</i>	S130050801MZ	M5*8	<i>K9</i>	SA71791501CN	15/64*28*15
<i>H46</i>	S130050802SD	M5*8	<i>K10</i>	SA71791701CN	15/64*28*17
<i>H47</i>	S130051002MZ	M5*10	<i>K11</i>	SA71800401CN	1/4*40*4
<i>H48</i>	S130051001SD	M5*10	<i>K12</i>	SA71800451CN	1/4*40*4.5
<i>H49</i>	S130051201MZ	M5*12	<i>K13</i>	SA71800501CN	1/4*40*5
<i>H50</i>	S130051202SD	M5*12	<i>K14</i>	SA71800601CN	1/4*40*6
<i>H51</i>	S130051501SD	M5*15	<i>K15</i>	SA71800801CN	1/4*40*8
<i>H52</i>	S130052001SD	M5*20	<i>K16</i>	SA71811201CN	9/32*28*12
<i>H53</i>	S130052502SD	M5*25	<i>K17</i>	S171050601TN	M5*6
<i>H54</i>	S130053001SD	M5*30			
<i>H55</i>	S130053501SD	M5*35			

L. M. N

No.	Part No.	Remark	No.	Part No.	Remark
L Hexagon Socket Head Set Screw			M Hexagon Socket Head Button Screw		
L1	SA70730251CN	1/8*44*2.5	M1	S124030401SC	M3*4
L2	SA70730301CN	1/8*44*3	M2	S124040601SC	M4*6
L3	SA70750901CN	11/64*28*9	M3	S124040802SC	M4*8
L4	SA70750401CN	11/64*40*4	M4	S124040803SD	M4*8
L5	SA70750601CN	11/64*40*6	M5	S124051001SC	M5*10
L6	SA70750801CN	11/64*40*8	M6	S124051002SD	M5*10
L7	SA70790401CN	15/64*28*4	M7	S124051501SD	M5*15
L8	SA70790901CN	15/64*28*9	M8	S124081201SC	M8*12
L9	S170470301TN	M2.5*3	M9	S124081202SD	M8*12
L10	S170030201TN	M3*2	M10	S124081501SD	M8*15
L11	S170030301TN	M3*3	M11	S124030501SC	M3*5
L12	S170030401TN	M3*4	M12	S124030801SC	M3*8
L13	S170030501TN	M3*5	M13	S124030502TC	M3*5
L14	S170030601TN	M3*6	M14	S124030402SD	M3*4
L15	S170030801TN	M3*8	M15	S124030601SD	M3*6
L16	S170040301TN	M4*3	M16	S124040401SD	M4*4
L17	S170040401TN	M4*4	M17	S124030602SC	M3*6
L18	S170040501TN	M4*5			
L19	S170040601TN	M4*6			
L20	S170040602TN	M4*6 Half Threads			
L21	S170040801TN	M4*8			
L22	S170041001TN	M4*10	N Screw with Washer		
L23	S170041201TN	M4*12	N1	S660480601SE	M2.6*6
L24	S170050401TN	M5*4	N2	S660030601SE	M3*6
L25	S170050501TN	M5*5	N3	S660030801SE	M3*8
L26	S170050601TN	M5*6	N4	S660031001SE	M3*10
L27	S170050801TN	M5*8	N5	S660031501SE	M3*15
L28	S170051001TN	M5*10	N6	S660031601SE	M3*16
L29	S170051201TN	M5*12	N7	S660031801SE	M3*18
L30	S170051501TN	M5*15	N8	S660040601SE	M4*6
L31	S170060501TN	M6*5	N9	S660040801SE	M4*8
L32	S170060601TN	M6*6	N10	S660041001SE	M4*10
L33	S170060801TN	M6*8	N11	S660041201SE	M4*12
L34	S170061001TN	M6*10	N12	S660045501SE	M4*55
L35	S170061801TN	M6*18	N13	S660051001SE	M5*10
L36	S170080801TN	M8*8	N14	S660051201SE	M5*12
L37	S170081001TN	M8*10	N15	S660051401SE	M5*14
L38	S170081501TN	M8*15	N16	S660051801SE	M5*18
L39	S170031001TN	M3*10	N17	S660030801MZ	M3*8
L40	S170031201TN	M3*12	N18	S660030502MZ	M3*5
L41	S170053001TN	M5*30	N19	S660031502MZ	M3*15
L42	S170061201TN	M6*12	N20	S660030603S1	M3*6 (P-4)
L43	S174060601TN	M6*6B	N21	S660030802S1	M3*8 (P-3)
L44	S170050802TN	M5*8 Narrow Treading			

P. R

No.	Part No.	Remark	No.	Part No.	Remark
P	Nut		<i>P50</i>	S212470001SC	M2.5 Type 3
<i>P1</i>	SB10730601CN	1/8*44*6*3	<i>P51</i>	SB12750701SC	11/64*7*2.2 Type 3
<i>P2</i>	SB10740601CL	9/64*40*6*2	<i>P52</i>	S211040001SD	M4 Type 2
<i>P3</i>	SB10740602CN	9/64*40*6*3	<i>P53</i>	SB12740601MZ	9/64*6*2 Type 3
<i>P4</i>	SB10750602CN	11/64*40*6*2	<i>P54</i>	SB10750601CN	11/64*6*2.2
<i>P5</i>	SB10750603CN	11/64*40*6*3	<i>P55</i>	S212030003SD	M3 Type 3
<i>P6</i>	SB10750701CN	11/64*40*7*3	<i>P56</i>	S217060001SD	M6 Cap
<i>P7</i>	SB11750701CN	11/64*40*7*3	<i>P57</i>	S217030001SD	M3 Cap
<i>P8</i>	S210420001XA	M1.6 Type 1			
<i>P9</i>	S210020001SD	M2 Type 1			
<i>P10</i>	S212020002SD	M2 Type 3			
<i>P11</i>	S210460002SD	M2.3 Type 1			
<i>P12</i>	S210470001MZ	M2.5 Type 1			
<i>P13</i>	S212480001SD	M2.6 Type 3	R Washer		
<i>P14</i>	S210030001MZ	M3 Type 1	<i>R1</i>	S301410301MZ	Plain M1.4*3*t0.3
<i>P15</i>	S210030002SC	M3 Type 1	<i>R2</i>	S301020351XZ	Plain M2*3.5*t0.5
<i>P16</i>	S210030003SD	M3 Type 1	<i>R3</i>	S301020431SD	Plain M2*4.3*t0.3
<i>P17</i>	S215030001SD	M3 Thumbscrew Type 2	<i>R4</i>	S301480501XB	Plain M2.6*5*t0.5
<i>P18</i>	S212030001SC	M3 Type 3	<i>R5</i>	S301480751XB	Plain M2.6*7.5*t0.5
<i>P19</i>	S212030002SD	M3 Type 3	<i>R6</i>	S301030602XZ	Plain M3*6*t0.3
<i>P20</i>	S212530001SC	M3.5 Type 3	<i>R7</i>	S301030603SC	Plain M3*6*t0.5
<i>P21</i>	S210040001SC	M4 Type 1	<i>R8</i>	S301030601SD	Plain M3*6*t0.5
<i>P22</i>	S210040002SD	M4 Type 1	<i>R9</i>	S301030701SD	Plain M3*7*t0.5
<i>P23</i>	S212040001SC	M4 Type 3	<i>R10</i>	S301030804SD	Plain M3*8*t0.3
<i>P24</i>	S212040002SD	M4 Type 3	<i>R11</i>	S301030805MZ	Plain M3*8*t0.5
<i>P25</i>	S217040001SD	M4 Cap	<i>R12</i>	S301030801SC	Plain M3*8*t0.5
<i>P26</i>	S210050001SC	M5 Type 1	<i>R13</i>	S301030802SD	Plain M3*8*t0.5
<i>P27</i>	S210050002SD	M5 Type 1	<i>R14</i>	S301030803SD	Plain M3*8*t1
<i>P28</i>	S212050001SC	M5 Type 3	<i>R15</i>	S301040805SC	Plain M4*8*t0.5
<i>P29</i>	S212050002SD	M5 Type 3	<i>R16</i>	S301040802SD	Plain M4*8*t0.5
<i>P30</i>	S217050001SD	M5 Cap	<i>R17</i>	S301040804SC	Plain M4*8*t0.8
<i>P31</i>	S210060001SC	M6 Type 1	<i>R18</i>	S301040803SD	Plain M4*8*t0.8
<i>P32</i>	S210060002SC	M6 Type 1 (Left)	<i>R19</i>	S301041004MZ	Plain M4*10*t0.8
<i>P33</i>	S210060003SD	M6 Type 1	<i>R20</i>	S301041002SC	Plain M4*10*t0.8
<i>P34</i>	S210060004SD	M6 Type 1 (Left)	<i>R21</i>	S301041003SD	Plain M4*10*t0.8
<i>P35</i>	S212060001SC	M6 Type 3	<i>R22</i>	S301041201SC	Plain M4*12*t1
<i>P36</i>	S210080001SC	M8 Type 1	<i>R23</i>	S301051002SC	Plain M5*10*t0.8
<i>P37</i>	S210080002SD	M8 Type 1	<i>R24</i>	S301051003SD	Plain M5*10*t0.8
<i>P38</i>	S212080001SC	M8 Type 3	<i>R25</i>	S301051204MZ	Plain M5*12*t0.8
<i>P39</i>	S212080002SD	M8 Type 3	<i>R26</i>	S301051202SC	Plain M5*12*t0.8
<i>P40</i>	S210100001SC	M10 Type 1	<i>R27</i>	S301051203SD	Plain M5*12*t0.8
<i>P41</i>	S213100002SD	M10 With Flange	<i>R28</i>	S301061102SC	Plain M6*11*t1.6
<i>P42</i>	S213100003SD	M10 With Disk Spring	<i>R29</i>	S301061151SC	Plain M6*11.5*t0.8
<i>P43</i>	S210120001SC	M12 Type 1	<i>R30</i>	S301061301SC	Plain M6*13*t1.0
<i>P44</i>	S212120001SC	M12 Type 3	<i>R31</i>	S301061302SD	Plain M6*13*t1.0
<i>P45</i>	S212120002SD	M12 Type 3	<i>R32</i>	S301061601SC	Plain M6*16*t1.0
<i>P46</i>	S210160001SD	M16 Type 1	<i>R33</i>	S301081601SD	Plain M8*16*t1.2
<i>P47</i>	S212160002SC	M16 Type 1	<i>R34</i>	S301081801SC	Plain M8*18*t1.6
<i>P48</i>	S212160001SD	M16 Type 3	<i>R35</i>	S301081802SD	Plain M8*18*t1.6
<i>P49</i>	S210200001SC	M20 Type 1	<i>R36</i>	S301081803SC	Plain M8*18*t3.2

$$R$$
[illegible]

1st Edition September, 2008

3rd Edition July, 2013

■ **Manufactured by:**
Tokai Industrial Sewing Machine Co., Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, Japan
Telephone:568-33-1161 Fax:568-33-1191

■ **Distributed by:**
Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan
Telephone:52-932-3444 Fax:52-932-2457

●Copy, reprint, or reform of a part or whole of this manual without permission is prohibited.

THE TAJIMA GROUP

<http://www.tajima.com>

Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, JAPAN
TEL.81-52-932-3811 FAX.81-52-932-3815

Tokai Industrial Sewing Machine Co.,Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, JAPAN
TEL.81-568-33-1161 FAX.81-568-33-1191