

PARTS LIST

SEED BEADS DEVICE



Table of Contents


● UP/DOWN DEVICE L-SIDE.....	SB-1L
● UP/DOWN DEVICE R-SIDE.....	SB-1R
● HOLDER BASE DRIVE SYSTEM L-SIDE.....	SB-2L
● HOLDER BASE DRIVE SYSTEM R-SIDE.....	SB-2R
● BEADS FEED L-SIDE	SB-3L
● BEADS FEED R-SIDE	SB-3R
● SWITCH BOX.....	SB-4
● REEL SECTION A (MULTI HEAD M/C).....	SB-5a
● REEL SECTION B (TMBR-SC, TMBP-SC).....	SB-5b
● NEEDLE BAR CASE A (TMCR-VF, TMAR-KC, TMBR-SC).....	SB-6a
● NEEDLE BAR CASE B (TMCP-VF, TMBP-SC).....	SB-6b
● NEEDLE BAR CASE C (TLMX-MIX, TCMX-MIX).....	SB-6c
● ELECTRICAL PARTS A (TMCR-VF, TMCP-VF).....	SB-7a
● ELECTRICAL PARTS B (TMAR-KC).....	SB-7b
● ELECTRICAL PARTS C (TMBR-SC, TMBP-SC).....	SB-7c
● ELECTRICAL PARTS D (TCMX-MIX).....	SB-7d
● AIR PIPING A (REGULATOR :LEFT SIDE ATTACHING).....	SB-8a
● AIR PIPING B (REGULATOR :RIGHT SIDE ATTACHING).....	SB-8b
● AIR PIPING C (TMBR-SC, TMBP-SC).....	SB-8c
● REEL STAND (TMBR-SC, TMBP-SC OPTION).....	SB-8c

Part Nos. of screws, nuts, washers etc. are listed at the end of volume.

*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.

*When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.

Ex.	TMCR-V1215F	680×400S	No.D1C01234
	[Model]	[Emb. Space]	[Mfg. No.]




UP/DOWN DEVICE L-SIDE

SB-1L

No.	Part Name	Part No.	Remark
1	ATTACHING BASE	0L2510660000	
2	PLAIN WASHER :M5*16*T1.6	S301041601SD	
3	STRAIGHT PIN :NO.1 :4P*10	0L2510120000	
4	UP/DOWN BASE :A :L	0L251067L000	
5	FLANGE PIN :NO.2	0L2510860000	
6	BEARING BUSHING :NO.1 :6MM DIA.	0L2510690000	
7	CONNECTING ROD	0L2510680000	
8	HEXAGON SOCKET HEAD CAP SCREW :M4*8	S120040805MZ	
9	PLAIN WASHER :6.2*14*t0.1	0L2510770000	
10	UP/DOWN BASE :B :L	0L251076L000	
11	LEVER :STOPPER :L	0L251070L000	
12	STEPPED SCREW :NO.1 :M4*8.3	0L2510710000	
13	WAVE WASHER :M5*11*T0.3	S305051101TN	
14	FLANGE PIN :NO.2	0L2510720000	
15	BASE :CYLINDER	0L2510750000	
16	AIR CYLINDER :MI16*75U	0L2510780000	
17	SPEED CONTROLLER :ASL4-M5	0L2510790000	
18	COLLAR :NO.1 :16.2MM DIA.	0L2510900000	
19	JOINT :CYLINDER	0L2510730000	
20	STEPPED PIN :NO.2	0L2510740000	
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




UP/DOWN DEVICE R-SIDE

SB-1R

No.	Part Name	Part No.	Remark
1	ATTACHING BASE	0L2510660000	
2	PLAIN WASHER :M5*16*T1.6	S301041601SD	
3	STRAIGHT PIN :NO.1 :4P*10	0L2510120000	
4	UP/DOWN BASE :A :R	0L251093R000	
5	FLANGE PIN :NO.2	0L2510860000	
6	BEARING BUSHING :NO.1 :6MM DIA.	0L2510690000	
7	CONNECTING ROD	0L2510680000	
8	HEXAGON SOCKET HEAD CAP SCREW :M4*8	S120040805MZ	
9	PLAIN WASHER :6.2*14*t0.1	0L2510770000	
10	UP/DOWN BASE :B :R	0L251099R000	
11	LEVER :STOPPER :R	0L251100R000	
12	STEPPED SCREW :NO.1 :M4*8.3	0L2510710000	
13	WAVE WASHER :M5*11*T0.3	S305051101TN	
14	FLANGE PIN :NO.2	0L2510720000	
15	BASE :CYLINDER	0L2510750000	
16	AIR CYLINDER :MI16*75U	0L2510780000	
17	SPEED CONTROLLER :ASL4-M5	0L2510790000	
18	COLLAR :NO.1 :16.2MM DIA.	0L2510900000	
19	JOINT :CYLINDER	0L2510730000	
20	STEPPED PIN :NO.2	0L2510740000	
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




HOLDER BASE DRIVE SYSTEM L-SIDE

SB-2L

No.	Part Name	Part No.	Remark
1	SERVO MOTOR :42MM SQUARE 60L	0J6302200000	
2	BRACKET :DRIVE MOTOR :L	0L251058L000	
3	HEXAGON SOCKET HEAD COUNTERSUNK SCREW :M3*8	S125030801MZ	
4	BASE :DRIVE MOTOR :L	0L251048L000	
5	HEXAGON SOCKET HEAD CAP SCREW :M4*12	S120041205MZ	
6	SPRING WASHER :M4	S402040003MZ	
7	ADJUSTING BASE :L	0L251052L000	
8	HEXAGON SOCKET HEAD CAP SCREW :M5*20	S120052003MZ	
9	PLAIN WASHER :5.5*14*t2	0L2510560000	
10	HEXAGON SOCKET HEAD CAP SCREW :M3*13.8	0L2510550000	
11	STUD :NO.1 :M4-24	0L2510490000	
12	TIGHTENING COLLAR :10MM DIA.	0L2510530000	
13	TIMING PULLEY :W6-15	0L2510600000	
14	TIMING BELT :W6-S3M60	0L2510620000	
15	TIMING PULLEY :W6-30	0L2510610000	
16	COLLAR :NO.1 :8.1MM DIA.	0L2510500000	
17	BASE UPPER :CAM SHAFT :L	0L251046L000	
18	BEARING :698ZZ	0L2510630000	
19	PAN HEAD FLANGE SCREW :M3*4	0L2570010000	
20	STRAIGHT PIN :NO.1 :3P*10	0L2510380000	
21	HEXAGON SOCKET HEAD CAP SCREW :M3*10	S120031003MZ	
22	SPRING WASHER :M3	S402030004MZ	
23	CAM SHAFT	0L2510510000	
24	PARALLEL KEY :3*3*6	0L2510650000	
25	HORIZONTAL SLIDE	0L2510260000	
26	FLANGE PIN :NO.1	0L2510340000	
27	BEARING :B684ZZ	0L2510400000	
28	PLAIN WASHER :4.2*7*t0.5	0L2570020000	
29	STRAIGHT PIN :NO.1 :4P*12	0L2510390000	
30	BEARING BUSHING :NO.1 :4MM DIA.	0L2510360000	
31	COMPRESSION SPRING :0.6MM DIA.	0L2510330000	
32	STRAIGHT PIN :NO.1 :4P*38	0L2510240000	
33	BASE :HORIZONTAL SLIDE	0L2510220000	
34	HEXAGON SOCKET HEAD CAP SCREW :M2*6	S120020601TN	
35	SPRING WASHER :M2	S402020002KC	
36	ROTATING DETECTING PLATE	0L2510570000	
37	BASE LOWER :CAM SHAFT :L	0L251031L000	
38	PHOTO SENSOR[A]	0J4204800A00	
39	HEXAGON SOCKET HEAD CAP SCREW :M3*6	S120030606MZ	
40	LEVER :HOLDER BASE	0L2510590000	
41	HEXAGON SOCKET HEAD CAP SCREW :M3*12	S120031204MZ	
42	BASE :VERTICAL SLIDE :L	0L251028L000	
43	LEVER :SLIDE	0L2510290000	
44	STRAIGHT PIN :NO.1 :4P*30	0L2510350000	
45	PLATE :VERTICAL SLIDE	0L2510230000	
46	HEXAGON SOCKET HEAD BUTTON SCREW :M3*6	S124030603MZ	
47	STRAIGHT PIN :NO.1 :4P*48	0L2510250000	
48	VERTICAL SLIDE	0L2510300000	
49	LINEAR BUSHING :LMUW4	0L2510370000	
50	HOLE PUNCHER NEEDLE	0L2510470000	

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




HOLDER BASE DRIVE SYSTEM R-SIDE

SB-2R

No.	Part Name	Part No.	Remark
1	SERVO MOTOR :42MM SQUARE 60L	0J6302200000	
2	BRACKET :DRIVE MOTOR :R	0L251095R000	
3	HEXAGON SOCKET HEAD COUNTERSUNK SCREW :M3*8	S125030801MZ	
4	BASE :DRIVE MOTOR :R	0L251096R000	
5	HEXAGON SOCKET HEAD CAP SCREW :M4*12	S120041205MZ	
6	SPRING WASHER :M4	S402040003MZ	
7	ADJUSTING BASE :R	0L251097R000	
8	HEXAGON SOCKET HEAD CAP SCREW :M5*20	S120052003MZ	
9	PLAIN WASHER :5.5*14*t2	0L2510560000	
10	HEXAGON SOCKET HEAD CAP SCREW :M3*13.8	0L2510550000	
11	STUD :NO.1 :M4-24	0L2510490000	
12	TIGHTENING COLLAR :10MM DIA.	0L2510530000	
13	TIMING PULLEY :W6-15	0L2510600000	
14	TIMING BELT :W6-S3M60	0L2510620000	
15	TIMING PULLEY :W6-30	0L2510610000	
16	COLLAR :NO.1 :8.1MM DIA.	0L2510500000	
17	BASE UPPER :CAM SHAFT :R	0L251094R000	
18	BEARING :698ZZ	0L2510630000	
19	PAN HEAD FLANGE SCREW :M3*4	0L2570010000	
20	STRAIGHT PIN :NO.1 :3P*10	0L2510380000	
21	HEXAGON SOCKET HEAD CAP SCREW :M3*10	S120031003MZ	
22	SPRING WASHER :M3	S402030004MZ	
23	CAM SHAFT	0L2510510000	
24	PARALLEL KEY :3*3*6	0L2510650000	
25	HORIZONTAL SLIDE	0L2510260000	
26	FLANGE PIN :NO.1	0L2510340000	
27	BEARING :B684ZZ	0L2510400000	
28	PLAIN WASHER :4.2*7*t0.5	0L2570020000	
29	STRAIGHT PIN :NO.1 :4P*12	0L2510390000	
30	BEARING BUSHING :NO.1 :4MM DIA.	0L2510360000	
31	COMPRESSION SPRING :0.6MM DIA.	0L2510330000	
32	STRAIGHT PIN :NO.1 :4P*38	0L2510240000	
33	BASE :HORIZONTAL SLIDE	0L2510220000	
34	HEXAGON SOCKET HEAD CAP SCREW :M2*6	S120020601TN	
35	SPRING WASHER :M2	S402020002KC	
36	ROTATING DETECTING PLATE	0L2510570000	
37	BASE LOWER :CAM SHAFT :L	0L251031L000	
38	PHOTO SENSOR[A]	0J4204800A00	
39	HEXAGON SOCKET HEAD CAP SCREW :M3*6	S120030606MZ	
40	LEVER :HOLDER BASE	0L2510590000	
41	HEXAGON SOCKET HEAD CAP SCREW :M3*12	S120031204MZ	
42	BASE :VERTICAL SLIDE :R	0L251098R000	
43	LEVER :SLIDE	0L2510290000	
44	STRAIGHT PIN :NO.1 :4P*30	0L2510350000	
45	PLATE :VERTICAL SLIDE	0L2510230000	
46	HEXAGON SOCKET HEAD BUTTON SCREW :M3*6	S124030603MZ	
47	STRAIGHT PIN :NO.1 :4P*48	0L2510250000	
48	VERTICAL SLIDE :R	0L251109R000	
49	LINEAR BUSHING :LMUW4	0L2510370000	
50	HOLE PUNCHER NEEDLE	0L2510470000	

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




BEADS FEED L-SIDE

SB-3L

No.	Part Name	Part No.	Remark
1	BASE :FEED MOTOR :L	0L251007L000	
2	STRAIGHT PIN :NO.1 :4P*10	0L2510120000	
3	HEXAGON SOCKET HEAD CAP SCREW :M3*12	S120031204MZ	
4	SPRING WASHER :M3	S402030004MZ	
5	PULSE MOTOR :35MM SQUARE 36L :A	0J6111400000	
6	PULSE MOTOR :35MM SQUARE 36L :B	0J6111401000	
7	HEXAGON SOCKET HEAD CAP SCREW :M3*6	S120030606MZ	
8	STOPPER COLLAR :5MM DIA.	0L2510130000	
9	SPROCKET[S]	0L2510880S00	
10	BASE :SPROCKET STOPPER :L	0L251019L000	
11	STOPPER :SPROCKET	0L2510170000	
12	SHAFT :SPROCKET STOPPER	0L2510180000	
13	TORSION SPRING :L :0.45MM DIA.	0L251020L000	
14	HEXAGON SOCKET HEAD CAP SCREW :M3*14	S120031402MZ	
15	GUIDE PULLEY	0L2510110000	
16	HEXAGON SOCKET HEAD CAP SCREW :M3*30	S120033004MZ	
17	BASE :GUIDE :L	0L251010L000	
18	HEXAGON SOCKET HEAD CAP SCREW :M3*8	S120030804MZ	
19	GUIDE :A2 :L	0L251008L000	
20	GUIDE :B2 :L	0L251009L000	
21	HEXAGON SOCKET HEAD BUTTON SCREW :M3*10	S124031003SC	
22	HEXAGON SOCKET HEAD BUTTON SCREW :M3*12	S124031201SC	
23	STUD :NO.1 :M3-17	0L2510270000	
24	BOTTOM PLATE :HOLDER BASE	0L2510410000	
25	STEPPED SCREW :NO.1 :M3*6	S12103070000	
26	GUIDE :HOLDER BASE :A	0L2510420000	
27	GUIDE :HOLDER BASE :B	0L2510430000	
28	HOLDER BASE[A]	0L2510060A00	
29	GROOVED CAM :HOLDER BASE[S]	0L2510640S00	
30	HEXAGON SOCKET HEAD BUTTON SCREW :M3*6	S124030603MZ	
31	GUIDE PLATE	0L2510320000	
32	HEXAGON SOCKET HEAD BUTTON SCREW :M3*4	S124030403MZ	
33	GUIDE :A1 :L	0L251044L000	
34	GUIDE :B1 :L	0L251045L000	
35	COVER :GROOVED CAM	0L2510870000	
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




BEADS FEED R-SIDE

SB-3R

No.	Part Name	Part No.	Remark
1	BASE :FEED MOTOR :R	0L251103R000	
2	STRAIGHT PIN :NO.1 :4P*10	0L2510120000	
3	HEXAGON SOCKET HEAD CAP SCREW :M3*12	S120031204MZ	
4	SPRING WASHER :M3	S402030004MZ	
5	PULSE MOTOR :35MM SQUARE 36L :A	0J6111400000	
6	PULSE MOTOR :35MM SQUARE 36L :B	0J6111401000	
7	HEXAGON SOCKET HEAD CAP SCREW :M3*6	S120030606MZ	
8	STOPPER COLLAR :5MM DIA.	0L2510130000	
9	SPROCKET[S]	0L2510880S00	
10	BASE :SPROCKET STOPPER :R	0L251101R000	
11	STOPPER :SPROCKET	0L2510170000	
12	SHAFT :SPROCKET STOPPER	0L2510180000	
13	TORSION SPRING :R :0.45MM DIA.	0L251102R000	
14	HEXAGON SOCKET HEAD CAP SCREW :M3*14	S120031402MZ	
15	GUIDE PULLEY	0L2510110000	
16	HEXAGON SOCKET HEAD CAP SCREW :M3*30	S120033004MZ	
17	BASE :GUIDE :R	0L251104R000	
18	HEXAGON SOCKET HEAD CAP SCREW :M3*8	S120030804MZ	
19	GUIDE :A2 :R	0L251105R000	
20	GUIDE :B2 :R	0L251106R000	
21	HEXAGON SOCKET HEAD BUTTON SCREW :M3*10	S124031003SC	
22	HEXAGON SOCKET HEAD BUTTON SCREW :M3*12	S124031201SC	
23	STUD :NO.1 :M3-17	0L2510270000	
24	BOTTOM PLATE :HOLDER BASE	0L2510410000	
25	STEPPED SCREW :NO.1 :M3*6	S12103070000	
26	GUIDE :HOLDER BASE :A	0L2510420000	
27	GUIDE :HOLDER BASE :B	0L2510430000	
28	HOLDER BASE[A]	0L2510060A00	
29	GROOVED CAM :HOLDER BASE[S]	0L2510640S00	
30	HEXAGON SOCKET HEAD BUTTON SCREW :M3*6	S124030603MZ	
31	GUIDE PLATE	0L2510320000	
32	HEXAGON SOCKET HEAD BUTTON SCREW :M3*4	S124030403MZ	
33	GUIDE :A1 :R	0L251107R000	
34	GUIDE :B1 :R	0L251108R000	
35	COVER :GROOVED CAM	0L2510870000	
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




SWITCH BOX

SB-4

No.	Part Name	Part No.	Remark
1	BRACKET :SWITCH CARD	0L2510840000	
2	HEXAGON SOCKET HEAD BUTTON SCREW :M3*6	S124030603MZ	
3	COVER :SWITCH CARD :A	0L2510800000	
4	PLATE :SWITCH CARD	0L2510820000	
5	BUTTON LABEL	0L2510850000	
6	CARD :SWITCH	0J0607600010	
7	SPACER :HEXAGON :M3*11-4	0L2510890000	
8	CARD :BEADS FEED	0J2207700020	
9	COVER :SWITCH CARD :B	0L2510810000	
10	PAN HEAD SCREW :M3*25	S160032501SD	
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




REEL SECTION A (MULTI HEAD M/C)

SB-5a

No.	Part Name	Part No.	Remark
1	REEL FRAME[A]	CL03@@@00A00	
2	REEL FRAME :L400[A]	CL0300300A10	
3	BRACKET :BEADS REEL	0L2550020000	
4	SHAFT :BEADS REEL	0L2550010000	
5	SPLIT COLLAR :NO.1 :A :7.9MM DIA.	0L0470770020	
6	FELT :SEQUIN REEL	0L0410090000	
7	BRACKET :BEADS GUIDE	0L2550030010	
8	STUD :NO.1 :M5-20	505105470010	
9	STUD :NO.1 :M5-120	505105480010	
10	SPIRAL TUBE :L300[A]	0D0210054A00	Square Pipe Height 200mm
10	SPIRAL TUBE :L350[A]	0D0210055A00	Square Pipe Height 250mm
10	SPIRAL TUBE :L400[A]	0D0210056A00	Square Pipe Height 300mm
10	SPIRAL TUBE :L500[A]	0D0210059A00	Square Pipe Height 400mm
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




REEL SECTION B (TMBR-SC, TMBP-SC)

SB-5b

No.	Part Name	Part No.	Remark
1	BEADS REEL :L[A]	CL030070LA00	
2	BASE :BEADS REEL :L	0L255004L000	
3	BRACKET :BEADS REEL	0L2550050000	
4	SCREW WITH PIN :NO.1 :M4-58.5	513104060000	
5	STRAIGHT PIN :NO.2 :8MM DIA.	503102220000	
6	SPLIT COLLAR :NO.1 :A :7.9MM DIA.	0L0470770020	
7	FELT :SEQUIN REEL	0L0410090000	
8	BEADS REEL :R[A]	CL030070RA00	
9	BASE :BEADS REEL :R	0L255004R000	
10	BRACKET :LINEAR RAIL HOLDER :L[S]	0L256012LS00	
11	BRACKET :LINEAR RAIL HOLDER :L	0L256012L000	
12	ROLLER PIN[S]	505406010S10	
13	BRACKET :LINEAR RAIL HOLDER :R[S]	0L256012RS00	
14	BRACKET :LINEAR RAIL HOLDER :R	0L256012R000	
15	BASE :LINEAR RAIL HOLDER	0L2560110000	
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




NEEDLE BAR CASE A (TMCR-VF, TMAR-KC, TMBR-SC)

SB-6a

No.	Part Name	Part No.	Remark
1	NEEDLE :DB-K5SS #65/9	616500270000	
2	BASE :SEQUIN PRESSER FOOT :B	090460550000	
3	PRESSER FOOT :SBD :L :DCP	09046064L010	
4	BASE :SBD PRESSER FOOT	090460650000	
5	PRESSER FOOT :SBD :R :DCP	090460660000	
6	UPPER THREAD HOLDER :47ST :L :06-15-NEEDLE[A]	0B020043@A00	
6	UPPER THREAD HOLDER :47ST :R :06-15-NEEDLE[A]	0B020050@A00	
6	UPPER THREAD HOLDER :47ST :LR :06-15-NEEDLE[A]	0B020051@A00	
7	BASE :UPPER THREAD HOLDER :47ST :06-15-NEEDLE[S]	0B020042@S00	
8	BASE :UPPER THREAD HOLDER :47ST :06-15-NEEDLE	0B020042@000	
9	VELCRO	0B020038@000	
10	UPPER THREAD HOLDER[S]	0B020037@S00	
11	UPPER THREAD HOLDER	0B020037@000	
12	THREAD SUSPENDER DISK	0B0200050000	
13	COMPRESSION SPRING :0.3MM DIA.	507603020010	
14	PRESSER :THREAD SUSPENDER SPRING	0B0200060000	
15	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




NEEDLE BAR CASE B (TMCP-VF, TMBP-SC)

SB-6b

No.	Part Name	Part No.	Remark
1	PRESSER FOOT :SBD :L :47ST[S]	09046062LS00	
2	PRESSER FOOT :SBD :L :47ST	09046062L000	
3	SPLIT COLLAR :PRESSER FOOT	090460040030	
4	NEEDLE :DB-K5SS #65/9	616500270000	
5	PRESSER FOOT :SBD :R :47ST[S]	09046062RS00	
6	PRESSER FOOT :SBD :R :47ST	09046062R000	
7	UPPER THREAD HOLDER :47ST :L :06-15-NEEDLE[A]	0B020043@A00	
7	UPPER THREAD HOLDER :47ST :R :06-15-NEEDLE[A]	0B020050@A00	
7	UPPER THREAD HOLDER :47ST :LR :06-15-NEEDLE[A]	0B020051@A00	
8	BASE :UPPER THREAD HOLDER :47ST :06-15-NEEDLE[S]	0B020042@S00	
9	BASE :UPPER THREAD HOLDER :47ST :06-15-NEEDLE	0B020042@000	
10	VELCRO	0B020038@000	
11	UPPER THREAD HOLDER[S]	0B020037@S00	
12	UPPER THREAD HOLDER	0B020037@000	
13	THREAD SUSPENDER DISK	0B0200050000	
14	COMPRESSION SPRING :0.3MM DIA.	507603020010	
15	PRESSER :THREAD SUSPENDER SPRING	0B0200060000	
16	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




NEEDLE BAR CASE C (TLMX-MIX, TCMX-MIX)

SB-6c

No.	Part Name	Part No.	Remark
1	PRESSER FOOT :SBD :L :45ST[S]	09046063LS00	
2	PRESSER FOOT :SBD :L :45ST	09046063L000	
3	SPLIT COLLAR :PRESSER FOOT	090460040030	
4	NEEDLE :DB-K5SS #65/9	616500270000	
5	UPPER THREAD HOLDER :45ST :L :06-12-NEEDLE[A]	0B020044@A00	
6	BRACKET :UPPER THREAD HOLDER	0B0200230000	
7	BRACKET :UPPER THREAD HOLDER :45ST	0B0200450000	
8	BASE :UPPER THREAD HOLDER :45ST :L :06-12-NEEDLE[S]	0B020044@S00	
9	BASE :UPPER THREAD HOLDER :45ST :L :06-12-NEEDLE	0B020044@000	
10	VELCRO	0B020007@000	
11	VELCRO :12*8	0B0200220000	
12	UPPER THREAD HOLDER[S]	0B020025@S00	
13	UPPER THREAD HOLDER	0B020025@000	
14	THREAD SUSPENDER DISK	0B0200050000	
15	COMPRESSION SPRING :0.3MM DIA.	507603020010	
16	PRESSER :THREAD SUSPENDER SPRING	0B0200060000	
17	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




ELECTRICAL PARTS A (TMCR-VF, TMCP-VF)

SB-7a

No.	Part Name	Part No.	Remark
1	DC POWER SUPPLY :24V	645300240000	
2	BRACKET :DC POWER SUPPLY	030130330000	
3	ELECTRICAL COMPONENT ATTACHING PLATE[A]	CL012@@0A00	
4	ELECTRICAL COMPONENT ATTACHING PLATE	CL012@@0000	
5	FELT SPACER :THREAD STAND PLATE	0D0110090S00	
6	COLLAR :NO.2 :7MM DIA.	502607010010	
7	BASE :THREAD STAND PLATE	0L2540050000	
8	HEXAGON SOCKET HEAD CAP SCREW :M5*15	511905030000	
9	PLAIN WASHER :M8*22*T3.2	S301082201SC	M/C Total Length 4356mm or more Right Side, Left Side
9	RUBBER WASHER :8*20*t3	519208050000	M/C Total Length 4356mm or more Middle
10	THREAD STAND PLATE SUPPORT BAR :L100	0L2540070000	
11	THREAD COURSE SUPPORT BAR :L445	0D0210317010	
12	2 DEVICE UNIT :BEADS[A]	0J9800400A00	
13	BASE :ELECTRICAL COMPONENT :A	0L2530060000	
14	BASE :ELECTRICAL COMPONENT :B[S]	0L2530070S00	
15	CARD :BEADS HEAD	0J2705200020	
16	SPACER :HEXAGON :MSB-315-03E	644501770000	
17	DRIVER :AC SERVO	0J0305300000	
18	FIXING HOOK	0L2530050000	
19	COVER :THREAD STAND PLATE	CL02002@@000	
20	COVER STOPPER	0L2540100000	
21	SIDE COVER LID :THREAD STAND PLATE	0L2540090000	
22	TRUSS HEAD TAPPING SCREW :3P*8	S530030801SD	
23	BASE :SENSOR	0L2560080000	
24	BRACKET :SENSOR	0L2560090000	
25	PHOTO SENSOR[A]	0J4204900A00	
26	ROTATING DETECTING PLATE :18MM DIA.[A]	0L2560050A00	
27	SPLIT COLLAR :SWITCH PLATE :18MM DIA.	0L2560050100	
28	PLATE :SWITCH	0L2560070000	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




ELECTRICAL PARTS B (TMAR-KC)

SB-7b

No.	Part Name	Part No.	Remark
1	DC POWER SUPPLY :24V :150W	645300450000	2H, 4H
1	DC POWER SUPPLY :24V :300W	645300430000	6H, 8H
2	BRACKET :DC POWER SUPPLY	030190650000	
3	SPACER :HEXAGON :L10 :M3	644501330000	
4	ELECTRICAL COMPONENT ATTACHING PLATE[A]	CL0150@00A00	
5	ELECTRICAL COMPONENT ATTACHING PLATE	CL0150@00000	
6	COLLAR :NO.2 :7MM DIA.	502607010010	
7	COLLAR :NO.2 :7MM DIA.	0L2540080000	
8	THREAD STAND PLATE SUPPORT BAR :L84	0L2540010000	
9	THREAD COURSE SUPPORT BAR :L445	0D0210317010	
10	2 DEVICE UNIT :BEADS[A]	0J9800400A00	
11	BASE :ELECTRICAL COMPONENT :A	0L2530060000	
12	BASE :ELECTRICAL COMPONENT :B[S]	0L2530070S00	
13	CARD :BEADS HEAD	0J2705200020	
14	SPACER :HEXAGON :MSB-315-03E	644501770000	
15	DRIVER :AC SERVO	0J0305300000	
16	FIXING HOOK	0L2530050000	
17	COVER :THREAD STAND PLATE	CL02002@@000	
18	COVER STOPPER	0L2540100000	
19	SIDE COVER LID :THREAD STAND PLATE	0L2540090000	
20	TRUSS HEAD TAPPING SCREW :3P*6	S530030601SD	
21	BASE :SENSOR	0L2560130000	
22	PHOTO SENSOR[A]	0J4204900A00	
23	ROTATING DETECTING PLATE :15MM DIA.[A]	0L2560060A00	
24	SPLIT COLLAR :SWITCH PLATE :15MM DIA.	0L2560060100	
25	PLATE :SWITCH	0L2560070000	
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




ELECTRICAL PARTS C (TMBR-SC, TMBP-SC)

SB-7c

No.	Part Name	Part No.	Remark
1	CARD :OPTION	0J2207300000	
2	BASE :ELECTRICAL COMPONENT	0L2530080000	
3	CARD :BEADS HEAD	0J2705200020	
4	SPACER :HEXAGON :MSB-315-03E	644501770000	
5	DRIVER :AC SERVO	0J0305300000	
6	THREAD STAND PLATE :06-NEEDLE :OP	0L25400@6000	
6	THREAD STAND PLATE :12-NEEDLE :OP	0L25400@Y000	
6	THREAD STAND PLATE :15-NEEDLE :OP	0L25400@X000	
7	BRACKET :SENSOR	0L2560100000	
8	PHOTO SENSOR[A]	0J4204900A00	
9	ROTATING DETECTING PLATE :18MM DIA.[A]	0L2560050A00	
10	SPLIT COLLAR :SWITCH PLATE :18MM DIA.	0L2560050100	
11	PLATE :SWITCH	0L2560070000	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)



ELECTRICAL PARTS D (TCMX-MIX)



SB-7d

No.	Part Name	Part No.	Remark
1	ELECTRICAL COMPONENT ATTACHING PLATE[A]	CL0130@00A00	
2	ELECTRICAL COMPONENT ATTACHING PLATE	CL0130@00000	
3	FELT :21*15*50	0D0110080020	
4	COLLAR :NO.2 :7MM DIA.	502607010010	
5	THREAD STAND PLATE SUPPORT BAR :L84	0L2540010000	
6	THREAD COURSE SUPPORT BAR :L445	0D0210317010	
7	BASE :OPTION CARD	0L2530090000	
8	CARD :OPTION I/O	0J3102300000	
9	SPACER :HEXAGON :L10 :M3	644501330000	
10	FIXING HOOK	0L2530050000	
11	2 DEVICE UNIT :BEADS[A]	0J9800400A00	
12	BASE :ELECTRICAL COMPONENT :A	0L2530060000	
13	BASE :ELECTRICAL COMPONENT :B[S]	0L2530070S00	
14	CARD :BEADS HEAD	0J2705200020	
15	SPACER :HEXAGON :MSB-315-03E	644501770000	
16	DRIVER :AC SERVO	0J0305300000	
17	COVER :THREAD STAND PLATE	CL02002@@000	
18	COVER STOPPER	0L2540100000	
19	SIDE COVER LID :THREAD STAND PLATE	0L2540090000	
20	TRUSS HEAD TAPPING SCREW :3P*8	S530030801SD	
21	BRACKET :SENSOR	0L2560140000	
22	PHOTO SENSOR[A]	0J4204900A00	
23	ROTATING DETECTING PLATE :18MM DIA.[A]	0L2560050A00	
24	SPLIT COLLAR :SWITCH PLATE :18MM DIA.	0L2560050100	
25	PLATE :SWITCH	0L2560070000	
26	BASE :POWER SUPPLY CARD :24V	0J1942600000	
27	SPACER :HEXAGON :L15 :M5	644501510000	
28	DC POWER SUPPLY :5V 24V	645300001000	
29	SPACER :HEXAGON :L6 :M3	644500890000	
30	SPACER :HEXAGON :BSB-360E	644500850000	
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)

AIR PIPING A (REGULATOR :LEFT SIDE ATTACHING)




AIR PIPING A (REGULATOR :LEFT SIDE ATTACHING)

SB-8a

No.	Part Name	Part No.	Remark
1	REGULATOR :AW20-02B-A[A]	671100100A10	Air intake: Left
2	HALF UNION :PC0802	67010056K000	
3	POLYURETHANE TUBE :U-08050-100	67410047K000	8mm Dia.
4	SILENCER :ST02	67010079K000	
5	ELECTRO-MAGNETIC VALVE :SY5140-5M0	672100240010	
6	ELECTRO-MAGNETIC VALVE :SS5Y5-42-02-C6	672100250010	
7	ELECTRO-MAGNETIC VALVE :SS5Y5-42-04-C6	672100230010	
8	BRACKET :VALVE :SMC	0L0431740000	
9	HALF UNION :PC0602	67010063K000	
10	POLYURETHANE TUBE :U-06040-100	67410037K000	6mm Dia.
11	TEE CONNECTOR :PUT0600	67010067K000	
12	REDUCING TEES :PUG0604	67010073K000	
13	STRAIGHT :REDUCING FITTING :PUC0400	67010071K000	
14	URETHANE TUBE :U-04025(BLACK) 1M	674100621000	
15	HALF UNION :KQ2H12-02S	670100650000	
16	POLYURETHANE TUBE :TU1208B-20	674100380000	12mm Dia.
17	REDUCING UNION :KQ2U10-12	670100680000	
18	POLYURETHANE TUBE :TU1065B-20	674100430000	10mm Dia.
19	HALF UNION :KQ2H10-02S	670100720000	
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




AIR PIPING B (REGULATOR :RIGHT SIDE ATTACHING)

SB-8b

No.	Part Name	Part No.	Remark
1	REGULATOR :AW2002-B-R-A[A]	671100070A10	Air intake: Right
2	HALF UNION :PC0802	67010056K000	
3	POLYURETHANE TUBE :U-08050-100	67410047K000	8mm Dia.
4	SILENCER :ST02	67010079K000	
5	ELECTRO-MAGNETIC VALVE :SY5140-5M0	672100240010	
6	ELECTRO-MAGNETIC VALVE :SS5Y5-42-02-C6	672100250010	
7	BRACKET :VALVE :SMC	0L0431740000	
8	HALF UNION :PC0602	67010063K000	
9	POLYURETHANE TUBE :U-06040-100	67410037K000	6mm Dia.
10	TEE CONNECTOR :PUT0600	67010067K000	
11	REDUCING TEES :PUG0604	67010073K000	
12	STRAIGHT :REDUCING FITTING :PUC0400	67010071K000	
13	URETHANE TUBE :U-04025(BLACK) 1M	674100621000	
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)




AIR PIPING C (TMBR-SC, TMBP-SC)

SB-8c

No.	Part Name	Part No.	Remark
1	COVER :RIGHT-SIDE BOX :OP	03044071@000	
2	REGULATOR :AW2002-B-R-A[A]	671100070A10	
3	HALF UNION :PC0802	67010056K000	
4	POLYURETHANE TUBE :U-08050 1M	67410047K100	8mm Dia.
5	BASE :ELECTRO-MAGNETIC VALVE :SMC	0L319008S010	
6	ELECTRO-MAGNETIC VALVE :SY5140-5M0	672100240010	
7	SILENCER :ST02	67010079K000	
8	HALF UNION :PC0602	67010063K000	
9	POLYURETHANE TUBE :U-06040 1M	67410037K100	6mm Dia.
10	ELECTRO-MAGNETIC VALVE :SS5Y5-42-02-C6	672100250010	
11	STRAIGHT :REDUCING FITTING :PUC0400	67010071K000	
12	URETHANE TUBE :U-04025(BLACK) 1M	674100621000	
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)



REEL STAND (TMBR-SC, TMBP-SC OPTION)

SB-9

No.	Part Name	Part No.	Remark
1	REEL STAND :SINGLE HEAD M/C[T]	CL0301000T00	
2	BRACKET :REEL STAND :L[S]	0L255010LS00	
3	BRACKET :REEL STAND :R[S]	0L255010RS00	
4	ARM :REEL STAND	0L2550110000	
5	JOINT :REEL STAND	0L2550120000	
6	BASE :TAPE HOLDER	0L2550140000	
7	HOLDER :TAPE	0L2550150000	
8	GUIDE SHAFT :REEL :8MM DIA.	0L2550190000	
9	HOOK :REEL SHAFT :L	0L255013L000	
10	HOOK :REEL SHAFT :R	0L255013R000	
11	SHAFT :REEL :8MM DIA.	0L2550160000	
12	SHAFT :REEL PRESSER :10MM DIA.[S]	0L2550170S00	
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(WM05)

A, B

No.	Part No.	Remark	No.	Part No.	Remark
A	Flat Fillister Head Screw		B18	S120031501TN	M3*15
A1	SA41730351CN	1/8*44*3.5	B19	S120031601TN	M3*16
A2	SA41730501CN	1/8*44*5	B20	S120031801TN	M3*18
A3	SA41730551CN	1/8*44*5.5	B21	S120032003TD	M3*20
A4	SA41730601CN	1/8*44*6	B22	S120032001TN	M3*20
A5	SA41740301CN	9/64*40*3	B23	S120032501TN	M3*25
A6	SA41740402CN	9/64*40*4	B24	S120033001TN	M3*30 Half Threads
A7	SA41740401SA	9/64*40*4	B25	S120040501TD	M4*5
A8	SA41740403CL	9/64*40*4	B26	S120040502TN	M4*5
A9	SA41740404CN	9/64*40*4	B27	S120040602TD	M4*6
A10	SA41740501CN	9/64*40*5	B28	S120040601TN	M4*6
A11	SA41740601CN	9/64*40*6	B29	S120040801TD	M4*8
A12	SA41740602CN	9/64*40*6	B30	S120040802TN	M4*8
A13	SA41740701CN	9/64*40*7	B31	S120041001TD	M4*10
A14	SA41740801CN	9/64*40*8	B32	S120041002TN	M4*10
A15	SA41740802CN	9/64*40*8	B33	S120041201TD	M4*12
A16	SA41740803CN	9/64*40*8	B34	S120041202TN	M4*12
A17	SA41741001CN	9/64*40*10	B35	S120041401TN	M4*14
A18	SA41741202CN	9/64*40*12	B36	S120041502TD	M4*15
A19	SA41741501CN	9/64*40*15	B37	S120041501TN	M4*15
A20	SA41750431TN	11/64*40*4.3	B38	S120041601TN	M4*16
A21	SA41750701CN	11/64*40*7	B39	S120041801TN	M4*18
A22	SA41750751CN	11/64*40*7.5	B40	S120042002TD	M4*20
A23	SA41750901SH	11/64*40*9	B41	S120042001TN	M4*20
A24	SA41751151CN	11/64*40*11.5	B42	S120042502TD	M4*25
A25	SA41751201CN	11/64*40*12	B43	S120042501TN	M4*25
A26	S141030801SC	M3*8	B44	S120042504TN	M4*25 Half Threads
A27	S141030802SD	M3*8	B45	S120043001TN	M4*30
A28	S141031001CC	M3*10	B46	S120043502TD	M4*35
A29	S141041001SC	M4*10	B47	S120043501TN	M4*35
A30	SA41740653TB	9/64*40*6.5	B48	S120044001TN	M4*40
			B49	S120044501TN	M4*45
B	Hexagon Socket Head Cap Screw		B50	S120050601TN	M5*6
B1	S120020801TD	M2*8	B51	S120050801TD	M5*8
B2	S120021001TD	M2*10	B52	S120050802TN	M5*8
B3	S120480501TN	M2.6*5	B53	S120051001TD	M5*10
B4	S120030301TN	M3*3	B54	S120051002TN	M5*10
B5	S120030401TN	M3*4	B55	S120051004TP	M5*10
B6	S120030502TD	M3*5	B56	S120051201TD	M5*12
B7	S120030501TN	M3*5	B57	S120051202TN	M5*12
B8	S120030601TD	M3*6	B58	S120051401TN	M5*14
B9	S120030602TN	M3*6	B59	S120051501MZ	M5*15
B10	S120030804MZ	M3*8	B60	S120051502TD	M5*15
B11	S120030801TD	M3*8	B61	S120051503TN	M5*15
B12	S120030802TN	M3*8	B62	S120051601TN	M5*16
B13	S120031001TD	M3*10	B63	S120051801TN	M5*18
B14	S120031002TN	M3*10	B64	S120052001TD	M5*20
B15	S120031203TD	M3*12	B65	S120052002TN	M5*20
B16	S120031201TN	M3*12	B66	S120052201TN	M5*22
B17	S120031502TD	M3*15	B67	S120052301TN	M5*23

B, C

No.	Part No.	Remark	No.	Part No.	Remark
B	Hexagon Socket Head Cap Screw		B117	S120102001TN	M10*20
B68	S120052501TN	M5*25	B118	S120102501TN	M10*25
B69	S120053001TN	M5*30	B119	S120103001TN	M10*30
B70	S120053503TD	M5*35	B120	S120103501TN	M10*35
B71	S120053501TN	M5*35	B121	S120104001TN	M10*40
B72	S120053502TN	M5*35 Half Threads	B122	S120123001TN	M12*30
B73	S120054001TN	M5*40	B123	S120123501TN	M12*35
B74	S120054501TN	M5*45	B124	S120081801TN	M8*18
B75	S120055001TN	M5*50	B125	S120470501TN	M2.5*5
B76	S120055002TN	M5*50 Half Threads	B126	S120052502TD	M5*25
B77	S120055501TN	M5*55	B127	S120030302TD	M3*3
B78	S120056001TN	M5*60	B128	S120051504TN	M5*15 Low Head
B79	S120056003TN	M5*60 Half Threads	B129	S120031801TD	M3*18
B80	S120060801TN	M6*8	B130	S120052801TN	M5*28
B81	S120060901TN	M6*9	B131	S120044502TN	M4*45 Half Threads
B82	S120061001TN	M6*10	B132	S120081501TD	M8*15
B83	S120061202TD	M6*12	B133	S120051802TD	M5*18
B84	S120061201TN	M6*12	B134	S120470401TN	M2.5*4
B85	S120061501TD	M6*15	B135	S120033003SD	M3*30
B86	S120061502TN	M6*15	B136	S120030402TD	M3*4
B87	S120061801TD	M6*18	B137	S120033002TN	M3*30
B88	S120061802TN	M6*18	B138	S120067502TN	M6*75
B89	S120062001TN	M6*20	B139	S120050501TN	M5*5
B90	S120062501TN	M6*25	B140	S120082001TD	M8*20
B91	S120063001TN	M6*30	B141	S120086002TD	M8*60
B92	S120063501TN	M6*35	B142	S120062002TD	M6*20
B93	S120064001TN	M6*40	B143	S120043503TD	M4*35 Half Threads
B94	S120064501TN	M6*45	B144	S120044003TN	M4*40 Half Threads
B95	S120064502TN	M6*45 Half Threads	B145	S120030605TD	M3*6 Low Head
B96	S120065001TN	M6*50 Half Threads	B146	S120042202TD	M4*22
B97	S120066501TN	M6*65	B147	S120062502TD	M6*25
B98	S120067501TN	M6*75 Half Threads	B148	S120045501TN	M4*55 Half Threads
B99	S120068001TN	M6*80 Half Threads	B149	S120123001TD	M12*30
B100	S12006A001TN	M6*100	B150	S120034001TN	M3*40
B101	S120081201TN	M8*12	B151	S120035001TN	M3*50
B102	S120081502TN	M8*15	B152	S120470502TD	M2.5*5
B103	S120081503TP	M8*15	B153	S120081202TD	M8*12
B104	S120081601TN	M8*16	B154	S120042201TN	M4*22
B105	S120082001TN	M8*20	B155	S120041802TD	M4*18
B106	S120082502TN	M8*25	B156	S120041602TD	M4*16
B107	S120083001TN	M8*30	B157	S120081504TN	M8*15 With Washer
B108	S120083501TN	M8*35	B158	S120050602TD	M5*6
B109	S120084001TN	M8*40	B159	S120045001TD	M4*50
B110	S120084002TN	M8*40 Half Threads	B160	S120044002TD	M4*40
B111	S120084501TN	M8*45	B161	S120082501TD	M8*25
B112	S120084502TN	M8*45 Half Threads			
B113	S120085001TN	M8*50	C Hexagon Bolt		
B114	S120086001TN	M8*60	C1	S121030601SD	M3*6
B115	S120087001TN	M8*70	C2	S121040801SD	M4*8
B116	S120102002TD	M10*20	C3	S121042501SD	M4*25

C, D, E

No.	Part No.	Remark	No.	Part No.	Remark
C Hexagon Bolt			E Pan Head Screw		
C4	S121051001SD	M5*10	E1	S160410141MZ	M1.4*1.4
C5	S121051502SC	M5*15	E2	S160020202MZ	M2*2
C6	S121051501SD	M5*15	E3	S160020301MZ	M2*3
C7	S121052001SD	M5*20	E4	S160020401MZ	M2*4
C8	S121061501SC	M6*15	E5	S160020801MZ	M2*8
C9	S121062501TN	M6*25	E6	S160470301MZ	M2.5*3
C10	S121064501SD	M6*45	E7	S160470402MZ	M2.5*4
C11	S121065001SC	M6*50	E8	S160470501MZ	M2.5*5
C12	S121065002SD	M6*50	E9	S160470801MZ	M2.5*8
C13	S121065501SD	M6*55	E10	S160471301MZ	M2.5*13
C14	S121066501SD	M6*65	E11	S160471302SD	M2.5*13
C15	S121067501SC	M6*75	E12	S160480601SD	M2.6*6
C16	S121081501TN	M8*15	E13	S160030301MZ	M3*3
C17	S121081801TN	M8*18	E14	S160030302SD	M3*3
C18	S121103001TN	M10*30	E15	S160030403CD	M3*4
C19	S121103502SC	M10*35	E16	S160030401MZ	M3*4
C20	S121103501TN	M10*35	E17	S160030402SD	M3*4
C21	S121104001SC	M10*40	E18	S160030501MZ	M3*5
C22	S121125001TN	M12*50	E19	S160030502SD	M3*5
C23	S12112B001TN	M12*110	E20	S160030601MZ	M3*6
C24	S121082501TN	M8*25	E21	S160030603SA	M3*6
C25	S121102501TN	M10*25	E22	S160030602SD	M3*6
C26	S121082202TN	M8*22	E23	S160030801MZ	M3*8
C27	S121041001SD	M4*10	E24	S160030803SA	M3*8
C28	S121040601SD	M4*6	E25	S160030802SD	M3*8
C29	S121061503SD	M6*15	E26	S160031001MZ	M3*10
			E27	S160031003SC	M3*10 Half Threads
			E28	S160031002SD	M3*10
D Round Fillister Head Screw			E29	S160031101SC	M3*11 Half Threads
D1	SA43740401CL	9/64*40*4	E30	S160031201MZ	M3*12
D2	SA43740501CL	9/64*40*5	E31	S160031202SD	M3*12
D3	SA43740502CN	9/64*40*5	E32	S160031401SA	M3*14
D4	SA43740503CN	9/64*40*5	E33	S160031402SD	M3*14
D5	SA43740504CN	9/64*40*5	E34	S160031501SD	M3*15
D6	SA43740601CL	9/64*40*6	E35	S160031601SD	M3*16
D7	SA43740602CN	9/64*40*6	E36	S160031801SD	M3*18
D8	SA43740603CL	9/64*40*6	E37	S160032001SD	M3*20
D9	SA43740604CN	9/64*40*6	E38	S160033001SD	M3*30
D10	SA43740682CN	9/64*40*6.8	E39	S160034002SD	M3*40
D11	SA43740801CL	9/64*40*8	E40	S160035001SD	M3*50 Half Threads
D12	SA43740802CN	9/64*40*8	E41	S160040401SD	M4*4
D13	SA43741001CN	9/64*40*10	E42	S160040501SD	M4*5
D14	SA43741201CN	9/64*40*12	E43	S160040601MZ	M4*6
D15	SA43750601CN	11/64*40*6	E44	S160040602SD	M4*6
D16	SA43750652CN	11/64*40*6.5	E45	S160040801SD	M4*8
D17	SA43751051CN	11/64*40*10.5	E46	S160041001SD	M4*10
D18	SA43751201CN	11/64*40*12	E47	S160041201SD	M4*12
D19	SA43751501CN	11/64*40*15	E48	S160041501SD	M4*15
D20	SA43812451CN	9/32*28*24.5	E49	S160041801SD	M4*18
D21	S143030501SD	M3*5			

E, F, G, H

No.	Part No.	Remark	No.	Part No.	Remark
E Pan Head Screw			F18	S150031001SD	M3*10
E50	S160043001SD	M4*30	F19	S150031201MZ	M3*12
E51	S160045001SD	M4*50	F20	S150031202SD	M3*12
E52	S160046001SD	M4*60	F21	S150031501MZ	M3*15
E53	S160050601SD	M5*6	F22	S150031601SD	M3*16
E54	S160050701SD	M5*7	F23	S150040501SD	M4*5
E55	S160050801SD	M5*8	F24	S150040602MZ	M4*6
E56	S160051002MZ	M5*10	F25	S150040601SD	M4*6
E57	S160051001SD	M5*10	F26	S150040801MZ	M4*8
E58	S160051201SD	M5*12	F27	S150040802SD	M4*8
E59	S160053001SD	M5*12	F28	S150041001MZ	M4*10
E60	S160051501SD	M5*15	F29	S150041002SD	M4*10
E61	S160054501SD	M5*45	F30	S150041201SD	M4*12
E62	S160055001SD	M5*50	F31	S150041401SD	M4*14
E63	S160056001SD	M5*60	F32	S150041501SD	M4*15
E64	S160047001SD	M4*70	F33	S150042001SD	M4*20
E65	S160480801SD	M2.6*8	F34	S150042201SD	M4*22
E66	S160030504SC	M3*5	F35	S150042501SD	M4*25
E67	S160480602MZ	M2.6*6	F36	S150050601SD	M5*6
E68	S160031403MZ	M3*14	F37	S150050801SD	M5*8
E69	S160042001SD	M4*20	F38	S150051001MZ	M5*10
E70	S160044501SD	M4*45	F39	S150051002SD	M5*10
E71	S160020203SD	M2*2	F40	S150051201SD	M5*12
E72	S160470502SD	M2.5*5	F41	S150051501SD	M5*15
E73	SA60740551TN	9/64*40*5.5	F42	S150053001SD	M5*30
E74	S160431001MZ	M1.7*10	F43	S150053501SD	M5*35
E75	S160043501SD	M4*35	F44	S150054001SD	M5*40
E76	S160020501SD	M2*5	F45	S150061502SC	M6*15
E77	S160052501SD	M5*25	F46	S150061503SD	M6*15
E78	S160044001SD	M4*40	F47	S150063501SD	M6*35
E79	S160470403SD	M2.5*4	F48	S150081201SD	M8*12
			F49	S150087001TN	M8*70
F Countersunk Head Screw			F50	S150061801SD	M6*18
F1	SA51741001CN	9/64*40*10	F51	S150052501SD	M5*25
F2	SA50750801CN	11/64*40*8	F52	S150040502MZ	M4*5
F3	S150020601SD	M2*6			
F4	S150030401MZ	M3*4	G Round Countersunk Head Screw		
F5	S150030402SD	M3*4	G1	SA53730601CL	1/8*44*6
F6	S150030501MZ	M3*5	G2	SA53740301CL	9/64*40*3
F7	S150030502SD	M3*5	G3	SA53740351CL	9/64*40*3.5
F8	S151030601SD	M3*6	G4	SA53740401CL	9/64*40*4
F9	S150030601MZ	M3*6	G5	SA53740601CL	9/64*40*6
F10	S150030602SD	M3*6	G6	SA53740701CL	9/64*40*7
F11	S150030701SD	M3*7	G7	SA53740951CL	9/64*40*9.5
F12	S151030801SD	M3*8	G8	SA53741201CL	9/64*40*12
F13	S150030801MZ	M3*8	G9	SA53740681CL	9/64*40*6.8
F14	S150030804SC	M3*8			
F15	S150030802SD	M3*8	H Truss Head Screw		
F16	S150030803SN	M3*8	H1	SA30730701CL	1/8*44*7
F17	S150031002MZ	M3*10	H2	SA30740301CL	9/64*40*3.5

H, J, K

No.	Part No.	Remark	No.	Part No.	Remark
H	Truss Head Screw		H52	S130052001SD	M5*20
H3	SA30740401CL	9/64*40*4	H53	S130052502SD	M5*25
H4	SA31740401CM	9/64*40*4	H54	S130053001SD	M5*30
H5	SA30740601CL	9/64*40*6	H55	S130053501SD	M5*35
H6	SA30740801CL	9/64*40*8	H56	S130060801SD	M6*8
H7	S130470301MZ	M2.5*3	H57	S130061001SD	M6*10
H8	S130470302SD	M2.5*3	H58	S130062201SD	M6*22
H9	S130470401MZ	M2.5*4	H59	S130062501SD	M6*25
H10	S130470402SA	M2.5*4	H60	S130063501SD	M6*35
H11	S130470403SD	M2.5*4	H61	S130064001SD	M6*40
H12	S130030301MZ	M3*3	H62	S130031501SD	M3*15
H13	S130030302SD	M3*3	H63	S130043501SD	M4*35
H14	S130030402SD	M3*4	H64	S130020201SD	M2*2
H15	S130030501MZ	M3*5	H65	S130470501SD	M2.5*5
H16	S130030502SD	M3*5	H66	S130052002MZ	M5*20
H17	S130030601MZ	M3*6	H67	S130054501SE	M5*45
H18	S130030602SD	M3*6	H68	S130050502MZ	M5*5
H19	S130030603SA	M3*6	H69	S130054001SD	M5*40
H20	S130030802SD	M3*8	H70	S130055001SD	M5*50
H21	S130030803SA	M3*8	H71	S130030801MZ	M3*8
H22	S130031001MZ	M3*10	H72	S130052201SD	M5*22
H23	S130031002SD	M3*10	H73	S130041802MZ	M4*18
H24	S130032001SD	M3*20	H74	S130055501SD	M5*55
H25	S130040401MZ	M4*4	H75	S130041202SD	M4*12 JIS
H26	S130040401SD	M4*4	H76	SA30740501CL	9/64*40*5
H27	S130040501MZ	M4*5	H77	SA30741001CL	9/64*40*10
H28	S130040502SD	M4*5			
H29	S130040601MZ	M4*6	J	Round Head Screw	
H30	S130040602SD	M4*6	J1	S162020301MZ	M2*3
H31	S130040651SD	M4*6.5	J2	S162030801SD	M3*8
H32	S130040801MZ	M4*8	J3	S162030802SE	M3*8
H33	S130040802SD	M4*8	J4	S162031001MZ	M3*10
H34	S130040803MZ	M4*8 JIS			
H35	S130041002MZ	M4*10	K	Slotted Set Screw	
H36	S130041001SD	M4*10	K1	SA71730351CN	1/8*44*3.5
H37	S130041201SD	M4*12	K2	SA71740601CN	9/64*40*6
H38	S130041502SD	M4*15	K3	SA71750251CN	11/64*40*2.5
H39	S130042001SD	M4*20	K4	SA71750351CN	11/64*40*3.5
H40	S130050501SD	M5*5	K5	SA71750401CN	11/64*40*4
H41	S130050602MZ	M5*6	K6	SA71750501CN	11/64*40*5
H42	S130050601SD	M5*6	K7	SA71790501CN	15/64*28*5
H43	S130050651SD	M5*6.5	K8	SA71791001CN	15/64*28*10
H44	S130050701SD	M5*7	K9	SA71791501CN	15/64*28*15
H45	S130050801MZ	M5*8	K10	SA71791701CN	15/64*28*17
H46	S130050802SD	M5*8	K11	SA71800401CN	1/4*40*4
H47	S130051002MZ	M5*10	K12	SA71800451CN	1/4*40*4.5
H48	S130051001SD	M5*10	K13	SA71800501CN	1/4*40*5
H49	S130051201MZ	M5*12	K14	SA71800601CN	1/4*40*6
H50	S130051202SD	M5*12	K15	SA71800801CN	1/4*40*8
H51	S130051501SD	M5*15	K16	SA71811201CN	9/32*28*12

K, L, M, N

No.	Part No.	Remark	No.	Part No.	Remark
K	Slotted Set Screw		L46	S170031501TN	M3*15
K17	S171050601TN	M5*6			
K18	S171030601SD	M3*6	M	Hexagon Socket Head Button Screw	
			M1	S124030401SC	M3*4
L	Hexagon Socket Head Set Screw		M2	S124040601SC	M4*6
L1	SA70730251CN	1/8*44*2.5	M3	S124040802SC	M4*8
L2	SA70730301CN	1/8*44*3	M4	S124040803SD	M4*8
L3	SA70750901CN	11/64*28*9	M5	S124051001SC	M5*10
L4	SA70750401CN	11/64*40*4	M6	S124051002SD	M5*10
L5	SA70750601CN	11/64*40*6	M7	S124051501SD	M5*15
L6	SA70750801CN	11/64*40*8	M8	S124081201SC	M8*12
L7	SA70790401CN	15/64*28*4	M9	S124081202SD	M8*12
L8	SA70790901CN	15/64*28*9	M10	S124081501SD	M8*15
L9	S170470301TN	M2.5*3	M11	S124030501SC	M3*5
L10	S170030201TN	M3*2	M12	S124030801SC	M3*8
L11	S170030301TN	M3*3	M13	S124030502TC	M3*5
L12	S170030401TN	M3*4	M14	S124030402SD	M3*4
L13	S170030501TN	M3*5	M15	S124030601SD	M3*6
L14	S170030601TN	M3*6	M16	S124040401SD	M4*4
L15	S170030801TN	M3*8	M17	S124030602SC	M3*6
L16	S170040301TN	M4*3	M18	S124030503SD	M3*5
L17	S170040401TN	M4*4	M19	S124031002SD	M3*10
L18	S170040501TN	M4*5	M20	S124041001SD	M4*10
L19	S170040601TN	M4*6	M21	S124051201SD	M5*12
L20	S170040602TN	M4*6 Half Threads			
L21	S170040801TN	M4*8	N	Screw with Washer	
L22	S170041001TN	M4*10	N1	S660480601SE	M2.6*6
L23	S170041201TN	M4*12	N2	S660030601SE	M3*6
L24	S170050401TN	M5*4	N3	S660030801SE	M3*8
L25	S170050501TN	M5*5	N4	S660031001SE	M3*10
L26	S170050601TN	M5*6	N5	S660031501SE	M3*15
L27	S170050801TN	M5*8	N6	S660031601SE	M3*16
L28	S170051001TN	M5*10	N7	S660031801SE	M3*18
L29	S170051201TN	M5*12	N8	S660040601SE	M4*6
L30	S170051501TN	M5*15	N9	S660040801SE	M4*8
L31	S170060501TN	M6*5	N10	S660041001SE	M4*10
L32	S170060601TN	M6*6	N11	S660041201SE	M4*12
L33	S170060801TN	M6*8	N12	S660045501SE	M4*55
L34	S170061001TN	M6*10	N13	S660051001SE	M5*10
L35	S170061801TN	M6*18	N14	S660051201SE	M5*12
L36	S170080801TN	M8*8	N15	S660051401SE	M5*14
L37	S170081001TN	M8*10	N16	S660051801SE	M5*18
L38	S170081501TN	M8*15	N17	S660030801MZ	M3*8
L39	S170031001TN	M3*10	N18	S660030502MZ	M3*5
L40	S170031201TN	M3*12	N19	S660031502MZ	M3*15
L41	S170053001TN	M5*30	N20	S660030603S1	M3*6 (P-4)
L42	S170061201TN	M6*12	N21	S660030802S1	M3*8 (P-3)
L43	S174060601TN	M6*6B	N22	S660030604S1	M3*6 (P-3)
L44	S170050802TN	M5*8 Narrow Treading	N23	S660031802S1	M3*18 (P-3)
L45	S170050602TN	M5*6 Narrow Treading	N24	S660040602S1	M4*6 (P-3)

N, P, R

No.	Part No.	Remark	No.	Part No.	Remark
N Screw with Washer			P29	S212050002SD	M5 Type 3
N25	S660040802S1	M4*8 (P-3)	P30	S217050001SD	M5 Cap
N26	S660041002S1	M4*10 (P-3)	P31	S210060001SC	M6 Type 1
N27	S660043001S1	M4*30 (P-3)	P32	S210060002SC	M6 Type 1 (Left)
N28	S660051002S1	M5*10 (P-3)	P33	S210060003SD	M6 Type 1
N29	S660031803S1	M3*18 (P-4)	P34	S210060004SD	M6 Type 1 (Left)
N30	S660030505S1	M3*5 (P-4)	P35	S212060001SC	M6 Type 3
N31	S660031504S1	M3*15 (P-4)	P36	S210080001SC	M8 Type 1
N32	S660031002S1	M3*10 (P-4)	P37	S210080002SD	M8 Type 1
N33	S660040803S1	M4*8 (P-4)	P38	S212080001SC	M8 Type 3
N34	S660030504S1	M3*5 (P-3)	P39	S212080002SD	M8 Type 3
N35	S660020401S1	M2*4 (P-4)	P40	S210100001SC	M10 Type 1
N36	S660031505S1	M3*15 (P-3)	P41	S213100002SD	M10 With Flange
N37	S660041202S1	M4*12 (P-3)	P42	S213100003SD	M10 With Disk Spring
N38	S660480401S1	M2.6*4 (P-4)	P43	S210120001SC	M12 Type 1
N39	S660031003S1	M3*10 (P-3)	P44	S212120001SC	M12 Type 3
N40	S660031602S1	M3*16 (P-3)	P45	S212120002SD	M12 Type 3
N41	S660030605S1	M3*6 (P-3) FOR THIN PLATE	P46	S210160001SD	M16 Type 1
N42	S660030803S1	M3*8 (P-4)	P47	S212160002SC	M16 Type 1
N43	S660031201S1	M3*12 (P-3)	P48	S212160001SD	M16 Type 3
			P49	S210200001SC	M20 Type 1
P Nut			P50	S212470001SC	M2.5 Type 3
P1	SB10730601CN	1/8*44*6*3	P51	SB12750701SC	11/64*7*2.2 Type 3
P2	SB10740601CL	9/64*40*6*2	P52	S211040001SD	M4 Type 2
P3	SB10740602CN	9/64*40*6*3	P53	SB12740601MZ	9/64*6*2 Type 3
P4	SB10750602CN	11/64*40*6*2	P54	SB10750601CN	11/64*6*2.2
P5	SB10750603CN	11/64*40*6*3	P55	S212030003SD	M3 Type 3
P6	SB10750701CN	11/64*40*7*3	P56	S217060001SD	M6 Cap
P7	SB11750701CN	11/64*40*7*3	P57	S217030001SD	M3 Cap
P8	S210420001XA	M1.6 Type 1	P58	S212200001SC	M20 Type 3
P9	S210020001SD	M2 Type 1	P59	S212160002SC	M16 Type 3
P10	S212020002SD	M2 Type 3	P60	SB10750702CN	11/64*7*2.2
P11	S210460002SD	M2.3 Type 1	P61	SB10740605CN	9/64*40*6*1.5
P12	S210470001MZ	M2.5 Type 1	P62	S213080002SD	M8 With Flange
P13	S212480001SD	M2.6 Type 3	P63	S213080001SD	M8 With Disk Spring
P14	S210030001MZ	M3 Type 1			
P15	S210030002SC	M3 Type 1	R Washer		
P16	S210030003SD	M3 Type 1	R1	S301410301MZ	Plain M1.4*3*t0.3
P17	S215030001SD	M3 Thumbscrew Type 2	R2	S301020351XZ	Plain M2*3.5*t0.5
P18	S212030001SC	M3 Type 3	R3	S301020431SD	Plain M2*4.3*t0.3
P19	S212030002SD	M3 Type 3	R4	S301480501XB	Plain M2.6*5*t0.5
P20	S212530001SC	M3.5 Type 3	R5	S301480751XB	Plain M2.6*7.5*t0.5
P21	S210040001SC	M4 Type 1	R6	S301030602XZ	Plain M3*6*t0.3
P22	S210040002SD	M4 Type 1	R7	S301030603SC	Plain M3*6*t0.5
P23	S212040001SC	M4 Type 3	R8	S301030601SD	Plain M3*6*t0.5
P24	S212040002SD	M4 Type 3	R9	S301030701SD	Plain M3*7*t0.5
P25	S217040001SD	M4 Cap	R10	S301030804SD	Plain M3*8*t0.3
P26	S210050001SC	M5 Type 1	R11	S301030805MZ	Plain M3*8*t0.5
P27	S210050002SD	M5 Type 1	R12	S301030801SC	Plain M3*8*t0.5
P28	S212050001SC	M5 Type 3	R13	S301030802SD	Plain M3*8*t0.5

R

No.	Part No.	Remark	No.	Part No.	Remark
R	Washer		<i>R63</i>	S304040851TP	With teeth M4
<i>R14</i>	S301030803SD	Plain M3*8*t1	<i>R64</i>	S304051001TP	With teeth M5
<i>R15</i>	S301040805SC	Plain M4*8*t0.5	<i>R65</i>	S306080001SC	Slant M8
<i>R16</i>	S301040802SD	Plain M4*8*t0.5	<i>R66</i>	S303040801SC	Disk Spring M4
<i>R17</i>	S301040804SC	Plain M4*8*t0.8	<i>R67</i>	S301041005EZ	Plain M4*10*t0.8
<i>R18</i>	S301040803SD	Plain M4*8*t0.8	<i>R68</i>	S301470252MZ	Plain M2.5*5*t0.5
<i>R19</i>	S301041004MZ	Plain M4*10*t0.8	<i>R69</i>	S301030605SD	Plain M3*6*t1.0
<i>R20</i>	S301041002SC	Plain M4*10*t0.8	<i>R70</i>	S301030604MZ	Plain M3*6*T0.5
<i>R21</i>	S301041003SD	Plain M4*10*t0.8	<i>R71</i>	S305051101TN	Wave M5
<i>R22</i>	S301041201SC	Plain M4*12*t1	<i>R72</i>	S301470253SD	Plain M2.5*5*t0.5
<i>R23</i>	S301051002SC	Plain M5*10*t0.8	<i>R73</i>	S301470251SC	Plain M2.5*5*t0.5
<i>R24</i>	S301051003SD	Plain M5*10*t0.8	<i>R74</i>	S305101451TN	Wave M10
<i>R25</i>	S301051204MZ	Plain M5*12*t0.8	<i>R75</i>	S304080001TP	With teeth M8
<i>R26</i>	S301051202SC	Plain M5*12*t0.8	<i>R76</i>	S301061152SD	Plain M6*11.5*t0.8
<i>R27</i>	S301051203SD	Plain M5*12*t0.8	<i>R77</i>	S301122601SC	Plain M12*26*t2.3
<i>R28</i>	S301061102SC	Plain M6*11*t1.6	<i>R78</i>	S304060002SD	With teeth M6
<i>R29</i>	S301061151SC	Plain M6*11.5*t0.8	<i>R79</i>	S304040852TP	With teeth M4 Outward
<i>R30</i>	S301061301SC	Plain M6*13*t1.0	<i>R80</i>	S301041202SD	Plain M4*12*t1.0
<i>R31</i>	S301061302SD	Plain M6*13*t1.0	<i>R81</i>	S301040901EZ	Plain M4*9*t0.3
<i>R32</i>	S301061601SC	Plain M6*16*t1.0	<i>R82</i>	S301051207EZ	Plain M5*12*t1.0
<i>R33</i>	S301081601SD	Plain M8*16*t1.2	<i>R83</i>	S301122601SD	Plain M12*26*t2.3
<i>R34</i>	S301081801SC	Plain M8*18*t1.6	<i>R84</i>	S402120002KD	Spring M12
<i>R35</i>	S301081802SD	Plain M8*18*t1.6			
<i>R36</i>	S301081803SC	Plain M8*18*t3.2			
<i>R37</i>	S301082201SC	Plain M8*22*t3.2			
<i>R38</i>	S301102201SC	Plain M10*22*t1.6			
<i>R39</i>	S301102601SC	Plain M10*26*t3.2			
<i>R40</i>	S301102602SD	Plain M10*26*t3.2			
<i>R41</i>	S301122051SC	Plain M12*20.5*t2			
<i>R42</i>	S301163201SD	Plain M16*32*t2.5			
<i>R43</i>	S402020001KD	Spring M2			
<i>R44</i>	S402480001KC	Spring M2.6			
<i>R45</i>	S402030001KC	Spring M3			
<i>R46</i>	S402030002KD	Spring M3			
<i>R47</i>	S402530001KC	Spring M3.5			
<i>R48</i>	S402040001KC	Spring M4			
<i>R49</i>	S402040002KD	Spring M4			
<i>R50</i>	S402050001KC	Spring M5			
<i>R51</i>	S402050002KD	Spring M5			
<i>R52</i>	S402050003MZ	Spring M5			
<i>R53</i>	S402060001KC	Spring M6			
<i>R54</i>	S402060002KD	Spring M6			
<i>R55</i>	S402080001KC	Spring M8			
<i>R56</i>	S402080002KD	Spring M8			
<i>R57</i>	S402100001KC	Spring M10			
<i>R58</i>	S402100002KD	Spring M10			
<i>R59</i>	S402120001KC	Spring M12			
<i>R60</i>	S305041101TP	Wave M4			
<i>R61</i>	S305051001TN	Wave M5			
<i>R62</i>	S305061051TN	Wave M6			

1st Edition July, 2018

3rd Edition May, 2019

■ **Manufactured by:**
TISM Co.,Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, Japan
Telephone:81-568-33-1161 Fax:81-568-33-1191

■ **Distributed by:**
Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan
Telephone:81-52-932-3444 Fax:81-52-932-2457

●Copy, reprint, or reform of a part or whole of this manual without permission is prohibited.

THE TAJIMA GROUP

<http://www.tajima.com>

Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, JAPAN
TEL.81-52-932-3444 FAX.81-52-932-2457

TISM Co.,Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, JAPAN
TEL.81-568-33-1161 FAX.81-568-33-1191