

# **PARTS LIST**

## **HIGH SPEED SEQUIN DEVICE**


# Table of Contents

|                                                               |          |
|---------------------------------------------------------------|----------|
| ● SEQUIN BASE L-SIDE.....                                     | SP-50-1L |
| ● SEQUIN BASE R-SIDE.....                                     | SP-50-1R |
| ● W-REEL ATTACHMENT L-SIDE.....                               | SP-50-2L |
| ● W-REEL ATTACHMENT R-SIDE.....                               | SP-50-2R |
| ● CASE BASE L-SIDE.....                                       | SP-51L   |
| ● CASE BASE R-SIDE.....                                       | SP-51R   |
| ● SHAFT HOLDER BASE L-SIDE.....                               | SP-52L   |
| ● SHAFT HOLDER BASE R-SIDE.....                               | SP-52R   |
| ● NEEDLE BAR CASE.....                                        | SP-53    |
| ● FRONT COVER (FOR TFGN).....                                 | SP-54    |
| ● FRONT COVER (FOR TFGN-C L & R).....                         | SP-55-1  |
| ● FRONT COVER (FOR TFGN-C L).....                             | SP-55-2  |
| ● FRONT COVER (FOR TFGN-C R).....                             | SP-55-3  |
| ● FRONT COVER (FOR TFMX).....                                 | SP-56    |
| ● FRONT COVER (FOR TFMX-C, TFMX-II, TFMX-IIC L & R).....      | SP-57-1  |
| ● FRONT COVER (FOR TFMX-C, TFMX-II, TFMX-IIC L).....          | SP-57-2  |
| ● FRONT COVER (FOR TFMX-C, TFMX-II, TFMX-IIC R).....          | SP-57-3  |
| ● FRONT COVER (FOR TFKN).....                                 | SP-58    |
| ● PNEUMATIC PARTS.....                                        | SP-59-1  |
| ● PNEUMATIC PARTS (FOR TFMX-C SINGLE HEAD).....               | SP-59-2  |
| ● PNEUMATIC PARTS (FOR TEJTII-C).....                         | SP-59-3  |
| ● ELECTRICAL PARTS (FOR TFGN, TFGN-C).....                    | SP-60-1  |
| ● ELECTRICAL PARTS (FOR TFMX, TFMX-C, TFMX-II, TFMX-IIC)..... | SP-60-2  |
| ● ELECTRICAL PARTS (FOR TFKN).....                            | SP-60-3  |
| ● ELECTRICAL PARTS (FOR TMLHII MIXED TYPE).....               | SP-60-4  |
| ● ELECTRICAL PARTS (FOR TCMX MIXED TYPE).....                 | SP-60-5  |

\*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.

\*When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.

|            |          |              |            |
|------------|----------|--------------|------------|
| <b>Ex.</b> | TFGN-920 | (450×330)S   | No.01234   |
|            | [Model]  | [Emb. Space] | [Mfg. No.] |



# SEQUIN BASE L-SIDE

SP-50-1L

| Ref.No. | Description                          | Part No.     | Remark            |
|---------|--------------------------------------|--------------|-------------------|
| 1       | Taper Spring :0.7mm Dia.             | 507707030020 |                   |
| 2       | Holder :Taper Spring                 | 0L0430390020 |                   |
| 3       | Felt                                 | 0L0410090000 |                   |
| 4       | Sequin Reel                          | 0L0410140000 |                   |
| 5       | Screw with Pin :Sequin Reel          | 0L0430400020 |                   |
| 6       | Stopper :Sequin Reel                 | 0L0430410030 |                   |
| 7       | Base :Sequin :Upper L/Upper R[S]     | 0L043123@S10 |                   |
| 8       | Stepped Screw :No.1 :M4*6.7          | 512104100040 |                   |
| 9       | Stopper                              | 0L0410050000 |                   |
| 10      | Torsion Spring :L :0.8mm Dia.        | 0L043038L010 |                   |
| 11      | Screw with Pin :No.2 :M4-12          | 513204020010 |                   |
| 12      | E-ring :4mm Dia.                     | 611100070000 |                   |
| 13      | Arm :Tension Roller[S]               | 0L0430420S10 |                   |
| 14      | Screw with Pin: No.4 :M4-27          | 513404010010 |                   |
| 15      | Flat Pulley :10mm Dia.               | 501907010000 |                   |
| 16      | Clip Stopper Ring :4                 | 615200050000 |                   |
| 17      | Damper Ring :4mm Dia.                | 080320410000 |                   |
| 18      | Plastic Bushing No.1 :5mm Dia.       | 509304010000 |                   |
| 19      | Guide Plate :L/R                     | 0L041008@010 |                   |
| 20      | Lever :Stopper :L/R[A]               | 0L043037@A20 |                   |
| 21      | Screw with Pin :No.4 :M4-31.5        | 513404020020 |                   |
| 22      | Stud :No.6 :M4-8.5                   | 505604010010 |                   |
| 23      | Spring Pin :2*6W                     | 611400130000 |                   |
| 24      | Hexagon Socket Head Cap Screw :M4*8  | S120040802TN |                   |
| 25      | Hexagon Nut Type 1 :M4               | S210040002SD |                   |
| 26      | Pan Head Screw :M3*4                 | S160030402SD |                   |
| 27      | Wave Washer :M5                      | S305050001TN |                   |
| 28      | E-ring :7mm Dia.                     | 611100100000 |                   |
| 29      | Plain Washer :M4*10*t0.8             | S301041002SC |                   |
| 30      | Hexagon Socket Head Cap Screw :M4*8  | S120040802TN |                   |
| 31      | Hexagon Socket Head Cap Screw :M4*10 | S120041002TN |                   |
| 32      | Hexagon Socket Head Cap Screw :M4*25 | S120042501TN |                   |
| 33      | Damper Ring :4mm Dia.                | 0B0110430000 |                   |
| 34      | Stud :No.2 :SM11/64-2                | 505271020020 |                   |
| 34      | Stud :No.2 :SM11/64-6                | 505271030010 | For 15-Needle M/C |
| 35      | Screw Bushing :No.2 :SM11/64         | 509871010000 |                   |
| 36      | Pan Head Screw :M4*15                | S160041501SD |                   |
| 37      | Truss Head Screw :M3*5               | S130030502SD |                   |
| 38      | Holder :Roller                       | 0L0430510010 |                   |
| 39      |                                      |              |                   |
| 40      |                                      |              |                   |
| 41      |                                      |              |                   |
| 42      |                                      |              |                   |
| 43      |                                      |              |                   |
| 44      |                                      |              |                   |
| 45      |                                      |              |                   |
| 46      |                                      |              |                   |
| 47      |                                      |              |                   |
| 48      |                                      |              |                   |
| 49      |                                      |              |                   |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)




# SEQUIN BASE R-SIDE

SP-50-1R

| Ref.No. | Description                          | Part No.     | Remark            |
|---------|--------------------------------------|--------------|-------------------|
| 1       | Taper Spring :0.7mm Dia.             | 507707030020 |                   |
| 2       | Holder :Taper Spring                 | 0L0430390020 |                   |
| 3       | Felt                                 | 0L0410090000 |                   |
| 4       | Sequin Reel                          | 0L0410140000 |                   |
| 5       | Screw with Pin :Sequin Reel          | 0L0430400020 |                   |
| 6       | Stopper :Sequin Reel                 | 0L0430410030 |                   |
| 7       | Base :Sequin :Upper L/Upper R[S]     | 0L043123@S10 |                   |
| 8       | Stepped Screw :No.1 :M4*6.7          | 512104100040 |                   |
| 9       | Stopper                              | 0L0410050000 |                   |
| 10      | Torsion Spring :R :0.8mm Dia.        | 0L043038L010 |                   |
| 11      | Screw with Pin :No.2 :M4-12          | 513204020010 |                   |
| 12      | E-ring :4mm Dia.                     | 611100070000 |                   |
| 13      | Arm :Tension Roller[S]               | 0L0430420S10 |                   |
| 14      | Screw with Pin: No.4 :M4-27          | 513404010010 |                   |
| 15      | Flat Pulley :10mm Dia.               | 501907010000 |                   |
| 16      | Clip Stopper Ring :4                 | 615200050000 |                   |
| 17      | Damper Ring :4mm Dia.                | 080320410000 |                   |
| 18      | Plastic Bushing No.1 :5mm Dia.       | 509304010000 |                   |
| 19      | Guide Plate :L/R                     | 0L041008@010 |                   |
| 20      | Lever :Stopper :L/R[A]               | 0L043037@A20 |                   |
| 21      | Screw with Pin :No.4 :M4-31.5        | 513404020020 |                   |
| 22      | Stud :No.6 :M4-8.5                   | 505604010010 |                   |
| 23      | Spring Pin :2*6W                     | 611400130000 |                   |
| 24      | Hexagon Socket Head Cap Screw :M4*8  | S120040802TN |                   |
| 25      | Hexagon Nut Type 1 :M4               | S210040002SD |                   |
| 26      | Pan Head Screw :M3*4                 | S160030402SD |                   |
| 27      | Wave Washer :M5                      | S305050001TN |                   |
| 28      | E-ring :7mm Dia.                     | 611100100000 |                   |
| 29      | Plain Washer :M4*10*t0.8             | S301041002SC |                   |
| 30      | Hexagon Socket Head Cap Screw :M4*8  | S120040802TN |                   |
| 31      | Hexagon Socket Head Cap Screw :M4*10 | S120041002TN |                   |
| 32      | Hexagon Socket Head Cap Screw :M4*25 | S120042501TN |                   |
| 33      | Damper Ring :4mm Dia.                | 0B0110430000 |                   |
| 34      | Stud :No.2 :SM11/64-2                | 505271020020 |                   |
| 34      | Stud :No.2 :SM11/64-6                | 505271030010 | For 15-Needle M/C |
| 35      | Screw Bushing :No.2 :SM11/64         | 509871010000 |                   |
| 36      | Pan Head Screw :M4*15                | S160041501SD |                   |
| 37      | Truss Head Screw :M3*5               | S130030502SD |                   |
| 38      | Holder :Roller                       | 0L0430510010 |                   |
| 39      |                                      |              |                   |
| 40      |                                      |              |                   |
| 41      |                                      |              |                   |
| 42      |                                      |              |                   |
| 43      |                                      |              |                   |
| 44      |                                      |              |                   |
| 45      |                                      |              |                   |
| 46      |                                      |              |                   |
| 47      |                                      |              |                   |
| 48      |                                      |              |                   |
| 49      |                                      |              |                   |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)



# W-REEL ATTACHMENT L-SIDE


SP-50-2L

| Ref.No. | Description                      | Part No.     | Remark       |
|---------|----------------------------------|--------------|--------------|
| 1       | Holder :Sequin                   | 0L0431390000 |              |
| 2       | Screw with Pin :Sequin Reel[S]   | 0L0431400S10 |              |
| 3       | Screw with Pin :No.4 :M4-48.5    | 513404040000 |              |
| 4       | Screw with Pin :No.4 :M4-45      | 513404050000 |              |
| 5       | Screw with Pin :No.4 :M4-28.5    | 513404060000 |              |
| 6       | Collar :No.1 :10mm Dia.          | 502510030000 | For 3mm Dia. |
| 7       | Felt                             | 0L0410090000 |              |
| 8       | Auxiliary Plate :Positioning     | 510200310000 |              |
| 9       | Flat Pulley :10mm Dia.           | 501907010000 |              |
| 10      | Taper Spring :0.7mm Dia.         | 507707030020 |              |
| 11      | Holder :Taper Spring             | 0L0430390020 |              |
| 12      | Clip Stopper Ring :4             | 615200050000 |              |
| 13      | Hexagon Nut Type 1 :M4           | S210040002SD |              |
| 14      | Plain Washer :M4*10*t0.8         | S301041002SC |              |
| 15      | Pan Head Screw :M3*8             | S160030802SD |              |
| 16      | Holder :Roller                   | 0L0430510010 |              |
| 17      | Arm :Tension Roller[S]           | 0L0430420S10 |              |
| 18      | Screw with Pin :No.2 :M4-12      | 513204020010 |              |
| 19      | Torsion Spring :L :0.8mm Dia.    | 0L043038L010 |              |
| 20      | E-ring :4mm Dia.                 | 611100070000 |              |
| 21      | Sequin Reel                      | 0L0410140000 |              |
| 22      | Truss Head Screw :M3*5           | S130030502SD |              |
| 23      | Screw with Pin :Sequin Reel      | 0L0431400100 |              |
| 24      | Stopper :Sequin Reel             | 0L0430410030 |              |
| 25      | Spring Pin :2*6W                 | 611400130000 |              |
| 26      | Pan Head Screw :M4*15            | S160041501SD |              |
| 27      | Damper Ring :4mm Dia.            | 080320410000 |              |
| 28      | Hexagon Nut Type 1 :M4           | S210040002SD |              |
| 29      | Plain Washer :M4*10*t0.8         | S301041002SC |              |
| 30      | Base :Sequin :Upper L/Upper R[S] | 0L043123@S10 |              |
| 31      | Hexagon Nut Type 1 :M3           | S210030002SC |              |
| 32      |                                  |              |              |
| 33      |                                  |              |              |
| 34      |                                  |              |              |
| 35      |                                  |              |              |
| 36      |                                  |              |              |
| 37      |                                  |              |              |
| 38      |                                  |              |              |
| 39      |                                  |              |              |
| 40      |                                  |              |              |
| 41      |                                  |              |              |
| 42      |                                  |              |              |
| 43      |                                  |              |              |
| 44      |                                  |              |              |
| 45      |                                  |              |              |
| 46      |                                  |              |              |
| 47      |                                  |              |              |
| 48      |                                  |              |              |
| 49      |                                  |              |              |
| 50      |                                  |              |              |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)






# W-REEL ATTACHMENT R-SIDE

SP-50-2R

| Ref.No. | Description                      | Part No.     | Remark       |
|---------|----------------------------------|--------------|--------------|
| 1       | Holder :Sequin                   | 0L0431390000 |              |
| 2       | Screw with Pin :Sequin Reel[S]   | 0L0431400S10 |              |
| 3       | Screw with Pin :No.4 :M4-48.5    | 513404040000 |              |
| 4       | Screw with Pin :No.4 :M4-45      | 513404050000 |              |
| 5       | Screw with Pin :No.4 :M4-28.5    | 513404060000 |              |
| 6       | Collar :No.1 :10mm Dia.          | 502510030000 | For 3mm Dia. |
| 7       | Felt                             | 0L0410090000 |              |
| 8       | Auxiliary Plate :Positioning     | 510200310000 |              |
| 9       | Flat Pulley :10mm Dia.           | 501907010000 |              |
| 10      | Taper Spring :0.7mm Dia.         | 507707030020 |              |
| 11      | Holder :Taper Spring             | 0L0430390020 |              |
| 12      | Clip Stopper Ring :4             | 615200050000 |              |
| 13      | Hexagon Nut Type 1 :M4           | S210040002SD |              |
| 14      | Plain Washer :M4*10*t0.8         | S301041002SC |              |
| 15      | Pan Head Screw :M3*8             | S160030802SD |              |
| 16      | Holder :Roller                   | 0L0430510010 |              |
| 17      | Arm :Tension Roller[S]           | 0L0430420S10 |              |
| 18      | Screw with Pin :No.2 :M4-12      | 513204020010 |              |
| 19      | Torsion Spring :R :0.8mm Dia.    | 0L043038R010 |              |
| 20      | E-ring :4mm Dia.                 | 611100070000 |              |
| 21      | Sequin Reel                      | 0L0410140000 |              |
| 22      | Truss Head Screw :M3*5           | S130030502SD |              |
| 23      | Screw with Pin :Sequin Reel      | 0L0431400100 |              |
| 24      | Stopper :Sequin Reel             | 0L0430410030 |              |
| 25      | Spring Pin :2*6W                 | 611400130000 |              |
| 26      | Pan Head Screw :M4*15            | S160041501SD |              |
| 27      | Damper Ring :4mm Dia.            | 080320410000 |              |
| 28      | Hexagon Nut Type 1 :M4           | S210040002SD |              |
| 29      | Plain Washer :M4*10*t0.8         | S301041002SC |              |
| 30      | Base :Sequin :Upper L/Upper R[S] | 0L043123@S10 |              |
| 31      | Hexagon Nut Type 1 :M3           | S210030002SC |              |
| 32      |                                  |              |              |
| 33      |                                  |              |              |
| 34      |                                  |              |              |
| 35      |                                  |              |              |
| 36      |                                  |              |              |
| 37      |                                  |              |              |
| 38      |                                  |              |              |
| 39      |                                  |              |              |
| 40      |                                  |              |              |
| 41      |                                  |              |              |
| 42      |                                  |              |              |
| 43      |                                  |              |              |
| 44      |                                  |              |              |
| 45      |                                  |              |              |
| 46      |                                  |              |              |
| 47      |                                  |              |              |
| 48      |                                  |              |              |
| 49      |                                  |              |              |
| 50      |                                  |              |              |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)




# CASE BASE L-SIDE

SP-51L

| Ref.No. | Description                          | Part No.     | Remark       |
|---------|--------------------------------------|--------------|--------------|
| 1       | Cylinder :CJ2B10-75                  | 673100410000 |              |
| 2       | Bent Plate :Up/Down Cylinder         | 0L0431370110 |              |
| 3       | Stepped Screw :No.1 :M4*6.7          | 512104100020 |              |
| 4       | Holder :Air Cylinder :B              | 0L0410130030 |              |
| 5       | Connecting Rod :B                    | 0L0430630000 |              |
| 6       | Flat Fillister Head Screw :9/64*5    | 511153020000 |              |
| 7       | Screw with Pin                       | 0L0410160000 |              |
| 8       | Base :Sequin                         | 0L0430120010 |              |
| 8       | Base :Sequin                         | 0L0431410000 | For TEJTII-C |
| 9       | Lever :Sequin                        | 0L0431030010 |              |
| 10      | Pulse Motor :42mm Square :Double-end | 0J6105100010 |              |
| 11      | Hexagon Socket Head Cap Screw :M4*12 | S120041202TD |              |
| 12      | Stepped Screw :No.1 :9/64*5          | 512153090010 |              |
| 13      | Connecting Plate                     | 0L0430290010 |              |
| 14      | Hexagon Socket Head Cap Screw :M3*8  | S120030802TN |              |
| 15      | Hexagon Socket Head Cap Screw :M3*10 | S120031001TD |              |
| 16      | Plain Washer :M3*8*t0.5              | S301030802SD |              |
| 17      | Pan Head Screw :M3*6                 | S160030602SD |              |
| 18      | Countersunk Head Screw :M3*8         | S150030802SD |              |
| 19      | Hexagon Socket Head Cap Screw :M4*15 | S120041501TN |              |
| 20      | Spring Washer :M4                    | S402040001KC |              |
| 21      | Plain Washer :M4*10*t0.8             | S301041002SC |              |
| 22      | Hexagon Socket Head Cap Screw :M4*18 | S120041801TN |              |
| 23      | Plain Washer :4.5*16*t0.1            | 519106090000 |              |
| 23      | Plain Washer :4.5*16*t0.6            | 519106091000 |              |
| 23      | Plain Washer :4.5*16*t0.8            | 519106092000 |              |
| 24      | Bracket :Sequin Base Lower :L/R      | 0L043120@000 |              |
| 25      | Auxiliary Plate :Positioning         | 510200310000 |              |
| 26      | Hexagon Socket Head Cap Screw :M3*12 | S120031202TD |              |
| 27      | Hexagon Nut Type 1 :M3               | S210030003SD |              |
| 28      | Pan Head Screw :M3*4                 | S160030402SD |              |
| 29      | Arm :Sequin Feed Lever               | 0L0430270010 |              |
| 30      | Stepped Screw :No.1 :M4-27           | 503201050000 |              |
| 31      | Hexagon Nut Type 1 :M4               | S210040002SD |              |
| 32      | Screw Bushing :No.2 :SM11/64         | 509871010000 |              |
| 33      | Connecting Rod :A                    | 0L0430620000 |              |
| 34      | Spacer :Assembly Base :15-Needle     | 0L0431180000 |              |
| 35      | Spring Washer :M4                    | S402040002KD |              |
| 36      | Plain Washer :M4*10*t0.8             | S301041003SD |              |
| 37      | Countersunk Head Screw :M3*12        | S150030602SD |              |
| 38      | Countersunk Head Screw :M3*6         | S150030602SD |              |
| 39      | Hexagon Socket Head Cap Screw :M4*15 | S120041502TD |              |
| 40      | Guide :Sequin Base                   | 0L0430430000 |              |
| 41      | Plain Washer :M6*11.5*t0.8           | S301061151SC |              |
| 42      | Clip Stopper Ring :6                 | 615200060000 |              |
| 43      | Holder :Motor Wire                   | 0L0431240010 |              |
| 44      | Pan Head Screw :M3*5                 | S160030502SD |              |
| 45      | Harness :Sequin Motor Relay          | H0SA016@@000 |              |
| 46      | Hexagon Socket Head Cap Screw :M3*12 | S120031201TN |              |
| 47      |                                      |              |              |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY01)




# CASE BASE R-SIDE

SP-51R

| Ref.No. | Description                          | Part No.     | Remark      |
|---------|--------------------------------------|--------------|-------------|
| 1       | Cylinder :CJ2B10-75                  | 673100410000 |             |
| 2       | Bent Plate :Up/Down Cylinder         | 0L0431370110 |             |
| 3       | Stepped Screw :No.1 :M4*6.7          | 512104100020 |             |
| 4       | Holder :Air Cylinder :B              | 0L0410130030 |             |
| 5       | Connecting Rod :B                    | 0L0430630000 |             |
| 6       | Flat Fillister Head Screw :9/64*5    | 511153020000 |             |
| 7       | Screw with Pin                       | 0L0410160000 |             |
| 8       | Base :Sequin                         | 0L0430120010 |             |
| 8       | Base :Sequin                         | 0L0431410000 | For TEJTIIC |
| 9       | Lever :Sequin                        | 0L0431030010 |             |
| 10      | Pulse Motor :42mm Square :Double-end | 0J6105100010 |             |
| 11      | Hexagon Socket Head Cap Screw :M4*12 | S120041202TD |             |
| 12      | Stepped Screw :No.1 :9/64*5          | 512153090010 |             |
| 13      | Connecting Plate                     | 0L0430290010 |             |
| 14      | Hexagon Socket Head Cap Screw :M3*8  | S120030802TN |             |
| 15      | Hexagon Socket Head Cap Screw :M3*10 | S120031001TD |             |
| 16      | Plain Washer :M3*8*t0.5              | S301030802SD |             |
| 17      | Pan Head Screw :M3*6                 | S160030602SD |             |
| 18      | Countersunk Head Screw :M3*8         | S150030802SD |             |
| 19      | Hexagon Socket Head Cap Screw :M4*15 | S120041501TN |             |
| 20      | Spring Washer :M4                    | S402040001KC |             |
| 21      | Plain Washer :M4*10*t0.8             | S301041002SC |             |
| 22      | Hexagon Socket Head Cap Screw :M4*18 | S120041801TN |             |
| 23      | Plain Washer :4.5*16*t0.1            | 519106090000 |             |
| 23      | Plain Washer :4.5*16*t0.6            | 519106091000 |             |
| 23      | Plain Washer :4.5*16*t0.8            | 519106092000 |             |
| 24      | Bracket :Sequin Base Lower :L/R      | 0L043120@000 |             |
| 25      | Auxiliary Plate :Positioning         | 510200310000 |             |
| 26      | Hexagon Socket Head Cap Screw :M3*12 | S120031202TD |             |
| 27      | Hexagon Nut Type 1 :M3               | S210030003SD |             |
| 28      | Pan Head Screw :M3*4                 | S160030402SD |             |
| 29      | Arm :Sequin Feed Lever               | 0L0430270010 |             |
| 30      | Stepped Screw :No.1 :M4-27           | 503201050000 |             |
| 31      | Hexagon Nut Type 1 :M4               | S210040002SD |             |
| 32      | Screw Bushing :No.2 :SM11/64         | 509871010000 |             |
| 33      | Connecting Rod :A                    | 0L0430620000 |             |
| 34      | Spacer :Assembly Base :15-Needle     | 0L0431180000 |             |
| 35      | Spring Washer :M4                    | S402040002KD |             |
| 36      | Plain Washer :M4*10*t0.8             | S301041003SD |             |
| 37      | Countersunk Head Screw :M3*12        | S150030602SD |             |
| 38      | Countersunk Head Screw :M3*6         | S150030602SD |             |
| 39      | Hexagon Socket Head Cap Screw :M4*15 | S120041502TD |             |
| 40      | Guide :Sequin Base                   | 0L0430430000 |             |
| 41      | Plain Washer :M6*11.5*t0.8           | S301061151SC |             |
| 42      | Clip Stopper Ring :6                 | 615200060000 |             |
| 43      | Holder :Motor Wire                   | 0L0431240010 |             |
| 44      | Pan Head Screw :M3*5                 | S160030502SD |             |
| 45      | Harness :Sequin Motor Relay          | H0SA016@@000 |             |
| 46      | Hexagon Socket Head Cap Screw :M3*12 | S120031201TN |             |
| 47      |                                      |              |             |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY01)



# SHAFT HOLDER BASE L-SIDE


SP-52L

| Ref.No. | Description                            | Part No.     | Remark |
|---------|----------------------------------------|--------------|--------|
| 1       | Base :Sequin :Lower :L/R               | 0L043122@000 |        |
| 2       | Bearing :SSLF1280ZZ                    | 631600070000 |        |
| 3       | Flange Pin :No.5                       | 0L0430230000 |        |
| 4       | Torsion Spring :L/R :0.9mm Dia.        | 0L043028@020 |        |
| 5       | Stopper :Sequin                        | 0L0430220030 |        |
| 6       | Presser :Sequin :L/R                   | 0L043136@000 |        |
| 7       | Torsion Spring :L/R :0.35mm Dia.       | 0L043156@000 |        |
| 8       | Holder :Sequin Presser :L/R            | 0L043026@020 |        |
| 9       | Clip Stopper Ring :3                   | 615200040000 |        |
| 10      | Stepped Screw :No.1 :9/64*7            | 512153010010 |        |
| 11      | Lever :Sequin                          | 0L0430160010 |        |
| 12      | Sequin Feed                            | 0L0430500050 |        |
| 13      | Straight Pin :No.2 :5mm Dia.           | 503102170000 |        |
| 14      | Torsion Spring :L/R :0.5mm Dia.        | 0L043024@030 |        |
| 15      | Torsion Spring :L/R :0.8mm Dia.        | 0L043015@060 |        |
| 16      | Holder :Spring                         | 0L0430130020 |        |
| 17      | Stopper :Movable Knife                 | 0L0431570000 |        |
| 18      | Movable Knife :Sequin :L/R             | 0L043014@040 |        |
| 19      | Fixed Knife :Sequin :L/R               | 0L043092@050 |        |
| 20      | Plate Spring :Sequin :t0.3             | 0L0430940010 |        |
| 21      | Base :Sequin Guide                     | 0L0430440010 |        |
| 22      | Guide :Sequin :A :L/R                  | 0L0430@@@020 |        |
| 23      | Plate Spring :Sequin :W3               | 0L0431540000 |        |
| 24      | Guide :Sequin :L/R :3mm                | 0L043133@020 |        |
| 25      | Hexagon Socket Head Cap Screw :M3*8    | S120030801TD |        |
| 26      | Hexagon Socket Head Cap Screw :M3*10   | S120031001TD |        |
| 27      | Plain Washer :M3*7*t0.5                | S301030701SD |        |
| 28      | Elliptic Washer :3.2*2.8*t1.2          | 519704010000 |        |
| 29      | Washer :Sequin :t0.5                   | 0L0431000000 |        |
| 30      | Hexagon Nut Type 1 :M4                 | S210040002SD |        |
| 31      | Hexagon Socket Head Set Screw :M4*10   | S170041001TN |        |
| 32      | Hexagon Socket Head Set Screw :M3*4    | S170030401TN |        |
| 33      | Hexagon Socket Head Cap Screw :M3*8    | S120030802TN |        |
| 34      | Hexagon Nut Type 1 :M3                 | S210030003SD |        |
| 35      | Flat Fillister Head Screw :M2*3.2      | 511102010030 |        |
| 36      | Pan Head Screw :M3*4                   | S160030402SD |        |
| 37      | Pan Head Screw M3*15                   | S160031501SD |        |
| 38      | Hexagon Socket Head Cap Screw :M2.5*8  | S120470801TN |        |
| 39      | Screw with Pin :No.1 :SM9/64-7         | 0L0431580000 |        |
| 40      | Hexagon Socket Head Cap Screw :M3*3    | S120030301TN |        |
| 41      | Plain Washer :M3*8*t0.5                | S301030802SD |        |
| 42      | Spring Washer :M3                      | S402030002KD |        |
| 43      | Hexagon Socket Head Cap Screw :M3*6    | S120030601TD |        |
| 44      | Hexagon Socket Head Cap Screw :M3*3    | S120030301TD |        |
| 45      | Plain Washer :M3*8*t1                  | S301030803SD |        |
| 46      | Hexagon Socket Head Button Screw :M3*5 | S124030502TC |        |
| 47      |                                        |              |        |
| 48      |                                        |              |        |
| 49      |                                        |              |        |
| 50      |                                        |              |        |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY01)





# SHAFT HOLDER BASE R-SIDE




SP-52R

| Ref.No. | Description                            | Part No.     | Remark |
|---------|----------------------------------------|--------------|--------|
| 1       | Base :Sequin :Lower :L/R               | 0L043122@000 |        |
| 2       | Bearing :SSLF1280ZZ                    | 631600070000 |        |
| 3       | Flange Pin :No.5                       | 0L0430230000 |        |
| 4       | Torsion Spring :L/R :0.9mm Dia.        | 0L043028@020 |        |
| 5       | Stopper :Sequin                        | 0L0430220030 |        |
| 6       | Presser :Sequin :L/R                   | 0L043136@000 |        |
| 7       | Torsion Spring :L/R :0.35mm Dia.       | 0L043156@000 |        |
| 8       | Holder :Sequin Presser :L/R            | 0L043026@020 |        |
| 9       | Clip Stopper Ring :3                   | 615200040000 |        |
| 10      | Stepped Screw :No.1 :9/64*7            | 512153010010 |        |
| 11      | Lever :Sequin                          | 0L0430160010 |        |
| 12      | Sequin Feed                            | 0L0430500050 |        |
| 13      | Straight Pin :No.2 :5mm Dia.           | 503102170000 |        |
| 14      | Torsion Spring :L/R :0.5mm Dia.        | 0L043024@030 |        |
| 15      | Torsion Spring :L/R :0.8mm Dia.        | 0L043015@060 |        |
| 16      | Holder :Spring                         | 0L0430130020 |        |
| 17      | Stopper :Movable Knife                 | 0L0431570000 |        |
| 18      | Movable Knife :Sequin :L/R             | 0L043014@040 |        |
| 19      | Fixed Knife :Sequin :L/R               | 0L043092@050 |        |
| 20      | Plate Spring :Sequin :t0.3             | 0L0430940010 |        |
| 21      | Base :Sequin Guide                     | 0L0430440010 |        |
| 22      | Guide :Sequin :A :L/R                  | 0L0430@@@020 |        |
| 23      | Plate Spring :Sequin :W3               | 0L0431540000 |        |
| 24      | Guide :Sequin :L/R :3mm                | 0L043133@020 |        |
| 25      | Hexagon Socket Head Cap Screw :M3*8    | S120030801TD |        |
| 26      | Hexagon Socket Head Cap Screw :M3*10   | S120031001TD |        |
| 27      | Plain Washer :M3*7*t0.5                | S301030701SD |        |
| 28      | Elliptic Washer :3.2*2.8*t1.2          | 519704010000 |        |
| 29      | Washer :Sequin :t0.5                   | 0L0431000000 |        |
| 30      | Hexagon Nut Type 1 :M4                 | S210040002SD |        |
| 31      | Hexagon Socket Head Set Screw :M4*10   | S170041001TN |        |
| 32      | Hexagon Socket Head Set Screw :M3*4    | S170030401TN |        |
| 33      | Hexagon Socket Head Cap Screw :M3*8    | S120030802TN |        |
| 34      | Hexagon Nut Type 1 :M3                 | S210030003SD |        |
| 35      | Flat Fillister Head Screw :M2*3.2      | 511102010030 |        |
| 36      | Pan Head Screw :M3*4                   | S160030402SD |        |
| 37      | Pan Head Screw M3*15                   | S160031501SD |        |
| 38      | Hexagon Socket Head Cap Screw :M2.5*8  | S120470801TN |        |
| 39      | Screw with Pin :No.1 :SM9/64-7         | 0L0431580000 |        |
| 40      | Hexagon Socket Head Cap Screw :M3*3    | S120030301TN |        |
| 41      | Plain Washer :M3*8*t0.5                | S301030802SD |        |
| 42      | Spring Washer :M3                      | S402030002KD |        |
| 43      | Hexagon Socket Head Cap Screw :M3*6    | S120030601TD |        |
| 44      | Hexagon Socket Head Cap Screw :M3*3    | S120030301TD |        |
| 45      | Plain Washer :M3*8*t1                  | S301030803SD |        |
| 46      | Hexagon Socket Head Button Screw :M3*5 | S124030502TC |        |
| 47      |                                        |              |        |
| 48      |                                        |              |        |
| 49      |                                        |              |        |
| 50      |                                        |              |        |


Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY01)


LH Tension Base



For TEJTII-C



For 15-Needle M/C



# NEEDLE BAR CASE

SP-53


| Ref.No. | Description                                   | Part No.     | Remark                        |
|---------|-----------------------------------------------|--------------|-------------------------------|
| 1       | Face Plate :Needle Bar Case :@-Needle/P       | 09051006@090 |                               |
| 1       | Face Plate :Needle Bar Case :15-Needle/P      | 09051006X080 | For 15-Needle M/C             |
| 1       | Face Plate :Needle Bar Case :@-Needle/P       | 09051013@000 | For TEJTII-C                  |
| 2       | Thread Guide :No.2                            | 516202010020 |                               |
| 3       | Truss Head Screw :M2.5*5                      | S130470503SD |                               |
| 4       | Hexagon Nut Type 3 :M25                       | S212470001SC |                               |
| 5       | Lamp Cover :Tension Base                      | 0C0250050000 |                               |
| 6       | Bracket :LED Base[S]                          | 0L0430830S20 |                               |
| 7       | Harness :Sequin Thread Breakage Indicator LED | H0R712100000 |                               |
| 8       | Plain Washer :M3*8*t0.5                       | S301030802SD |                               |
| 9       | Pan Head Tapping Screw :3P*12                 | S560031201SD |                               |
| 10      | Clip :Flat Cable                              | 644500180000 |                               |
| 11      | Bracket :LED[S]                               | 0L0431480S00 |                               |
| 12      | Collar :No.1 :10.5mm Dia.                     | 502511020000 |                               |
| 13      | Lower Thread Guide :@-Needle[S]               | 0L043142@S00 |                               |
| 14      | Thread Guide Collar :1.8mm Dia.               | 516503010010 |                               |
| 15      | Tensile Spring :No.2 :0.6mm Dia.              | 507506040020 | For 6-Needle M/C of TEJTII-C  |
| 15      | Tensile Spring :No.2 :0.6mm Dia.              | 507506010020 | For 9-Needle M/C of TEJTII-C  |
| 15      | Tensile Spring :No.2 :0.6mm Dia.              | 507506020020 | For 12-Needle M/C of TEJTII-C |
| 15      | Tensile Spring :No.2 :0.6mm Dia.              | 507506030030 | For 15-Needle M/C of TEJTII-C |
| 16      | Round Fillister Head Screw :6/64*40*12        | SA43741201CN |                               |
| 17      | Round Fillister Head Screw :9/64*40*10        | SA43741001CN |                               |
| 18      | Hexagon Nut Type 3 :9/64*6*2                  | SB12740601MZ |                               |
| 19      | Lower Thread Guide :@-Needle[A]               | 0L043142@A00 |                               |
| 20      | Presser :Spring[S]                            | 090220050S00 |                               |
| 21      | Truss Head Screw :M3*3                        | S130030302SD |                               |
| 22      | Base :Presser Foot                            | 090460090010 |                               |
| 23      | Presser Foot :Sequin :3-4mm Dia.              | 090460130000 |                               |
| 24      | Presser Foot :Sequin :5mm Dia. and more       | 090460140000 |                               |
| 25      | Presser Foot :Cap                             | 090460081000 |                               |
| 26      | Flat Fillister Head Screw :1/8*44*3.5         | SA41730351CN |                               |
| 27      | Split Collar :Presser Foot                    | 090460040020 |                               |
| 28      | Needle Catcher :Sequin                        | 0L0430570030 |                               |
| 29      | Slotted Set Screw :11/64*6B                   | 511754010000 |                               |
| 30      |                                               |              |                               |
| 31      |                                               |              |                               |
| 32      |                                               |              |                               |
| 33      |                                               |              |                               |
| 34      |                                               |              |                               |
| 35      |                                               |              |                               |
| 36      |                                               |              |                               |
| 37      |                                               |              |                               |
| 38      |                                               |              |                               |
| 39      |                                               |              |                               |
| 40      |                                               |              |                               |
| 41      |                                               |              |                               |
| 42      |                                               |              |                               |
| 43      |                                               |              |                               |
| 44      |                                               |              |                               |
| 45      |                                               |              |                               |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(KY01)

FRONT COVER (FOR TFGN)


LR Spec.



R Spec.



L Spec.




# FRONT COVER (FOR TFGN)

SP-54

| Ref.No. | Description                          | Part No.     | Remark                         |
|---------|--------------------------------------|--------------|--------------------------------|
| 1       | Head L Cover :No.1 :Sequin :L90/PL   | 170120062000 | For TFGN L/R Spec. and L Spec. |
| 2       | Bracket :Front Cover :C              | 0L0430980000 | For TFGN L/R Spec. and L Spec. |
| 3       | Bracket :Front Cover :B :L/R         | 0L043097@000 |                                |
| 4       | Front Cover :No.1 :03-15-Needle/PLR  | 17045@@@4010 |                                |
| 5       | Tension Base Cord Cover :Sequin :R   | 0L043034@000 |                                |
| 6       | Hexagon Socket Head Cap Screw :M4*8  | S120040802TN |                                |
| 7       | Front Cover :No.7 :L90               | 170120010000 |                                |
| 8       | Bracket :Front Cover :L[S]           | 17111015LS00 |                                |
| 9       | Front Cover :No.1 :03-15-Needle/PR   | 17045@@@6010 |                                |
| 10      | Bracket :Front Cover :R[S]           | 17111014RS00 |                                |
| 11      | Front Cover :No.1 :03-15-Needle/PL   | 17045@@@5010 |                                |
| 12      | Truss Head Screw :M4*8               | S130040802SD |                                |
| 13      | Hexagon Socket Head Cap Screw :M4*18 | S120041801TN |                                |
| 14      | Spring Washer :M4                    | S402040001KC |                                |
| 15      | Plain Washer :M4*10*t0.8             | S301041002SC |                                |
| 16      | Plain Washer :M4*9*t0.3              | S301040901EZ |                                |
| 17      | Bracket :Front Cover :L[S]           | 17111014LS00 |                                |
| 18      |                                      |              |                                |
| 19      |                                      |              |                                |
| 20      |                                      |              |                                |
| 21      |                                      |              |                                |
| 22      |                                      |              |                                |
| 23      |                                      |              |                                |
| 24      |                                      |              |                                |
| 25      |                                      |              |                                |
| 26      |                                      |              |                                |
| 27      |                                      |              |                                |
| 28      |                                      |              |                                |
| 29      |                                      |              |                                |
| 30      |                                      |              |                                |
| 31      |                                      |              |                                |
| 32      |                                      |              |                                |
| 33      |                                      |              |                                |
| 34      |                                      |              |                                |
| 35      |                                      |              |                                |
| 36      |                                      |              |                                |
| 37      |                                      |              |                                |
| 38      |                                      |              |                                |
| 39      |                                      |              |                                |
| 40      |                                      |              |                                |
| 41      |                                      |              |                                |
| 42      |                                      |              |                                |
| 43      |                                      |              |                                |
| 44      |                                      |              |                                |
| 45      |                                      |              |                                |
| 46      |                                      |              |                                |
| 47      |                                      |              |                                |
| 48      |                                      |              |                                |
| 49      |                                      |              |                                |
| 50      |                                      |              |                                |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)



# FRONT COVER (FOR TFGN-C L & R)


SP-55-1

| Ref.No. | Description                          | Part No.     | Remark |
|---------|--------------------------------------|--------------|--------|
| 1       | Head L Cover :No.1 :Sequin :L90/PL   | 170120062000 |        |
| 2       | Bracket :Front Cover :C              | 0L0430980000 |        |
| 3       | Bracket :Front Cover :A :L/R[S]      | 0L043090@S20 |        |
| 4       | Base :Start/Stop/PLR                 | 17134@@@1000 |        |
| 5       | Front Cover :No.2 :03-15-Needle/PLR  | 17046@@@4010 |        |
| 6       | Bracket :Front Cover :B :L/R         | 0L043097@000 |        |
| 7       | Front Cover :No.1 :03-15-Needle/PLR  | 17045@@@4010 |        |
| 8       | Tension Base Cord Cover :Sequin :R   | 0L043034@000 |        |
| 9       | Truss Head Screw :M4*8               | S130040802SD |        |
| 10      | Hexagon Socket Head Cap Screw :M4*18 | S120041801TN |        |
| 11      | Spring Washer :M4                    | S402040001KC |        |
| 12      | Plain Washer :M4*10*t0.8             | S301041002SC |        |
| 13      | Hexagon Socket Head Cap Screw :M4*6  | S120040601TN |        |
| 14      | Plain Washer :M4*9*t0.3              | S301040901EZ |        |
| 15      | Truss Head Screw :M4*6               | S130040602SD |        |
| 16      | Hexagon Socket Head Cap Screw :M4*8  | S120040802TN |        |
| 17      |                                      |              |        |
| 18      |                                      |              |        |
| 19      |                                      |              |        |
| 20      |                                      |              |        |
| 21      |                                      |              |        |
| 22      |                                      |              |        |
| 23      |                                      |              |        |
| 24      |                                      |              |        |
| 25      |                                      |              |        |
| 26      |                                      |              |        |
| 27      |                                      |              |        |
| 28      |                                      |              |        |
| 29      |                                      |              |        |
| 30      |                                      |              |        |
| 31      |                                      |              |        |
| 32      |                                      |              |        |
| 33      |                                      |              |        |
| 34      |                                      |              |        |
| 35      |                                      |              |        |
| 36      |                                      |              |        |
| 37      |                                      |              |        |
| 38      |                                      |              |        |
| 39      |                                      |              |        |
| 40      |                                      |              |        |
| 41      |                                      |              |        |
| 42      |                                      |              |        |
| 43      |                                      |              |        |
| 44      |                                      |              |        |
| 45      |                                      |              |        |
| 46      |                                      |              |        |
| 47      |                                      |              |        |
| 48      |                                      |              |        |
| 49      |                                      |              |        |
| 50      |                                      |              |        |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)






# FRONT COVER (FOR TFGN-C L)

SP-55-2

| Ref.No. | Description                          | Part No.     | Remark |
|---------|--------------------------------------|--------------|--------|
| 1       | Head L Cover :No.1 :Sequin :L90/PL   | 170120062000 |        |
| 2       | Bracket :Front Cover :C              | 0L0430980000 |        |
| 3       | Bracket :Front Cover :A :L/R[S]      | 0L043090@020 |        |
| 4       | Base :Start/Stop/PL                  | 17134@@@2000 |        |
| 5       | Front Cover :No.2 :03-15-Needle/PL   | 17046@@@5010 |        |
| 6       | Bracket :Front Cover :R[S]           | 17111014RS00 |        |
| 7       | Bracket :Front Cover :B :L/R         | 0L043097@000 |        |
| 8       | Truss Head Screw :M4*8               | S130040802SD |        |
| 9       | Hexagon Socket Head Cap Screw :M4*18 | S120041801TN |        |
| 10      | Spring Washer :M4                    | S402040001KC |        |
| 11      | Plain Washer :M4*10*t0.8             | S301041002SC |        |
| 12      | Hexagon Socket Head Cap Screw :M4*6  | S120040601TN |        |
| 13      | Front Cover :No.1 :03-15-Needle/PL   | 17045@@@5010 |        |
| 14      | Plain Washer :M4*9*t0.3              | S301040901EZ |        |
| 15      | Truss Head Screw :M4*6               | S130040602SD |        |
| 16      |                                      |              |        |
| 17      |                                      |              |        |
| 18      |                                      |              |        |
| 19      |                                      |              |        |
| 20      |                                      |              |        |
| 21      |                                      |              |        |
| 22      |                                      |              |        |
| 23      |                                      |              |        |
| 24      |                                      |              |        |
| 25      |                                      |              |        |
| 26      |                                      |              |        |
| 27      |                                      |              |        |
| 28      |                                      |              |        |
| 29      |                                      |              |        |
| 30      |                                      |              |        |
| 31      |                                      |              |        |
| 32      |                                      |              |        |
| 33      |                                      |              |        |
| 34      |                                      |              |        |
| 35      |                                      |              |        |
| 36      |                                      |              |        |
| 37      |                                      |              |        |
| 38      |                                      |              |        |
| 39      |                                      |              |        |
| 40      |                                      |              |        |
| 41      |                                      |              |        |
| 42      |                                      |              |        |
| 43      |                                      |              |        |
| 44      |                                      |              |        |
| 45      |                                      |              |        |
| 46      |                                      |              |        |
| 47      |                                      |              |        |
| 48      |                                      |              |        |
| 49      |                                      |              |        |
| 50      |                                      |              |        |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)



# FRONT COVER (FOR TFGN-C R)

SP-55-3

| Ref.No. | Description                          | Part No.     | Remark |
|---------|--------------------------------------|--------------|--------|
| 1       | Front Cover :No.2 :03-15-Needle/PR   | 17046@@@6010 |        |
| 2       | Bracket :Front Cover :A :L/R[S]      | 0L043090@000 |        |
| 3       | Base :Start/Stop/PR                  | 17134@@@3000 |        |
| 4       | Bracket :Front Cover :B :L/R         | 0L043097@000 |        |
| 5       | Front Cover :No.1 :03-15-Needle/PR   | 17045@@@6010 |        |
| 6       | Tension Base Cord Cover :Sequin :R   | 0L043034@000 |        |
| 7       | Front Cover :No.7 :L90               | 170120010000 |        |
| 8       | Truss Head Screw :M4*8               | S130040802SD |        |
| 9       | Hexagon Socket Head Cap Screw :M4*18 | S120041801TN |        |
| 10      | Spring Washer :M4                    | S402040001KC |        |
| 11      | Plain Washer :M4*10*t0.8             | S301041002SC |        |
| 12      | Hexagon Socket Head Cap Screw :M4*6  | S120040601TN |        |
| 13      | Plain Washer :M4*9*t0.3              | S301040901EZ |        |
| 14      | Truss Head Screw :M4*6               | S130040602SD |        |
| 15      | Hexagon Socket Head Cap Screw :M4*8  | S120040802TN |        |
| 16      | Bracket :Front Cover :A :L[S]        | 17111014LS00 |        |
| 17      | Bracket :Front Cover :L[S]           | 17111015LS00 |        |
| 18      |                                      |              |        |
| 19      |                                      |              |        |
| 20      |                                      |              |        |
| 21      |                                      |              |        |
| 22      |                                      |              |        |
| 23      |                                      |              |        |
| 24      |                                      |              |        |
| 25      |                                      |              |        |
| 26      |                                      |              |        |
| 27      |                                      |              |        |
| 28      |                                      |              |        |
| 29      |                                      |              |        |
| 30      |                                      |              |        |
| 31      |                                      |              |        |
| 32      |                                      |              |        |
| 33      |                                      |              |        |
| 34      |                                      |              |        |
| 35      |                                      |              |        |
| 36      |                                      |              |        |
| 37      |                                      |              |        |
| 38      |                                      |              |        |
| 39      |                                      |              |        |
| 40      |                                      |              |        |
| 41      |                                      |              |        |
| 42      |                                      |              |        |
| 43      |                                      |              |        |
| 44      |                                      |              |        |
| 45      |                                      |              |        |
| 46      |                                      |              |        |
| 47      |                                      |              |        |
| 48      |                                      |              |        |
| 49      |                                      |              |        |
| 50      |                                      |              |        |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)



# FRONT COVER (FOR TFMX)


SP-56

| Ref.No. | Description                              | Part No.     | Remark                         |
|---------|------------------------------------------|--------------|--------------------------------|
| 1       | Head L Cover :No.1 :Sequin :L90/PL       | 170120062000 | For TFMX L/R Spec. and L Spec. |
| 2       | Bracket :Front Cover :C                  | 0L0430980000 | For TFMX L/R Spec. and L Spec. |
| 3       | Bracket :Front Cover :B :L/R             | 0L043097@000 |                                |
| 4       | Front Cover :No.1 :03-15-Needle/PLR      | 17045@@@4010 |                                |
| 5       | Front Cover :No.1 :1st :06-15-Needle/PLR | 17101@@@1010 |                                |
| 6       | Front Cover :No.1 :1st :06-15-Needle/PL  | 17101@@@2010 |                                |
| 7       | Front Cover :No.7 :L90                   | 170120010000 |                                |
| 8       | Bracket :Front Cover :L[S]               | 17111015LS00 |                                |
| 9       | Front Cover :No.1 :03-15-Needle/PR       | 17045@@@6010 |                                |
| 10      | Bracket :Front Cover :R[S]               | 17111014RS00 |                                |
| 11      | Front Cover :No.1 :03-15-Needle/PL       | 17045@@@5010 |                                |
| 12      | Truss Head Screw :M4*8                   | S130040802SD |                                |
| 13      | Hexagon Socket Head Cap Screw :M4*18     | S120041801TN |                                |
| 14      | Spring Washer :M4                        | S402040001KC |                                |
| 15      | Plain Washer :M4*10*t0.8                 | S301041002SC |                                |
| 16      | Plain Washer :M4*9*t0.3                  | S301040901EZ |                                |
| 17      | Bracket :Front Cover :L[S]               | 17111014LS00 |                                |
| 18      | Front Cover :No.1 :1st :06-15-Needle/PR  | 17101@@@3010 |                                |
| 19      |                                          |              |                                |
| 20      |                                          |              |                                |
| 21      |                                          |              |                                |
| 22      |                                          |              |                                |
| 23      |                                          |              |                                |
| 24      |                                          |              |                                |
| 25      |                                          |              |                                |
| 26      |                                          |              |                                |
| 27      |                                          |              |                                |
| 28      |                                          |              |                                |
| 29      |                                          |              |                                |
| 30      |                                          |              |                                |
| 31      |                                          |              |                                |
| 32      |                                          |              |                                |
| 33      |                                          |              |                                |
| 34      |                                          |              |                                |
| 35      |                                          |              |                                |
| 36      |                                          |              |                                |
| 37      |                                          |              |                                |
| 38      |                                          |              |                                |
| 39      |                                          |              |                                |
| 40      |                                          |              |                                |
| 41      |                                          |              |                                |
| 42      |                                          |              |                                |
| 43      |                                          |              |                                |
| 44      |                                          |              |                                |
| 45      |                                          |              |                                |
| 46      |                                          |              |                                |
| 47      |                                          |              |                                |
| 48      |                                          |              |                                |
| 49      |                                          |              |                                |
| 50      |                                          |              |                                |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)

LR Spec.



# FRONT COVER (FOR TFMX-C, TFMX-II, TFMX-IIC L & R) SP-57-1


| Ref.No. | Description                              | Part No.     | Remark               |
|---------|------------------------------------------|--------------|----------------------|
| 1       | Head L Cover :No.1 :Sequin :L90/PL       | 170120062000 |                      |
| 2       | Bracket :Front Cover :C                  | 0L0430980000 |                      |
| 3       | Bracket :Front Cover :A :L/R             | 0L0430900000 |                      |
| 4       | Base :Start/Stop/PLR                     | 171340001000 |                      |
| 5       | Front Cover :No.2 :03-15-Needle/PLR      | 170460004010 | For TFMX-C, TFMX-IIC |
| 6       | Bracket :Front Cover :B :L/R             | 0L0430970000 |                      |
| 7       | Front Cover :No.1 :03-15-Needle/PLR      | 170450004010 |                      |
| 8       | Front Cover :No.1 :1st :06-15-Needle/PLR | 171010001010 |                      |
| 9       | Truss Head Screw :M4*8                   | S130040802SD |                      |
| 10      | Hexagon Socket Head Cap Screw :M4*18     | S120041801TN |                      |
| 11      | Spring Washer :M4                        | S402040001KC |                      |
| 12      | Plain Washer :M4*10*t0.8                 | S301041002SC |                      |
| 13      | Hexagon Socket Head Cap Screw :M4*6      | S120040601TN |                      |
| 14      | Plain Washer :M4*9*t0.3                  | S301040901EZ |                      |
| 15      | Truss Head Screw :M4*6                   | S130040602SD |                      |
| 16      | Front Cover :No.2 :1st :06-15-Needle/PLR | 171020001010 | For TFMX-C, TFMX-IIC |
| 17      |                                          |              |                      |
| 18      |                                          |              |                      |
| 19      |                                          |              |                      |
| 20      |                                          |              |                      |
| 21      |                                          |              |                      |
| 22      |                                          |              |                      |
| 23      |                                          |              |                      |
| 24      |                                          |              |                      |
| 25      |                                          |              |                      |
| 26      |                                          |              |                      |
| 27      |                                          |              |                      |
| 28      |                                          |              |                      |
| 29      |                                          |              |                      |
| 30      |                                          |              |                      |
| 31      |                                          |              |                      |
| 32      |                                          |              |                      |
| 33      |                                          |              |                      |
| 34      |                                          |              |                      |
| 35      |                                          |              |                      |
| 36      |                                          |              |                      |
| 37      |                                          |              |                      |
| 38      |                                          |              |                      |
| 39      |                                          |              |                      |
| 40      |                                          |              |                      |
| 41      |                                          |              |                      |
| 42      |                                          |              |                      |
| 43      |                                          |              |                      |
| 44      |                                          |              |                      |
| 45      |                                          |              |                      |
| 46      |                                          |              |                      |
| 47      |                                          |              |                      |
| 48      |                                          |              |                      |
| 49      |                                          |              |                      |
| 50      |                                          |              |                      |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)



L Spec.



# FRONT COVER (FOR TFMX-C, TFMX-II, TFMX-IIC L)

SP-57-2

| Ref.No. | Description                             | Part No.     | Remark               |
|---------|-----------------------------------------|--------------|----------------------|
| 1       | Head L Cover :No.1 :Sequin :L90/PL      | 170120062000 |                      |
| 2       | Bracket :Front Cover :C                 | 0L0430980000 |                      |
| 3       | Bracket :Front Cover :A :L/R            | 0L043090@000 |                      |
| 4       | Base :Start/Stop/PLR                    | 17134@@@2000 |                      |
| 5       | Front Cover :No.2 :03-15-Needle/PL      | 17046@@@5010 | For TFMX-C, TFMX-IIC |
| 6       | Bracket :Front Cover :R[S]              | 17111014RS00 |                      |
| 7       | Front Cover :No.1 :03-15-Needle/PL      | 17045@@@5010 |                      |
| 8       | Front Cover :No.1 :1st :06-15-Needle/PL | 17101@@@2010 |                      |
| 9       | Truss Head Screw :M4*8                  | S130040802SD |                      |
| 10      | Hexagon Socket Head Cap Screw :M4*18    | S120041801TN |                      |
| 11      | Spring Washer :M4                       | S402040001KC |                      |
| 12      | Plain Washer :M4*10*t0.8                | S301041002SC |                      |
| 13      | Hexagon Socket Head Cap Screw :M4*6     | S120040601TN |                      |
| 14      | Plain Washer :M4*9*t0.3                 | S301040901EZ |                      |
| 15      | Truss Head Screw :M4*6                  | S130040602SD |                      |
| 16      | Front Cover :No.2 :1st :06-15-Needle/PL | 17102@@@2010 | For TFMX-C, TFMX-IIC |
| 17      | Bracket :Front Cover :B :L/R            | 0L043097@000 |                      |
| 18      |                                         |              |                      |
| 19      |                                         |              |                      |
| 20      |                                         |              |                      |
| 21      |                                         |              |                      |
| 22      |                                         |              |                      |
| 23      |                                         |              |                      |
| 24      |                                         |              |                      |
| 25      |                                         |              |                      |
| 26      |                                         |              |                      |
| 27      |                                         |              |                      |
| 28      |                                         |              |                      |
| 29      |                                         |              |                      |
| 30      |                                         |              |                      |
| 31      |                                         |              |                      |
| 32      |                                         |              |                      |
| 33      |                                         |              |                      |
| 34      |                                         |              |                      |
| 35      |                                         |              |                      |
| 36      |                                         |              |                      |
| 37      |                                         |              |                      |
| 38      |                                         |              |                      |
| 39      |                                         |              |                      |
| 40      |                                         |              |                      |
| 41      |                                         |              |                      |
| 42      |                                         |              |                      |
| 43      |                                         |              |                      |
| 44      |                                         |              |                      |
| 45      |                                         |              |                      |
| 46      |                                         |              |                      |
| 47      |                                         |              |                      |
| 48      |                                         |              |                      |
| 49      |                                         |              |                      |
| 50      |                                         |              |                      |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)

R Spec.

For the model that has start/stop switch between the 1st and 2nd heads

# FRONT COVER (FOR TFMX-C, TFMX-II, TFMX-IIC R)

SP-57-3


| Ref.No. | Description                             | Part No.     | Remark               |
|---------|-----------------------------------------|--------------|----------------------|
| 1       | Front Cover :No.7 :L90                  | 170120010000 |                      |
| 2       | Bracket :Front Cover :L[S]              | 17111015LS00 |                      |
| 3       | Bracket :Front Cover :A :L/R            | 0L043090@000 |                      |
| 4       | Base :Start/Stop/PR                     | 17134@@@3000 |                      |
| 5       | Front Cover :No.2 :03-15-Needle/PR      | 17046@@@6010 | For TFMX-C, TFMX-IIC |
| 6       | Bracket :Front Cover :L[S]              | 17111014LS00 |                      |
| 7       | Front Cover :No.1 :03-15-Needle/PR      | 17045@@@6010 |                      |
| 8       | Front Cover :No.1 :1st :06-15-Needle/PR | 17101@@@3010 |                      |
| 9       | Truss Head Screw :M4*8                  | S130040802SD |                      |
| 10      | Hexagon Socket Head Cap Screw :M4*18    | S120041801TN |                      |
| 11      | Spring Washer :M4                       | S402040001KC |                      |
| 12      | Plain Washer :M4*10*t0.8                | S301041002SC |                      |
| 13      | Hexagon Socket Head Cap Screw :M4*6     | S120040601TN |                      |
| 14      | Plain Washer :M4*9*t0.3                 | S301040901EZ |                      |
| 15      | Truss Head Screw :M4*6                  | S130040602SD |                      |
| 16      | Front Cover :No.2 :1st :06-15-Needle/PR | 17102@@@3010 | For TFMX-C, TFMX-IIC |
| 17      | Bracket :Front Cover :B :L/R            | 0L043097@000 |                      |
| 18      |                                         |              |                      |
| 19      |                                         |              |                      |
| 20      |                                         |              |                      |
| 21      |                                         |              |                      |
| 22      |                                         |              |                      |
| 23      |                                         |              |                      |
| 24      |                                         |              |                      |
| 25      |                                         |              |                      |
| 26      |                                         |              |                      |
| 27      |                                         |              |                      |
| 28      |                                         |              |                      |
| 29      |                                         |              |                      |
| 30      |                                         |              |                      |
| 31      |                                         |              |                      |
| 32      |                                         |              |                      |
| 33      |                                         |              |                      |
| 34      |                                         |              |                      |
| 35      |                                         |              |                      |
| 36      |                                         |              |                      |
| 37      |                                         |              |                      |
| 38      |                                         |              |                      |
| 39      |                                         |              |                      |
| 40      |                                         |              |                      |
| 41      |                                         |              |                      |
| 42      |                                         |              |                      |
| 43      |                                         |              |                      |
| 44      |                                         |              |                      |
| 45      |                                         |              |                      |
| 46      |                                         |              |                      |
| 47      |                                         |              |                      |
| 48      |                                         |              |                      |
| 49      |                                         |              |                      |
| 50      |                                         |              |                      |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(JZ06)

FRONT COVER (FOR TFKN)


LR Spec.



R Spec.



L Spec.




# FRONT COVER (FOR TFKN)

SP-58

| Ref.No. | Description                                      | Part No.     | Remark                         |
|---------|--------------------------------------------------|--------------|--------------------------------|
| 1       | Head L Cover :No.1 :Sequin :L90/PL               | 170120072010 | For TFKN L/R Spec. and L Spec. |
| 2       | Bracket :Front Cover :C                          | 0L0430980000 | For TFKN L/R Spec. and L Spec. |
| 3       | Bracket :Front Cover :B :L/R                     | 0L043097@000 |                                |
| 4       | Front Cover :No.1 :03-15-Needle/PLR              | 17042@@@1010 |                                |
| 5       | Tension Base Cord Cover :Sequin :R :06-15-Needle | 0L043149@000 |                                |
| 6       | Hexagon Socket Head Cap Screw                    | SS6204080TN0 | M4*8                           |
| 7       | Front Cover :No.7 :L90                           | 170120010000 |                                |
| 8       | Bracket :Front Cover :L[S]                       | 17111015LS00 |                                |
| 9       | Front Cover :No.1 :03-15-Needle/PR               | 17042@@@3010 |                                |
| 10      | Bracket :Front Cover :R[S]                       | 17111014RS00 |                                |
| 11      | Front Cover :No.1 :03-15-Needle/PL               | 17042@@@2010 |                                |
| 12      | Truss Head Screw                                 | SS0104080SD0 | M4*8                           |
| 13      | Hexagon Socket Head Cap Screw                    | SS6204180TN0 | M4*18                          |
| 14      | Spring Washer                                    | WSS040000KC0 | M4                             |
| 15      | Plain Washer                                     | WSP04A008SC0 | M4                             |
| 16      | Nylon Washer                                     | BPNN04090300 |                                |
| 17      |                                                  |              |                                |
| 18      |                                                  |              |                                |
| 19      |                                                  |              |                                |
| 20      |                                                  |              |                                |
| 21      |                                                  |              |                                |
| 22      |                                                  |              |                                |
| 23      |                                                  |              |                                |
| 24      |                                                  |              |                                |
| 25      |                                                  |              |                                |
| 26      |                                                  |              |                                |
| 27      |                                                  |              |                                |
| 28      |                                                  |              |                                |
| 29      |                                                  |              |                                |
| 30      |                                                  |              |                                |
| 31      |                                                  |              |                                |
| 32      |                                                  |              |                                |
| 33      |                                                  |              |                                |
| 34      |                                                  |              |                                |
| 35      |                                                  |              |                                |
| 36      |                                                  |              |                                |
| 37      |                                                  |              |                                |
| 38      |                                                  |              |                                |
| 39      |                                                  |              |                                |
| 40      |                                                  |              |                                |
| 41      |                                                  |              |                                |
| 42      |                                                  |              |                                |
| 43      |                                                  |              |                                |
| 44      |                                                  |              |                                |
| 45      |                                                  |              |                                |
| 46      |                                                  |              |                                |
| 47      |                                                  |              |                                |
| 48      |                                                  |              |                                |
| 49      |                                                  |              |                                |
| 50      |                                                  |              |                                |


Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)



In case of sequin device L & R-spec.  
(the number of pieces to be used: 2)

In case of sequin device L & R-spec.  
and embroidery space W-spec.  
(the number of pieces to be used: 4)



\* To be attached to the exhaust side

# PNEUMATIC PARTS

SP-59-1

| Ref.No. | Description                                  | Part No.     | Remark                                                                                          |
|---------|----------------------------------------------|--------------|-------------------------------------------------------------------------------------------------|
| 1       | Electro-magnetic Valve :SY5140-5M0           | 672100240000 | For Single Embroidery Space and Single-side Use                                                 |
| 1       | Electro-magnetic Valve :SS5Y5-42-02-C6       | 672100250000 | For Single Embroidery Space and Double-side Use,<br>Double Embroidery Space and Single-side Use |
| 1       | Electro-magnetic Valve :SS5Y5-42-04-C6       | 672100230000 | For Double Embroidery Space and Double-side Use                                                 |
| 2       | Bracket :Valve                               | 0L0430660010 |                                                                                                 |
| 2       | Bracket :Valve                               | 0L0430670030 | For M/C equipped with AFC                                                                       |
| 3       | Straight Union                               | 670100640000 |                                                                                                 |
| 4       | Speed Controller :ASN202                     | 671200150000 |                                                                                                 |
| 5       | Lucky Hose                                   | 674100030000 |                                                                                                 |
| 6       | Regulator :AW2002-BG[A]                      | 671100080A00 | For TMLHII Mixed Type                                                                           |
| 6       | Regulator :AW2002-B[A]                       | 671100100A00 | Excluding TMLHII Mixed Type                                                                     |
| 7       | Polyurethane Tube :TU0805B-20                | 674100470000 | 8mm Dia. 20m                                                                                    |
| 8       | Polyurethane Tube :TU0604B-20                | 674100370000 | 6mm Dia. 20m                                                                                    |
| 9       | Different Diameter Tees :KQ2T06-04           | 670100730000 |                                                                                                 |
| 10      | Polyurethane Tube :TFU0425B-20               | 674100460000 | 4mm Dia. 20m                                                                                    |
| 11      | Swing Elbow :KJL04-M5                        | 670100840000 |                                                                                                 |
| 12      | Truss Head Screw :M4*10                      | S130041001SD |                                                                                                 |
| 13      | Pan Head Screw :M4*45                        | S160044501SD |                                                                                                 |
| 14      | Spring Washer :M4                            | S402040002KD |                                                                                                 |
| 15      | Plain Washer :M4*8*t0.8                      | S301040803SD |                                                                                                 |
| 16      | Hexagon Socket Head Cap Screw :M5*10         | S120051002TN |                                                                                                 |
| 17      | Spring Washer :M5                            | S402050001KC |                                                                                                 |
| 18      | Plain Washer :M5*12*t0.8                     | S301051202SC |                                                                                                 |
| 19      | Tee Connector :KQ2T06                        | 670100670000 |                                                                                                 |
| 20      | Straight Union :Different Diameter :KQ2H0406 | 670100710000 |                                                                                                 |
| 21      | Pan Head Screw :M4*50                        | S160045001SD |                                                                                                 |
| 22      | Speed Controller :AS2001F-06                 | 671200130000 |                                                                                                 |
| 23      |                                              |              |                                                                                                 |
| 24      |                                              |              |                                                                                                 |
| 25      |                                              |              |                                                                                                 |
| 26      |                                              |              |                                                                                                 |
| 27      |                                              |              |                                                                                                 |
| 28      |                                              |              |                                                                                                 |
| 29      |                                              |              |                                                                                                 |
| 30      |                                              |              |                                                                                                 |
| 31      |                                              |              |                                                                                                 |
| 32      |                                              |              |                                                                                                 |
| 33      |                                              |              |                                                                                                 |
| 34      |                                              |              |                                                                                                 |
| 35      |                                              |              |                                                                                                 |
| 36      |                                              |              |                                                                                                 |
| 37      |                                              |              |                                                                                                 |
| 38      |                                              |              |                                                                                                 |
| 39      |                                              |              |                                                                                                 |
| 40      |                                              |              |                                                                                                 |
| 41      |                                              |              |                                                                                                 |
| 42      |                                              |              |                                                                                                 |
| 43      |                                              |              |                                                                                                 |
| 44      |                                              |              |                                                                                                 |
| 45      |                                              |              |                                                                                                 |
| 46      |                                              |              |                                                                                                 |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)






# PNEUMATIC PARTS (FOR TFMX-C SINGLE HEAD) SP-59-2

| Ref.No. | Description                                  | Part No.     | Remark                            |
|---------|----------------------------------------------|--------------|-----------------------------------|
| 1       | Electro-magnetic Valve :SY5140-5M0           | 672100240000 | For Sequin Device Single-side Use |
| 1       | Electro-magnetic Valve :SS5Y5-42-02-C6       | 672100250000 | For Sequin Device Double-side Use |
| 2       | Base :Electro-magnetic Valve                 | 0L3190010000 |                                   |
| 3       | Straight Union                               | 670100640000 |                                   |
| 4       | Speed Controller :ASN202                     | 671200150000 |                                   |
| 5       | Lucky Hose                                   | 674100030000 |                                   |
| 6       | Regulator :AW2002-BG[A]                      | 671100080A00 |                                   |
| 7       | Polyurethane Tube :TU0805B-20                | 674100470000 | 8mm Dia. 20m                      |
| 8       | Polyurethane Tube :TU0604B-20                | 674100370000 | 6mm Dia. 20m                      |
| 9       | Straight Union :Different Diameter :KQ2H0406 | 670100710000 |                                   |
| 10      | Polyurethane Tube :TFU0425B-20               | 674100460000 | 4mm Dia. 20m                      |
| 11      | Swing Elbow :KJL04-M5                        | 670100840000 |                                   |
| 12      | Truss Head Screw :M4*6                       | S130040602SD |                                   |
| 13      | Pan Head Screw :M4*18                        | S160041801SD |                                   |
| 14      | Hexagon Socket Head Cap Screw :M5*10         | S120051002TN |                                   |
| 15      | Spring Washer :M5                            | S402050001KC |                                   |
| 16      | Plain Washer :M5*12*t0.8                     | S301051202SC |                                   |
| 17      | Pan Head Screw :M4*45                        | S160044501SD |                                   |
| 18      | Spring Washer :M4                            | S402040002KD |                                   |
| 19      | Plain Washer :M4*8*t0.8                      | S301040803SD |                                   |
| 20      | Half Union :KQ2H06-02S                       | 670100630000 |                                   |
| 21      |                                              |              |                                   |
| 22      |                                              |              |                                   |
| 23      |                                              |              |                                   |
| 24      |                                              |              |                                   |
| 25      |                                              |              |                                   |
| 26      |                                              |              |                                   |
| 27      |                                              |              |                                   |
| 28      |                                              |              |                                   |
| 29      |                                              |              |                                   |
| 30      |                                              |              |                                   |
| 31      |                                              |              |                                   |
| 32      |                                              |              |                                   |
| 33      |                                              |              |                                   |
| 34      |                                              |              |                                   |
| 35      |                                              |              |                                   |
| 36      |                                              |              |                                   |
| 37      |                                              |              |                                   |
| 38      |                                              |              |                                   |
| 39      |                                              |              |                                   |
| 40      |                                              |              |                                   |
| 41      |                                              |              |                                   |
| 42      |                                              |              |                                   |
| 43      |                                              |              |                                   |
| 44      |                                              |              |                                   |
| 45      |                                              |              |                                   |
| 46      |                                              |              |                                   |
| 47      |                                              |              |                                   |
| 48      |                                              |              |                                   |
| 49      |                                              |              |                                   |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)




# PNEUMATIC PARTS (FOR TEJTII-C)

SP-59-3


| Ref.No. | Description                                       | Part No.     | Remark                            |
|---------|---------------------------------------------------|--------------|-----------------------------------|
| 1       | Electro-magnetic Valve :SY5140-5M0                | 672100240000 | For Sequin Device Single-side Use |
| 1       | Electro-magnetic Valve :SS5Y5-42-02-C6            | 672100250000 | For Sequin Device Both-side Use   |
| 2       | Bracket :Valve                                    | 0L0431440000 |                                   |
| 3       | Half Union :KQ2H08-02S                            | 670100560000 |                                   |
| 4       | Speed Controller :ASN202                          | 671200150000 |                                   |
| 5       | Male Screw Type Plug :KK3P-02MS                   | 670100930000 |                                   |
| 6       | One-touch :Elbow Type with Tube Coupler :KK3S-06L | 670100920000 |                                   |
| 7       | Polyurethane Tube :TU0604B-20                     | 674100370000 | 6mm Dia.                          |
| 8       | Female Union :KQ2F06-02                           | 670100910000 |                                   |
| 9       | Regulator :AW2002-BGR[A]                          | 671100070A00 |                                   |
| 10      | Polyurethane Tube :TU0805B-20                     | 674100470000 | 8mm Dia.                          |
| 11      | Straight Union :Different Dia. :KQ2H0406          | 670100710000 |                                   |
| 12      | Polyurethane Tube :TFU0425B-20                    | 674100460000 | 4mm Dia.                          |
| 13      | Swing Elbow :KJL04-M5                             | 670100840000 |                                   |
| 14      | Hexagon Socket Head Cap Screw :M5*12              | S120051202TN |                                   |
| 15      | Spring Washer :M5                                 | S402050001KC |                                   |
| 16      | Plain Washer :M5*12*t0.8                          | S301051202SC |                                   |
| 17      | Hexagon Socket Head Cap Screw :M5*6               | S120050601TN |                                   |
| 18      | Pan Head Screw :M4*45                             | S160044501SD |                                   |
| 19      | Spring Washer :M4                                 | S402040002KD |                                   |
| 20      | Plain Washer :M4*8*t0.8                           | S301040803SD |                                   |
| 21      | 1/4 Hexagon Socket Head Plug                      | BP1400000000 |                                   |
| 22      | Spacer :Valve                                     | 0L0431450010 |                                   |
| 23      | Half Union :KQ2H06-02S                            | 670100630000 |                                   |
| 24      | Pan Head Screw :M4*20                             | S160042001SD |                                   |
| 25      | Harness :Air Valve :Sequin L                      | H0SA01700000 | Sequin L-spec.                    |
| 25      | Harness :Air Valve :Sequin R                      | H0SA01701000 | Sequin R-spec.                    |
| 26      |                                                   |              |                                   |
| 27      |                                                   |              |                                   |
| 28      |                                                   |              |                                   |
| 29      |                                                   |              |                                   |
| 30      |                                                   |              |                                   |
| 31      |                                                   |              |                                   |
| 32      |                                                   |              |                                   |
| 33      |                                                   |              |                                   |
| 34      |                                                   |              |                                   |
| 35      |                                                   |              |                                   |
| 36      |                                                   |              |                                   |
| 37      |                                                   |              |                                   |
| 38      |                                                   |              |                                   |
| 39      |                                                   |              |                                   |
| 40      |                                                   |              |                                   |
| 41      |                                                   |              |                                   |
| 42      |                                                   |              |                                   |
| 43      |                                                   |              |                                   |
| 44      |                                                   |              |                                   |
| 45      |                                                   |              |                                   |
| 46      |                                                   |              |                                   |
| 47      |                                                   |              |                                   |
| 48      |                                                   |              |                                   |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY01)



For 3-phase Spec. 17 to 24 Head Machines  
equipped with Sequin Device




# ELECTRICAL PARTS (FOR TFGN, TFGN-C)

SP-60-1

| Ref.No. | Description                          | Part No.     | Remark |
|---------|--------------------------------------|--------------|--------|
| 1       | Screw with Washer :3*6               | S660036001SE |        |
| 2       | Card :Head83-B                       | 0J2701800000 |        |
| 3       | Attaching Bracket :TC Joint 7        | 0J1941301010 |        |
| 4       | Card :TC Joint 82                    | 0J2502100000 |        |
| 5       | Hexagon Socket Head Cap Screw :M5*15 | S120051503TN |        |
| 6       | Plain Washer :M5*12*t0.8             | S301051202SC |        |
| 7       | DC Power Supply :24V                 | 645300150000 |        |
| 8       | Spring Washer :M5                    | S402050001KC |        |
| 9       |                                      |              |        |
| 10      |                                      |              |        |
| 11      |                                      |              |        |
| 12      |                                      |              |        |
| 13      |                                      |              |        |
| 14      |                                      |              |        |
| 15      |                                      |              |        |
| 16      |                                      |              |        |
| 17      |                                      |              |        |
| 18      |                                      |              |        |
| 19      |                                      |              |        |
| 20      |                                      |              |        |
| 21      |                                      |              |        |
| 22      |                                      |              |        |
| 23      |                                      |              |        |
| 24      |                                      |              |        |
| 25      |                                      |              |        |
| 26      |                                      |              |        |
| 27      |                                      |              |        |
| 28      |                                      |              |        |
| 29      |                                      |              |        |
| 30      |                                      |              |        |
| 31      |                                      |              |        |
| 32      |                                      |              |        |
| 33      |                                      |              |        |
| 34      |                                      |              |        |
| 35      |                                      |              |        |
| 36      |                                      |              |        |
| 37      |                                      |              |        |
| 38      |                                      |              |        |
| 39      |                                      |              |        |
| 40      |                                      |              |        |
| 41      |                                      |              |        |
| 42      |                                      |              |        |
| 43      |                                      |              |        |
| 44      |                                      |              |        |
| 45      |                                      |              |        |
| 46      |                                      |              |        |
| 47      |                                      |              |        |
| 48      |                                      |              |        |
| 49      |                                      |              |        |
| 50      |                                      |              |        |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)



# ELECTRICAL PARTS (FOR TFMX, TFMX-C, TFMX-II, TFMX-IIIC)


SP-60-2

| Ref.No. | Description                   | Part No.     | Remark                          |
|---------|-------------------------------|--------------|---------------------------------|
| 1       | Card :Extension Head          | 0J3101000010 | For Sequin Device Both-side Use |
| 2       | Pan Head Tapping Screw :3P*8  | S560030801SD |                                 |
| 3       | Pan Head Tapping Screw :3P*12 | S560031201SD |                                 |
| 4       |                               |              |                                 |
| 5       |                               |              |                                 |
| 6       |                               |              |                                 |
| 7       |                               |              |                                 |
| 8       |                               |              |                                 |
| 9       |                               |              |                                 |
| 10      |                               |              |                                 |
| 11      |                               |              |                                 |
| 12      |                               |              |                                 |
| 13      |                               |              |                                 |
| 14      |                               |              |                                 |
| 15      |                               |              |                                 |
| 16      |                               |              |                                 |
| 17      |                               |              |                                 |
| 18      |                               |              |                                 |
| 19      |                               |              |                                 |
| 20      |                               |              |                                 |
| 21      |                               |              |                                 |
| 22      |                               |              |                                 |
| 23      |                               |              |                                 |
| 24      |                               |              |                                 |
| 25      |                               |              |                                 |
| 26      |                               |              |                                 |
| 27      |                               |              |                                 |
| 28      |                               |              |                                 |
| 29      |                               |              |                                 |
| 30      |                               |              |                                 |
| 31      |                               |              |                                 |
| 32      |                               |              |                                 |
| 33      |                               |              |                                 |
| 34      |                               |              |                                 |
| 35      |                               |              |                                 |
| 36      |                               |              |                                 |
| 37      |                               |              |                                 |
| 38      |                               |              |                                 |
| 39      |                               |              |                                 |
| 40      |                               |              |                                 |
| 41      |                               |              |                                 |
| 42      |                               |              |                                 |
| 43      |                               |              |                                 |
| 44      |                               |              |                                 |
| 45      |                               |              |                                 |
| 46      |                               |              |                                 |
| 47      |                               |              |                                 |
| 48      |                               |              |                                 |
| 49      |                               |              |                                 |
| 50      |                               |              |                                 |


Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY01)





For 13 or more Head Machines equipped with Sequin Device




# ELECTRICAL PARTS (FOR TFKN)

SP-60-3

| Ref.No. | Description                          | Part No.     | Remark |
|---------|--------------------------------------|--------------|--------|
| 1       | Screw with Washer :3*6               | S660036001SE |        |
| 2       | Card :Head83-B                       | 0J2701800000 |        |
| 3       | Attaching Bracket :TC Joint 7        | 0J1941301010 |        |
| 4       | Card :TC Joint 82                    | 0J2502100000 |        |
| 5       | Hexagon Socket Head Cap Screw :M5*15 | S120051503TN |        |
| 6       | Plain Washer :M5*12*t0.8             | S301051202SC |        |
| 7       | DC Power Supply :24V                 | 645300150000 |        |
| 8       | Spring Washer :M5                    | S402050001KC |        |
| 9       | Card :Head83-A                       | 0J2701700000 |        |
| 10      |                                      |              |        |
| 11      |                                      |              |        |
| 12      |                                      |              |        |
| 13      |                                      |              |        |
| 14      |                                      |              |        |
| 15      |                                      |              |        |
| 16      |                                      |              |        |
| 17      |                                      |              |        |
| 18      |                                      |              |        |
| 19      |                                      |              |        |
| 20      |                                      |              |        |
| 21      |                                      |              |        |
| 22      |                                      |              |        |
| 23      |                                      |              |        |
| 24      |                                      |              |        |
| 25      |                                      |              |        |
| 26      |                                      |              |        |
| 27      |                                      |              |        |
| 28      |                                      |              |        |
| 29      |                                      |              |        |
| 30      |                                      |              |        |
| 31      |                                      |              |        |
| 32      |                                      |              |        |
| 33      |                                      |              |        |
| 34      |                                      |              |        |
| 35      |                                      |              |        |
| 36      |                                      |              |        |
| 37      |                                      |              |        |
| 38      |                                      |              |        |
| 39      |                                      |              |        |
| 40      |                                      |              |        |
| 41      |                                      |              |        |
| 42      |                                      |              |        |
| 43      |                                      |              |        |
| 44      |                                      |              |        |
| 45      |                                      |              |        |
| 46      |                                      |              |        |
| 47      |                                      |              |        |
| 48      |                                      |              |        |
| 49      |                                      |              |        |
| 50      |                                      |              |        |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(JZ06)




# ELECTRICAL PARTS (FOR TMLHII MIXED TYPE)<sub>SP-60-4</sub>

| Ref.No. | Description             | Part No.     | Remark         |
|---------|-------------------------|--------------|----------------|
| 1       | Card :Sequin I/F        | 0J2702200000 |                |
| 2       | Card :Extension Head :L | 0J2702401010 | For L-side Use |
| 2       | Card :Extension Head :R | 0J2702400010 | For R-side Use |
| 3       | Screw with Washer :3*6  | S660036001SE |                |
| 4       |                         |              |                |
| 5       |                         |              |                |
| 6       |                         |              |                |
| 7       |                         |              |                |
| 8       |                         |              |                |
| 9       |                         |              |                |
| 10      |                         |              |                |
| 11      |                         |              |                |
| 12      |                         |              |                |
| 13      |                         |              |                |
| 14      |                         |              |                |
| 15      |                         |              |                |
| 16      |                         |              |                |
| 17      |                         |              |                |
| 18      |                         |              |                |
| 19      |                         |              |                |
| 20      |                         |              |                |
| 21      |                         |              |                |
| 22      |                         |              |                |
| 23      |                         |              |                |
| 24      |                         |              |                |
| 25      |                         |              |                |
| 26      |                         |              |                |
| 27      |                         |              |                |
| 28      |                         |              |                |
| 29      |                         |              |                |
| 30      |                         |              |                |
| 31      |                         |              |                |
| 32      |                         |              |                |
| 33      |                         |              |                |
| 34      |                         |              |                |
| 35      |                         |              |                |
| 36      |                         |              |                |
| 37      |                         |              |                |
| 38      |                         |              |                |
| 39      |                         |              |                |
| 40      |                         |              |                |
| 41      |                         |              |                |
| 42      |                         |              |                |
| 43      |                         |              |                |
| 44      |                         |              |                |
| 45      |                         |              |                |
| 46      |                         |              |                |
| 47      |                         |              |                |
| 48      |                         |              |                |
| 49      |                         |              |                |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY01)



# ELECTRICAL PARTS (FOR TCMX MIXED TYPE)<sub>SP-60-5</sub>

| Ref.No. | Description                    | Part No.     | Remark                          |
|---------|--------------------------------|--------------|---------------------------------|
| 1       | Card :Extension Head           | 0J3101000010 | For Sequin Device Both-side Use |
| 2       | Bracket :Head Card             | 0J1941800000 |                                 |
| 3       | Truss Head Tapping Screw :3P*8 | S530030801SD |                                 |
| 4       | Pan Head Tapping Screw :3P*12  | S560031201SD |                                 |
| 5       | Truss Head Screw :M5*8         | S130050802SD |                                 |
| 6       |                                |              |                                 |
| 7       |                                |              |                                 |
| 8       |                                |              |                                 |
| 9       |                                |              |                                 |
| 10      |                                |              |                                 |
| 11      |                                |              |                                 |
| 12      |                                |              |                                 |
| 13      |                                |              |                                 |
| 14      |                                |              |                                 |
| 15      |                                |              |                                 |
| 16      |                                |              |                                 |
| 17      |                                |              |                                 |
| 18      |                                |              |                                 |
| 19      |                                |              |                                 |
| 20      |                                |              |                                 |
| 21      |                                |              |                                 |
| 22      |                                |              |                                 |
| 23      |                                |              |                                 |
| 24      |                                |              |                                 |
| 25      |                                |              |                                 |
| 26      |                                |              |                                 |
| 27      |                                |              |                                 |
| 28      |                                |              |                                 |
| 29      |                                |              |                                 |
| 30      |                                |              |                                 |
| 31      |                                |              |                                 |
| 32      |                                |              |                                 |
| 33      |                                |              |                                 |
| 34      |                                |              |                                 |
| 35      |                                |              |                                 |
| 36      |                                |              |                                 |
| 37      |                                |              |                                 |
| 38      |                                |              |                                 |
| 39      |                                |              |                                 |
| 40      |                                |              |                                 |
| 41      |                                |              |                                 |
| 42      |                                |              |                                 |
| 43      |                                |              |                                 |
| 44      |                                |              |                                 |
| 45      |                                |              |                                 |
| 46      |                                |              |                                 |
| 47      |                                |              |                                 |
| 48      |                                |              |                                 |
| 49      |                                |              |                                 |
| 50      |                                |              |                                 |

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY01)

|             |               |
|-------------|---------------|
| 1st Edition | June, 2004    |
| 2nd Edition | August, 2004  |
| 3rd Edition | July, 2005    |
| 4th Edition | June, 2006    |
| 5th Edition | January, 2007 |

■ **Manufactured by:**  
**Tokai Industrial Sewing Machine Co., Ltd.**

NO.1800, Ushiyama-cho, Kasugai, Aichi-pre., 486-0901, Japan  
Telephone:568-33-1161      Fax:568-33-1191

■ **Distributed by:**  
**Tajima Industries Ltd.**

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan  
Telephone:52-932-3444      Fax:52-932-2457

■ **Authorized Distributor:**

|  |
|--|
|  |
|--|