

PARTS LIST

SEQUIN DEVICE II ***TWIN TYPE***

Table of Contents

● SEQUIN FEEDING SECTION 1 L-L-SIDE.....	P2-1L-L
● SEQUIN FEEDING SECTION 1 L-R-SIDE.....	P2-1L-R
● SEQUIN FEEDING SECTION 1 R-L-SIDE.....	P2-1R-L
● SEQUIN FEEDING SECTION 1 R-R-SIDE.....	P2-1R-R
● SEQUIN FEEDING SECTION 2 L-SIDE.....	P2-2L
● SEQUIN FEEDING SECTION 2 R-SIDE.....	P2-2R
● SEQUIN SWITCHING SECTION L-SIDE.....	P2-3L
● SEQUIN SWITCHING SECTION R-SIDE.....	P2-3R
● BASE CENTER SECTION L-SIDE.....	P2-4L
● BASE CENTER SECTION R-SIDE.....	P2-4R
● BASE UPPER SECTION L-SIDE.....	P2-5L
● BASE UPPER SECTION R-SIDE.....	P2-5R
● SEQUIN UP/DOWN UNIT L-SIDE.....	P2-6L
● SEQUIN UP/DOWN UNIT R-SIDE.....	P2-6R
● REEL L-SIDE.....	P2-7L
● REEL R-SIDE.....	P2-7R
● FRONT COVER.....	P2-8
● NEEDLE BAR CASE.....	P2-9
● ELECTRICAL PARTS.....	P2-10


Part Nos. of screws, nuts, washers etc. are listed at the end of volume.

*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.

*When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.

Ex.	TFGN-912	(550X400)S	No.01234
	[Model]	[Emb. Space]	[Mfg. No.]

SEQUIN FEEDING SECTION 1 L-L-SIDE




SEQUIN FEEDING SECTION 1 L-L-SIDE

P2-1L-L

No.	Description	Part.No.	Remark
1	BASE :SEQUIN :LOWER L[S]	0L045064LS00	
2	BEARING :SSLF1280ZZ	631600070000	
3	FLANGE PIN :NO.5	503505040000	
4	COLLAR :NO.1 :6MM DIA.	502506110000	
5	ARM :SEQUIN FEED LEVER	0L0450420000	
6	STRAIGHT PIN :NO.1 :6MM DIA.	503101410000	
7	LEVER :SEQUIN	0L0430160010	
8	SEQUIN FEED	0L0430500070	
9	TORSION SPRING :L :0.5MM DIA.	0L043024L030	
10	STRAIGHT PIN :NO.2 :5MM DIA.	503102170000	
11	PLATE :POSITIONING	0L0450500000	
12	ELLIPSE WASHER :3.2*2.8*T1.2	519704010000	
13	PLAIN WASHER :SEQUIN BASE	0L0430530000	
14	MOVABLE KNIFE :SEQUIN :L[S]	0L045049LS00	
15	FIXED KNIFE :SEQUIN :L	0L045036L010	
16	GUIDE :SEQUIN :L :3MM	0L045056L000	
17	PLATE SPRING :SEQUIN :W3	0L0431540010	
18	STOPPER :SEQUIN	0L0431190010	
19	WASHER :SEQUIN :T0.5	0L0431000000	
20	HOLDER :SEQUIN PRESSER :L	0L043026L020	
21	TORSION SPRING :L :0.35MM DIA.	0L043156L000	
22	PRESSER :SEQUIN :L	0L043136L000	
23	STOPPER :MOVABLE KNIFE	0L0450450000	
24	TORSION SPRING :L :0.8MM DIA.	50730822L000	
25	CLIP STOPPER RING :3	615200040000	
26	PLAIN WASHER :6*9.5*T0.2-0.5	51910604@010	
27	GUARD :MOVABLE KNIFE :L	0L045021L000	
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(KY07)



SEQUIN FEEDING SECTION 1 L-R-SIDE

P2-1L-R


No.	Description	Part.No.	Remark
1	BASE :SEQUIN :LOWER R[S]	0L045064RS00	
2	BEARING :SSLF1280ZZ	631600070000	
3	FLANGE PIN :NO.5	503505040000	
4	COLLAR :NO.1 :6MM DIA.	502506110000	
5	ARM :SEQUIN FEED LEVER	0L0450420000	
6	STRAIGHT PIN :NO.1 :6MM DIA.	503101410000	
7	LEVER :SEQUIN	0L0430160010	
8	SEQUIN FEED	0L0430500070	
9	TORSION SPRING :R :0.5MM DIA.	0L043024R030	
10	STRAIGHT PIN :NO.2 :5MM DIA.	503102170000	
11	PLATE :POSITIONING	0L0450500000	
12	ELLIPSE WASHER :3.2*2.8*T1.2	519704010000	
13	PLAIN WASHER :SEQUIN BASE	0L0430530000	
14	MOVABLE KNIFE :SEQUIN :R[S]	0L045049RS00	
15	FIXED KNIFE :SEQUIN :R	0L045036R010	
16	GUIDE :SEQUIN :R	0L045054R000	
17	PLATE SPRING :SEQUIN :T0.4	0L0450550010	
18	STOPPER :SEQUIN	0L0431190010	
19	WASHER :SEQUIN :T0.5	0L0431000000	
20	HOLDER :SEQUIN PRESSER :R	0L043026R020	
21	TORSION SPRING :R :0.35MM DIA.	0L043156R000	
22	PRESSER :SEQUIN :R	0L043136R000	
23	STOPPER :MOVABLE KNIFE	0L0450450000	
24	TORSION SPRING :R :0.8MM DIA.	50730822R000	
25	CLIP STOPPER RING :3	615200040000	
26	PLAIN WASHER :6*9.5*T0.2-0.5	51910604@010	
27	GUARD :MOVABLE KNIFE :R	0L045021R000	
28	GUIDE :SEQUIN :A :R :5MM	0L043045R020	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



SEQUIN FEEDING SECTION 1 R-L-SIDE

P2-1R-L


No.	Description	Part.No.	Remark
1	BASE :SEQUIN :LOWER L[S]	0L045064LS00	
2	BEARING :SSLF1280ZZ	631600070000	
3	FLANGE PIN :NO.5	503505040000	
4	COLLAR :NO.1 :6MM DIA.	502506110000	
5	ARM :SEQUIN FEED LEVER	0L0450420000	
6	STRAIGHT PIN :NO.1 :6MM DIA.	503101410000	
7	LEVER :SEQUIN	0L0430160010	
8	SEQUIN FEED	0L0430500070	
9	TORSION SPRING :L :0.5MM DIA.	0L043024L030	
10	STRAIGHT PIN :NO.2 :5MM DIA.	503102170000	
11	PLATE :POSITIONING	0L0450500000	
12	ELLIPSE WASHER :3.2*2.8*T1.2	519704010000	
13	PLAIN WASHER :SEQUIN BASE	0L0430530000	
14	MOVABLE KNIFE :SEQUIN :L[S]	0L045049LS00	
15	FIXED KNIFE :SEQUIN :L	0L045036L010	
16	GUIDE :SEQUIN :L	0L045054L000	
17	PLATE SPRING :SEQUIN :T0.4	0L0450550010	
18	STOPPER :SEQUIN	0L0431190010	
19	WASHER :SEQUIN :T0.5	0L0431000000	
20	HOLDER :SEQUIN PRESSER :L	0L043026L020	
21	TORSION SPRING :L :0.35MM DIA.	0L043156L000	
22	PRESSER :SEQUIN :L	0L043136L000	
23	STOPPER :MOVABLE KNIFE	0L0450450000	
24	TORSION SPRING :L :0.8MM DIA.	50730822L000	
25	CLIP STOPPER RING :3	615200040000	
26	PLAIN WASHER :6*9.5*T0.2-0.5	51910604@010	
27	GUARD :MOVABLE KNIFE :L	0L045021L000	
28	GUIDE :SEQUIN :A :L :5MM	0L043045L020	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



SEQUIN FEEDING SECTION 1 R-R-SIDE

P2-1R-R

No.	Description	Part.No.	Remark
1	BASE :SEQUIN :LOWER R[S]	0L045064RS00	
2	BEARING :SSLF1280ZZ	631600070000	
3	FLANGE PIN :NO.5	503505040000	
4	COLLAR :NO.1 :6MM DIA.	502506110000	
5	ARM :SEQUIN FEED LEVER	0L0450420000	
6	STRAIGHT PIN :NO.1 :6MM DIA.	503101410000	
7	LEVER :SEQUIN	0L0430160010	
8	SEQUIN FEED	0L0430500070	
9	TORSION SPRING :R :0.5MM DIA.	0L043024R030	
10	STRAIGHT PIN :NO.2 :5MM DIA.	503102170000	
11	PLATE :POSITIONING	0L0450500000	
12	ELLIPSE WASHER :3.2*2.8*T1.2	519704010000	
13	PLAIN WASHER :SEQUIN BASE	0L0430530000	
14	MOVABLE KNIFE :SEQUIN :R[S]	0L045049RS00	
15	FIXED KNIFE :SEQUIN :R	0L045036R010	
16	GUIDE :SEQUIN :R :3MM	0L045056R000	
17	PLATE SPRING :SEQUIN :W3	0L0431540010	
18	STOPPER :SEQUIN	0L0431190010	
19	WASHER :SEQUIN :T0.5	0L0431000000	
20	HOLDER :SEQUIN PRESSER :R	0L043026R020	
21	TORSION SPRING :R :0.35MM DIA.	0L043156R000	
22	PRESSER :SEQUIN :R	0L043136R000	
23	STOPPER :MOVABLE KNIFE	0L0450450000	
24	TORSION SPRING :R :0.8MM DIA.	50730822R000	
25	CLIP STOPPER RING :3	615200040000	
26	PLAIN WASHER :6*9.5*T0.2-0.5	51910604@010	
27	GUARD :MOVABLE KNIFE :R	0L045021R000	
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



SEQUIN FEEDING SECTION 2 L-SIDE

P2-2L


No.	Description	Part.No.	Remark
1	BASE :SEQUIN FEED :L	0L045028L000	
2	BRACKET :SEQUIN SLIDE BASE	0L0450600000	
3	BRACKET :STRAIGHT PIN HOLDER :L	0L045022L000	
3	BRACKET :STRAIGHT PIN HOLDER :L :15-NEEDLE	0L045023L000	
4	HOLDER :STRAIGHT PIN	0L0450440000	
5	CONNECTING PLATE	0L0450130000	
6	FLANGE PIN :NO.5	503505030000	
6	FLANGE PIN :NO.5	503505020000	For 15-Needle M/C
7	BRACKET :SEQUIN SLIDE LEVER	0L0450470000	
8	BEARING :SSLF1280ZZ	631600070000	
9	TORSION SPRING :R :0.9MM DIA.	50730905R010	
10	ARM :SEQUIN FEED LEVER	0L0430270020	
11	LEVER :SEQUIN LEVER	0L0450410000	
12	STUD :NO.2 :SM11/64-6	505271030010	
13	PLASTIC BUSHING :NO.1 :5MM DIA.	509304010000	
14	STEPPED SCREW :NO.1 :9/64*5	512153090010	
15	STEPPED SCREW :NO.1 :9/64*7	512153010010	
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			



SEQUIN FEEDING SECTION 2 R-SIDE

P2-2R


No.	Description	Part.No.	Remark
1	BASE :SEQUIN FEED :R	0L045028R000	
2	BRACKET :SEQUIN SLIDE BASE	0L0450600000	
3	BRACKET :STRAIGHT PIN HOLDER :R	0L045022R000	
3	BRACKET :STRAIGHT PIN HOLDER :R :15-NEEDLE	0L045023R000	
4	HOLDER :STRAIGHT PIN	0L0450440000	
5	CONNECTING PLATE	0L0450130000	
6	FLANGE PIN :NO.5	503505030000	
6	FLANGE PIN :NO.5	503505020000	For 15-Needle M/C
7	BRACKET :SEQUIN SLIDE LEVER	0L0450470000	
8	BEARING :SSLF1280ZZ	631600070000	
9	TORSION SPRING :L :0.9MM DIA.	50730905L010	
10	ARM :SEQUIN FEED LEVER	0L0430270020	
11	LEVER :SEQUIN LEVER	0L0450410000	
12	STUD :NO.2 :SM11/64-6	505271030010	
13	PLASTIC BUSHING :NO.1 :5MM DIA.	509304010000	
14	STEPPED SCREW :NO.1 :9/64*5	512153090010	
15	STEPPED SCREW :NO.1 :9/64*7	512153010010	
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			



SEQUIN SWITCHING SECTION L-SIDE

P2-3L


No.	Description	Part.No.	Remark
1	CONNECTING PLATE	0L0450530010	
2	LEVER :SEQUIN SLIDE[S]	0L0450400S10	
3	STRAIGHT PIN :NO.1 :6.35MM DIA.	503101420000	
4	CONNECTING PLATE	0L0450520010	
5	COLLAR :NO.1 :4MM DIA.	502540020000	
6	PLATE :SEQUIN SLIDE :L	0L045048L000	
6	PLATE :SEQUIN SLIDE :L :15-NEEDLE	0L045024L000	
7	PLATE :SEQUIN BASE LOWER :L	0L045058L000	
8	PLATE :SEQUIN BASE LOWER :R	0L045058R000	
9	BRACKET :SEQUIN BASE LOWER :L	0L045059L000	
10	BRACKET :SEQUIN BASE LOWER :R	0L045059R000	
11	SLIDE :SEQUIN[S]	0L0450460S00	
12	STOPPER :UPPER DEAD POINT	090420040020	
13	STRAIGHT PIN :NO.1 :6.35MM DIA.	503101430000	
14	O-RING :S-7	612200120000	
15	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
16	STEPPED SCREW :NO.1 :9/64*5	512153090010	
17	ELLIPSE WASHER :3*5*T1.2	519704020000	
18	STEPPED SCREW :NO.1 :M4*8.2	512104060010	
19	STEPPED SCREW :NO.1 :9/64*7	512153010010	
20	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			



SEQUIN SWITCHING SECTION R-SIDE

P2-3R


No.	Description	Part.No.	Remark
1	CONNECTING PLATE	0L0450530010	
2	LEVER :SEQUIN SLIDE[S]	0L0450400S10	
3	STRAIGHT PIN :NO.1 :6.35MM DIA.	503101420000	
4	CONNECTING PLATE	0L0450520010	
5	COLLAR :NO.1 :4MM DIA.	502540020000	
6	PLATE :SEQUIN SLIDE :R	0L045048R000	
6	PLATE :SEQUIN SLIDE :R :15-NEEDLE	0L045024R000	
7	PLATE :SEQUIN BASE LOWER :L	0L045058L000	
8	PLATE :SEQUIN BASE LOWER :R	0L045058R000	
9	BRACKET :SEQUIN BASE LOWER :L	0L045059L000	
10	BRACKET :SEQUIN BASE LOWER :R	0L045059R000	
11	SLIDE :SEQUIN[S]	0L0450460S00	
12	STOPPER :UPPER DEAD POINT	090420040020	
13	STRAIGHT PIN :NO.1 :6.35MM DIA.	503101430000	
14	O-RING :S-7	612200120000	
15	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
16	STEPPED SCREW :NO.1 :9/64*5	512153090010	
17	ELLIPSE WASHER :3*5*T1.2	519704020000	
18	STEPPED SCREW :NO.1 :M4*8.2	512104060010	
19	STEPPED SCREW :NO.1 :9/64*7	512153010010	
20	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			



BASE CENTER SECTION L-SIDE

P2-4L


No.	Description	Part.No.	Remark
1	BASE :COLOR CHANGE SEQUIN :MIDDLE L[S]	0L045002LS00	
2	BRACKET :FLAT PULLEY :L	0L045016L000	
3	SCREW WITH PIN :NO.4 :M4-41.5	0L0450200000	
4	FLAT PULLEY :10MM DIA.	501907010000	
5	LEVER :SEQUIN	0L0431030010	
6	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105101000	
7	PLATE SPRING :POSITIONING :R	0L045012R000	
8	HOLDER :STRAIGHT PIN	0L0450150000	
9	STRAIGHT PIN :NO.1 :4MM DIA.	503101400000	
10	BRACKET :SWITCH CARD :L	0L045005L000	
11	CARD :SWITCH :SEQUIN L[A]	0J3101201A00	
12	COVER :SWITCH BASE :L	0L045066L010	
13	BRACKET :PULSE MOTOR :A	0L0450040000	
14	BRACKET :PULSE MOTOR :B :L	0L045003L000	
15	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6106201000	
16	CARD :MAGNETIC SENSOR A	0J4200800010	
17	BRACKET :ROUND MAGNET :L[S]	0L045039LS00	
18	CLIP STOPPER RING :4	615200050000	
19	COLLAR :NO.1 :3MM DIA.	502503100000	
20	PLATE SPRING :POSITIONING :L	0L045012L000	
21	SCREW :M3 :WITH INSULATING WASHER	644700010000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



BASE CENTER SECTION R-SIDE

P2-4R


No.	Description	Part.No.	Remark
1	BASE :COLOR CHANGE SEQUIN :MIDDLE R[S]	0L045002RS00	
2	BRACKET :FLAT PULLEY :R	0L045016R000	
3	SCREW WITH PIN :NO.4 :M4-41.5	0L0450200000	
4	FLAT PULLEY :10MM DIA.	501907010000	
5	LEVER :SEQUIN	0L0431030010	
6	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105101000	
7	PLATE SPRING :POSITIONING :L	0L045012L000	
8	HOLDER :STRAIGHT PIN	0L0450150000	
9	STRAIGHT PIN :NO.1 :4MM DIA.	503101400000	
10	BRACKET :SWITCH CARD :R	0L045005R000	
11	CARD :SWITCH :SEQUIN R[A]	0J3101200A00	
12	COVER :SWITCH BASE :R	0L045066R010	
13	BRACKET :PULSE MOTOR :A	0L0450040000	
14	BRACKET :PULSE MOTOR :B :R	0L045003R000	
15	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6106201000	
16	CARD :MAGNETIC SENSOR A	0J4200800010	
17	BRACKET :ROUND MAGNET :R[S]	0L045039RS00	
18	CLIP STOPPER RING :4	615200050000	
19	COLLAR :NO.1 :3MM DIA.	502503100000	
20	PLATE SPRING :POSITIONING :R	0L045012R000	
21	SCREW :M3 :WITH INSULATING WASHER	644700010000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



BASE UPPER SECTION L-SIDE

P2-5L

No.	Description	Part.No.	Remark
1	BASE :SEQUIN :UPPER L	0L045001L010	
2	COVER :SLIDE SCREW :L[S]	0L045067LS10	
3	STEPPED SCREW :NO.1 :9/64*5	512153090010	
4	BRACKET :STOPPER	0L0450330000	
5	POSITIONING BLOCK :SEQUIN BASE	0L0410050000	
6	PLATE :POSITIONING	0L0450110000	
7	BRACKET :SEQUIN SENSOR :L[S]	0L045038LS00	
8	COLLAR :NO.1 :3MM DIA.	502503110000	
9	CARD :MAGNETIC SENSOR A	0J4200800010	
10	PLATE :SEQUIN SENSOR	0L0450510000	
11	SENSOR PLATE[S]	0L0450430S00	
12	STRAIGHT PIN :NO.1 :4MM DIA.	503101440000	
13	PLAIN WASHER :4.5*16*T0.1-T0.8	51910609@000	
14	COATED CLIP :CS-3	644501020000	
15	BRACKET :SEQUIN BASE UPPER :L	0L045068L000	
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			




BASE UPPER SECTION R-SIDE

P2-5R

No.	Description	Part.No.	Remark
1	BASE :SEQUIN :UPPER R	0L045001R010	
2	COVER :SLIDE SCREW :R[S]	0L045067RS10	
3	STEPPED SCREW :NO.1 :9/64*5	512153090010	
4	BRACKET :STOPPER	0L0450330000	
5	POSITIONING BLOCK :SEQUIN BASE	0L0410050000	
6	PLATE :POSITIONING	0L0450110000	
7	BRACKET :SEQUIN SENSOR :R[S]	0L045038RS00	
8	COLLAR :NO.1 :3MM DIA.	502503110000	
9	CARD :MAGNETIC SENSOR A	0J4200800010	
10	PLATE :SEQUIN SENSOR	0L0450510000	
11	SENSOR PLATE[S]	0L0450430S00	
12	STRAIGHT PIN :NO.1 :4MM DIA.	503101440000	
13	PLAIN WASHER :4.5*16*T0.1-T0.8	51910609@000	
14	COATED CLIP :CS-3	644501020000	
15	BRACKET :SEQUIN BASE UPPER :R	0L045068R000	
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY07)




SEQUIN UP/DOWN UNIT L-SIDE

P2-6L

No.	Description	Part.No.	Remark
1	HOLDER :MOTOR WIRE	0L0431240010	
2	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105101000	
3	BRACKET :PULSE MOTOR	0L0450090010	
4	TIGHTENING COUPLING :5MM DIA.	504305010000	
5	BASE :UP/DOWN SLIDE :B :L	0L045032L010	
6	BEARING :SSLF1260ZZ	631600030000	
7	SLIDING SCREW	663100540001	
8	STRAIGHT PIN :NO.1 :6.35MM DIA.	503101390000	
9	NUT	663100550001	
10	BRACKET :8MM DIA. NUT :L	0L045014L000	
11	SLIDE :UP/DOWN[S]	0L0450300S10	
12	BASE :UP/DOWN SLIDE :A	0L0450310010	
13	COVER :HARNESS :L	0L045008L010	
14	CARD :MAGNETIC SENSOR A	0J4200800010	
15	BRACKET :UP/DOWN SENSOR	0L0450100010	
16	DAMPER RING :E	090430010000	
17	BRACKET :MAGNET :L[S]	0L045071LS00	
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY07)




SEQUIN UP/DOWN UNIT R-SIDE

P2-6R

No.	Description	Part.No.	Remark
1	HOLDER :MOTOR WIRE	0L0431240010	
2	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105101000	
3	BRACKET :PULSE MOTOR	0L0450090010	
4	TIGHTENING COUPLING :5MM DIA.	504305010000	
5	BASE :UP/DOWN SLIDE :B :R	0L045032R010	
6	BEARING :SSLF1260ZZ	631600030000	
7	SLIDING SCREW	663100540001	
8	STRAIGHT PIN :NO.1 :6.35MM DIA.	503101390000	
9	NUT	663100550001	
10	BRACKET :8MM DIA. NUT :R	0L045014R000	
11	SLIDE :UP/DOWN[S]	0L0450300S10	
12	BASE :UP/DOWN SLIDE :A	0L0450310010	
13	COVER :HARNESS :R	0L045008R010	
14	CARD :MAGNETIC SENSOR A	0J4200800010	
15	BRACKET :UP/DOWN SENSOR	0L0450100010	
16	DAMPER RING :E	090430010000	
17	BRACKET :MAGNET :L[S]	0L045071LS00	
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(KY07)



REEL L-SIDE

P2-7L

No.	Description	Part.No.	Remark
1	SEQUIN REEL	0L0410140000	
2	TAPER SPRING :0.7MM DIA.	507707030020	
3	HOLDER :TAPER SPRING	0L0430390020	
4	FELT :SEQUIN REEL	0L0410090000	
5	PLATE :ANTIROTATION	0L0450170000	
6	SCREW WITH PIN :8MM DIA. SEQUIN REEL[S]	0L0450190S00	
7	SCREW WITH PIN :8MM DIA. SEQUIN REEL	0L0450190000	
8	SPRING PIN :2*6W	611400130000	
9	STOPPER :SEQUIN REEL	0L0430410030	
10	E-RING :7MM DIA.	611100100000	
11	DAMPER RING :4MM DIA.	080320410000	
12	TORSION SPRING :L :0.8MM DIA.	0L043038L010	
13	ARM :TENSION ROLLER[S]	0L0430420S10	
14	SCREW WITH PIN :NO.2 :M4-12	513204020010	
15	HOLDER :ROLLER	0L0430510010	
16	SCREW WITH PIN :NO.4 :M4-45	513404050000	
17	SCREW WITH PIN :NO.4 :M4-41.5	0L0450200000	
18	E-RING :4MM DIA.	611100070000	
19	CLIP STOPPER RING :4	615200050000	
20	FLAT PULLEY :10MM DIA.	501907010000	
21	COLLAR :NO.1 :10MM DIA.	502510030000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



REEL R-SIDE

P2-7R


No.	Description	Part.No.	Remark
1	SEQUIN REEL	0L0410140000	
2	TAPER SPRING :0.7MM DIA.	507707030020	
3	HOLDER :TAPER SPRING	0L0430390020	
4	FELT :SEQUIN REEL	0L0410090000	
5	PLATE :ANTIROTATION	0L0450170000	
6	SCREW WITH PIN :8MM DIA. SEQUIN REEL[S]	0L0450190S00	
7	SCREW WITH PIN :8MM DIA. SEQUIN REEL	0L0450190000	
8	SPRING PIN :2*6W	611400130000	
9	STOPPER :SEQUIN REEL	0L0430410030	
10	E-RING :7MM DIA.	611100100000	
11	DAMPER RING :4MM DIA.	080320410000	
12	TORSION SPRING :R :0.8MM DIA.	0L043038R010	
13	ARM :TENSION ROLLER[S]	0L0430420S10	
14	SCREW WITH PIN :NO.2 :M4-12	513204020010	
15	HOLDER :ROLLER	0L0430510010	
16	SCREW WITH PIN :NO.4 :M4-45	513404050000	
17	SCREW WITH PIN :NO.4 :M4-41.5	0L0450200000	
18	E-RING :4MM DIA.	611100070000	
19	CLIP STOPPER RING :4	615200050000	
20	FLAT PULLEY :10MM DIA.	501907010000	
21	COLLAR :NO.1 :10MM DIA.	502510030000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

FRONT COVER

L/R-spec.

R-spec.

L-spec.



FRONT COVER


P2-8

No.	Description	Part.No.	Remark
1	HEAD L COVER :NO.1 :COLOR CHANGE SEQUIN :L90/PL	170120140000	
2	FRONT COVER :NO.1/PLR	17045@@@D000	
3	TENSION BASE CORD COVER :SEQUIN :R	0L043034@000	
4	FRONT COVER :NO.7 :L90	170120010000	
5	BRACKET :FRONT COVER :L[S]	17111015LS00	
6	FRONT COVER :NO.1/PR	17045@@@C000	
7	BRACKET :FRONT COVER :R[S]	17111014RS00	
8	FRONT COVER :NO.1/PL	17045@@@B000	
9	BRACKET :FRONT COVER :L[S]	17111014LS00	
10	BRACKET :FRONT COVER	0L0450700000	
11	BRACKET :SEQUIN BASE UPPER :L	0L045068L000	
12	BRACKET :SEQUIN BASE UPPER :R	0L045068R000	
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY07)

NEEDLE BAR CASE



NEEDLE BAR CASE


P2-9

No.	Description	Part.No.	Remark
1	FACE PLATE :NEEDLE BAR CASE/P	09051006@090	
1	FACE PLATE :NEEDLE BAR CASE :15-NEEDLE/P	09051006X080	For 15-Needle M/C
2	THREAD GUIDE :NO.2	516202010020	
3	TRUSS HEAD SCREW :M2.5*5	S130470503SD	
4	HEXAGON NUT TYPE 3 :M2.5	S212470001SC	
5	BASE :PRESSER FOOT	090460090010	
6	PRESSER FOOT :SEQUIN :3-4MM DIA.	090460130000	
7	PRESSER FOOT :SEQUIN :5MM AND MORE DIA.	090460140000	
8	PRESSER FOOT :CAP	090460081000	
9	SPLIT COLLAR :PRESSER FOOT	090460040020	
10	NEEDLE CATCHER :SEQUIN	0L0430570030	
11	SLOTTED HEAD SET SCREW :11/64*6B	511754010000	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY07)

ELECTRICAL PARTS



ELECTRICAL PARTS

P2-10

No.	Description	Part.No.	Remark
1	BASE :CONTROLLER CARD :COLOR CHANGE SEQUIN	0J1200200000	
2	CARD :CONTROLLER :COLOR CHANGE SEQUIN[A]	0J2304501A00	
3	DC POWER SUPPLY :+5V :10W	645300320000	
4	CARD :RS232/RS422 CONVERSION[A]	0J3200900A00	
5	CARD :SWITCH RELAY :SEQUIN[A]	0J2503100A00	In case of L/R-spec. :1 piece
6	CARD :DRIVER :SEQUIN[A]	0J2202901A00	In case of L/R-spec. :1 piece
7	BASE :DRIVER CARD :COLOR CHANGE SEQUIN	0J1302100000	
8	STUD :NO.1 :M5-25	505105430000	
9	SPACER :HEXAGON :L6 :M3	644500890000	
10	SPACER :HEXAGON :L25 :M3	644500900000	
11	BASE :CONTROLLER CARD :COLOR CHANGE SEQUIN	0J1200100000	
12	COVER :CONTROLLER CARD	0L0450690000	
13	STUD :NO.1 :M8-154.3	505108190000	
14	WIRING COVER :R :P2	1B430105@000	
15	WIRING COVER :P2	1B410017@000	
16	WIRING COVER :P2	1B410018@000	
17	WIRING COVER :L :P2	1B420105@000	
18	WIRING COVER :MIDDLE REINFORCED LOWER	1B4900020000	
19	SPACER :HEXAGON :L40 :M3	644500910000	L/R-spec.
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(KY07)

No.	Part No.	Remark	No.	Part No.	Remark
A	Flat Fillister Head Screw		B20	S120031801TN	M3*18
A1	SA41730351CN	1/8*44*3.5	B21	S120032003TD	M3*20
A2	SA41730501CN	1/8*44*5	B22	S120032001TN	M3*20
A3	SA41730551CN	1/8*44*5.5	B23	S120032501TN	M3*25
A4	SA41730601CN	1/8*44*6	B24	S120033001TN	M3*30
A5	SA41740301CN	9/64*40*3	B25	S120040501TD	M4*5
A6	SA41740402CN	9/64*40*4	B26	S120040502TN	M4*5
A7	SA41740401SA	9/64*40*4	B27	S120040602TD	M4*6
A8	SA41740403CL	9/64*40*4	B28	S120040601TN	M4*6
A9	SA41740404CN	9/64*40*4	B29	S120040801TD	M4*8
A10	SA41740501CN	9/64*40*5	B30	S120040802TN	M4*8
A11	SA41740601CN	9/64*40*6	B31	S120041001TD	M4*10
A12	SA41740602CN	9/64*40*6	B32	S120041002TN	M4*10
A13	SA41740701CN	9/64*40*7	B33	S120041201TD	M4*12
A14	SA41740801CN	9/64*40*8	B34	S120041202TN	M4*12
A15	SA41740802CN	9/64*40*8	B35	S120041401TN	M4*14
A16	SA41740803CN	9/64*40*8	B36	S120041502TD	M4*15
A17	SA41741001CN	9/64*40*10	B37	S120041501TN	M4*15
A18	SA41741202CN	9/64*40*12	B38	S120041601TN	M4*16
A19	SA41741501CN	9/64*40*15	B39	S120041801TN	M4*18
A20	SA41750431TN	11/64*40*4.3	B40	S120042002TD	M4*20
A21	SA41750701CN	11/64*40*7	B41	S120042001TN	M4*20
A22	SA41750751CN	11/64*40*7.5	B42	S120042502TD	M4*25
A23	SA41750901SH	11/64*40*9	B43	S120042501TN	M4*25
A24	SA41751151CN	11/64*40*11.5	B44	S120042504TN	M4*25
A25	SA41751201CN	11/64*40*12	B45	S120043001TN	M4*30
A26	S141030801SC	M3*8	B46	S120043502TD	M4*35
A27	S141030802SD	M3*8	B47	S120043501TN	M4*35
A28	S141031001CC	M3*10	B48	S120044001TN	M4*40
A29	S141041001SC	M4*10	B49	S120044501TN	M4*45
B	Hexagon Socket Head Cap Screw		B50	S120050601TN	M5*6
B1	S120020801TD	M2*8	B51	S120050801TD	M5*8
B2	S120021001TD	M2*10	B52	S120050802TN	M5*8
B3	S120480501TN	M2.6*5	B53	S120051001TD	M5*10
B4	S120030301TN	M3*3	B54	S120051002TN	M5*10
B5	S120030401TN	M3*4	B55	S120051004TP	M5*10
B6	S120030502TD	M3*5	B56	S120051201TD	M5*12
B7	S120030501TN	M3*5	B57	S120051202TN	M5*12
B8	S120030601TD	M3*6	B58	S120051401TN	M5*14
B9	S120030602TN	M3*6	B59	S120051501MZ	M5*15
B10	S120030804MZ	M3*8	B60	S120051502TD	M5*15
B11	S120030801TD	M3*8	B61	S120051503TN	M5*15
B12	S120030802TN	M3*8	B62	S120051601TN	M5*16
B13	S120031001TD	M3*10	B63	S120051801TN	M5*18
B14	S120031002TN	M3*10	B64	S120052001TD	M5*20
B15	S120031203TD	M3*12	B65	S120052002TN	M5*20
B16	S120031201TN	M3*12	B66	S120052201TN	M5*22
B17	S120031502TD	M3*15	B67	S120052301TN	M5*23
B18	S120031501TN	M3*15	B68	S120052501TN	M5*25
B19	S120031601TN	M3*16	B69	S120053001TN	M5*30

B.C.D

No.	Part No.	Remark	No.	Part No.	Remark
B	Hexagon Socket Head	Cap Screw	B119	S120103001TN	M10*30
B70	S120053503TD	M5*35	B120	S120103501TN	M10*35
B71	S120053501TN	M5*35	B121	S120104001TN	M10*40
B72	S120053502TN	M5*35	B122	S120123001TN	M12*30
B73	S120054001TN	M5*40	B123	S120123501TN	M12*35
B74	S120054501TN	M5*45	B124	S120081801TN	M8*18
B75	S120055001TN	M5*50	B125	S120470501TN	M2.5*5
B76	S120055002TN	M5*50			
B77	S120055501TN	M5*55			
B78	S120056001TN	M5*60	C	Hexagon Bolt	
B79	S120056003TN	M5*60	C1	S121030601SD	M3*6
B80	S120060801TN	M6*8	C2	S121040801SD	M4*8
B81	S120060901TN	M6*9	C3	S121042501SD	M4*25
B82	S120061001TN	M6*10	C4	S121051001SD	M5*10
B83	S120061202TD	M6*12	C5	S121051502SC	M5*15
B84	S120061201TN	M6*12	C6	S121051501SD	M5*15
B85	S120061501TD	M6*15	C7	S121052001SD	M5*20
B86	S120061502TN	M6*15	C8	S121061501SC	M6*15
B87	S120061801TD	M6*18	C9	S121062501TN	M6*25
B88	S120061802TN	M6*18	C10	S121064501SD	M6*45
B89	S120062001TN	M6*20	C11	S121065001SC	M6*50
B90	S120062501TN	M6*25	C12	S121065002SD	M6*50
B91	S120063001TN	M6*30	C13	S121065501SD	M6*55
B92	S120063501TN	M6*35	C14	S121066501SD	M6*65
B93	S120064001TN	M6*40	C15	S121067501SC	M6*75
B94	S120064501TN	M6*45	C16	S121081501TN	M8*15
B95	S120064502TN	M6*45	C17	S121081801TN	M8*18
B96	S120065001TN	M6*50	C18	S121103001TN	M10*30
B97	S120066501TN	M6*65	C19	S121103502SC	M10*35
B98	S120067501TN	M6*75	C20	S121103501TN	M10*35
B99	S120068001TN	M6*80	C21	S121104001SC	M10*40
B100	S12006A001TN	M6*100	C22	S121125001TN	M12*50
B101	S120081201TN	M8*12	C23	S12112B001TN	M12*110
B102	S120081502TN	M8*15	C24	S121082501TN	M8*25
B103	S120081503TP	M8*15	C25	S121102501TN	M10*25
B104	S120081601TN	M8*16			
B105	S120082001TN	M8*20	D	Round Fillister Head Screw	
B106	S120082502TN	M8*25	D1	SA43740401CL	9/64*40*4
B107	S120083001TN	M8*30	D2	SA43740501CL	9/64*40*5
B108	S120083501TN	M8*35	D3	SA43740502CN	9/64*40*5
B109	S120084001TN	M8*40	D4	SA43740503CN	9/64*40*5
B110	S120084002TN	M8*40	D5	SA43740504CN	9/64*40*5
B111	S120084501TN	M8*45	D6	SA43740601CL	9/64*40*6
B112	S120084502TN	M8*45	D7	SA43740602CN	9/64*40*6
B113	S120085001TN	M8*50	D8	SA43740603CL	9/64*40*6
B114	S120086001TN	M8*60	D9	SA43740604CN	9/64*40*6
B115	S120087001TN	M8*70	D10	SA43740682CN	9/64*40*6.8
B116	S120102002TD	M10*20	D11	SA43740801CL	9/64*40*8
B117	S120102001TN	M10*20	D12	SA43740802CN	9/64*40*8
B118	S120102501TN	M10*25	D13	SA43741001CN	9/64*40*10

No.	Part No.	Remark	No.	Part No.	Remark
D	Round Fillister Head Screw		E40	S160035001SD	M3*50
D14	SA43741201CN	9/64*40*12	E41	S160040401SD	M4*4
D15	SA43750601CN	11/64*40*6	E42	S160040501SD	M4*5
D16	SA43750652CN	11/64*40*6.5	E43	S160040601MZ	M4*6
D17	SA43751051CN	11/64*40*10.5	E44	S160040602SD	M4*6
D18	SA43751201CN	11/64*40*12	E45	S160040801SD	M4*8
D19	SA43751501CN	11/64*40*15	E46	S160041001SD	M4*10
D20	SA43812451CN	9/32*28*24.5	E47	S160041201SD	M4*12
D21	S143030501SD	M3*5	E48	S160041501SD	M4*15
			E49	S160041801SD	M4*18
E	Pan Head Screw		E50	S160043001SD	M4*30
E1	S160410141MZ	M1.4*1.4	E51	S160045001SD	M4*50
E2	S160020202MZ	M2*2	E52	S160046001SD	M4*60
E3	S160020301MZ	M2*3	E53	S160050601SD	M5*6
E4	S160020401MZ	M2*4	E54	S160050701SD	M5*7
E5	S160020801MZ	M2*8	E55	S160050801SD	M5*8
E6	S160470301MZ	M2.5*3	E56	S160051002MZ	M5*10
E7	S160470402MZ	M2.5*4	E57	S160051001SD	M5*10
E8	S160470501MZ	M2.5*5	E58	S160051201SD	M5*12
E9	S160470801MZ	M2.5*8	E59	S160053001SD	M5*12
E10	S160471301MZ	M2.5*13	E60	S160051501SD	M5*15
E11	S160471302SD	M2.5*13	E61	S160054501SD	M5*45
E12	S160480601SD	M2.6*6	E62	S160055001SD	M5*50
E13	S160030301MZ	M3*3	E63	S160056001SD	M5*60
E14	S160030302SD	M3*3	E64	S160047001SD	M4*70
E15	S160030403CD	M3*4	E65	S160480801SD	M2.6*8
E16	S160030401MZ	M3*4			
E17	S160030402SD	M3*4			
E18	S160030501MZ	M3*5			
E19	S160030502SD	M3*5	F	Countersunk Head Screw	
E20	S160030601MZ	M3*6	F1	SA51741001CN	9/64*40*10
E21	S160030603SA	M3*6	F2	SA50750801CN	11/64*40*8
E22	S160030602SD	M3*6	F3	S150020601SD	M2*6
E23	S160030801MZ	M3*8	F4	S150030401MZ	M3*4
E24	S160030803SA	M3*8	F5	S150030402SD	M3*4
E25	S160030802SD	M3*8	F6	S150030501MZ	M3*5
E26	S160031001MZ	M3*10	F7	S150030502SD	M3*5
E27	S160031003SC	M3*10	F8	S151030601SD	M3*6
E28	S160031002SD	M3*10	F9	S150030601MZ	M3*6
E29	S160031101SC	M3*11	F10	S150030602SD	M3*6
E30	S160031201MZ	M3*12	F11	S150030701SD	M3*7
E31	S160031202SD	M3*12	F12	S151030801SD	M3*8
E32	S160031401SA	M3*14	F13	S150030801MZ	M3*8
E33	S160031402SD	M3*14	F14	S150030804SC	M3*8
E34	S160031501SD	M3*15	F15	S150030802SD	M3*8
E35	S160031601SD	M3*16	F16	S150030803SN	M3*8
E36	S160031801SD	M3*18	F17	S150031002MZ	M3*10
E37	S160032001SD	M3*20	F18	S150031001SD	M3*10
E38	S160033001SD	M3*30	F19	S150031201MZ	M3*12
E39	S160034001SD	M3*40	F20	S150031202SD	M3*12

F.G.H

No.	Part No.	Remark	No.	Part No.	Remark
F	Countersunk Head Screw		H4	SA31740401CM	9/64*40*4
F21	S150031501MZ	M3*15	H5	SA30740601CL	9/64*40*6
F22	S150031601SD	M3*16	H6	SA30740801CL	9/64*40*8
F23	S150040501SD	M4*5	H7	S130470301MZ	M2.5*3
F24	S150040602MZ	M4*6	H8	S130470302SD	M2.5*3
F25	S150040601SD	M4*6	H9	S130470401MZ	M2.5*4
F26	S150040801MZ	M4*8	H10	S130470402SA	M2.5*4
F27	S150040802SD	M4*8	H11	S130470403SD	M2.5*4
F28	S150041001MZ	M4*10	H12	S130030301MZ	M3*3
F29	S150041002SD	M4*10	H13	S130030301SD	M3*3
F30	S150041201SD	M4*12	H14	S130030402SD	M3*4
F31	S150041401SD	M4*14	H15	S130030501MZ	M3*5
F32	S150041501SD	M4*15	H16	S130030502SD	M3*5
F33	S150042001SD	M4*20	H17	S130030601MZ	M3*6
F34	S150042201SD	M4*22	H18	S130030601SD	M3*6
F35	S150042501SD	M4*25	H19	S130030603SA	M3*6
F36	S150050601SD	M5*6	H20	S130030802SD	M3*8
F37	S150050801SD	M5*8	H21	S130030803SA	M3*8
F38	S150051001MZ	M5*10	H22	S130031001MZ	M3*10
F39	S150051002SD	M5*10	H23	S130031002SD	M3*10
F40	S150051201SD	M5*12	H24	S130032001SD	M3*20
F41	S150051501SD	M5*15	H25	S130040401MZ	M4*4
F42	S150053001SD	M5*30	H26	S130040402SD	M4*5
F43	S150053501SD	M5*35	H27	S130040501MZ	M4*5
F44	S150054001SD	M5*40	H28	S130040502SD	M4*5
F45	S150061502SC	M6*15	H29	S130040601MZ	M4*6
F46	S150061503SD	M6*15	H30	S130040602SD	M4*6
F47	S150063501SD	M6*35	H31	S130040651SD	M4*6.5
F48	S150081201SD	M8*12	H32	S130040801MZ	M4*8
F49	S150087001TN	M8*70	H33	S130040802SD	M4*8
			H34	S130040803MZ	M4*8
			H35	S130041002MZ	M4*10
			H36	S130041001SD	M4*10
			H37	S130041201SD	M4*12
			H38	S130041502SD	M4*15
G	Round Countersunk Head Screw		H39	S130042001SD	M4*20
G1	SA53730601CL	1/8*44*6	H40	S130050501SD	M5*5
G2	SA53740301CL	9/64*40*3	H41	S130050602MZ	M5*6
G3	SA53740351CL	9/64*40*3.5	H42	S130050601SD	M5*6
G4	SA53740401CL	9/64*40*4	H43	S130050651SD	M5*6.5
G5	SA53740601CL	9/64*40*6	H44	S130050701SD	M5*7
G6	SA53740701CL	9/64*40*7	H45	S130050801MZ	M5*8
G7	SA53740951CL	9/64*40*9.5	H46	S130050802SD	M5*8
G8	SA53741201CL	9/64*40*12	H47	S130051002MZ	M5*10
			H48	S130051001SD	M5*10
			H49	S130051201MZ	M5*12
H	Truss Head Screw		H50	S130051202SD	M5*12
H1	SA30730701CL	1/8*44*7	H51	S130051501SD	M5*15
H2	SA30740301CL	9/64*40*3.5	H52	S130052001SD	M5*20
H3	SA30740401CL	9/64*40*4	H53	S130052502SD	M5*25

No.	Part No.	Remark	No.	Part No.	Remark
<i>H</i>	Truss Head Screw		<i>L7</i>	SA70790401CN	15/64*28*4
<i>H54</i>	S130053001SD	M5*30	<i>L8</i>	SA70790901CN	15/64*28*9
<i>H55</i>	S130053501SD	M5*35	<i>L9</i>	S170470301TN	M2.5*3
<i>H56</i>	S130060801SD	M6*8	<i>L10</i>	S170030201TN	M3*2
<i>H57</i>	S130061001SD	M6*10	<i>L11</i>	S170030301TN	M3*3
<i>H58</i>	S130062201SD	M6*22	<i>L12</i>	S170030401TN	M3*4
<i>H59</i>	S130062501SD	M6*25	<i>L13</i>	S170030501TN	M3*5
<i>H60</i>	S130063501SD	M6*35	<i>L14</i>	S170030601TN	M3*6
<i>H61</i>	S130064001SD	M6*40	<i>L15</i>	S170030801TN	M3*8
<i>H62</i>	S130031501SD	M3*15	<i>L16</i>	S170040301TN	M4*3
<i>H63</i>	S130043501SD	M4*35	<i>L17</i>	S170040401TN	M4*4
<i>H64</i>	S130020201SD	M2*2	<i>L18</i>	S170040501TN	M4*5
<i>H65</i>	S130470503SD	M2.5*5	<i>L19</i>	S170040601TN	M4*6
			<i>L20</i>	S170040602TN	M4*6
			<i>L21</i>	S170040801TN	M4*8
			<i>L22</i>	S170041001TN	M4*10
<i>J</i>	Round Head Screw		<i>L23</i>	S170041201TN	M4*12
<i>J1</i>	S162020301MZ	M2*3	<i>L24</i>	S170050401TN	M5*4
<i>J2</i>	S162030801SD	M3*8	<i>L25</i>	S170050501TN	M5*5
<i>J3</i>	S162030802SE	M3*8	<i>L26</i>	S170050601TN	M5*6
<i>J4</i>	S162031001MZ	M3*10	<i>L27</i>	S170050801TN	M5*8
			<i>L28</i>	S170051001TN	M5*10
<i>K</i>	Slotted Set Screw		<i>L29</i>	S170051201TN	M5*12
<i>K1</i>	SA71730351CN	1/8*44*3.5	<i>L30</i>	S170051501TN	M5*15
<i>K2</i>	SA71740601CN	9/64*40*6	<i>L31</i>	S170060501TN	M6*5
<i>K3</i>	SA71750251CN	11/64*40*2.5	<i>L32</i>	S170060601TN	M6*6
<i>K4</i>	SA71750351CN	11/64*40*3.5	<i>L33</i>	S170060801TN	M6*8
<i>K5</i>	SA71750401CN	11/64*40*4	<i>L34</i>	S170061001TN	M6*10
<i>K6</i>	SA71750501CN	11/64*40*5	<i>L35</i>	S170061801TN	M6*18
<i>K7</i>	SA71790501CN	15/64*28*5	<i>L36</i>	S170080801TN	M8*8
<i>K8</i>	SA71791001CN	15/64*28*10	<i>L37</i>	S170081001TN	M8*10
<i>K9</i>	SA71791501CN	15/64*28*15	<i>L38</i>	S170081501TN	M8*15
<i>K10</i>	SA71791701CN	15/64*28*17	<i>L39</i>	S170031001TN	M3*10
<i>K11</i>	SA71800401CN	1/4*40*4	<i>L40</i>	S170031201TN	M3*12
<i>K12</i>	SA71800451CN	1/4*40*4.5			
<i>K13</i>	SA71800501CN	1/4*40*5			
<i>K14</i>	SA71800601CN	1/4*40*6			
<i>K15</i>	SA71800801CN	1/4*40*8			
<i>K16</i>	SA71811201CN	9/32*28*12	<i>M</i>	Hexagon Socket Head Button Screw	
<i>K17</i>	S171050601TN	M5*6	<i>M1</i>	S124030401SC	M3*4
			<i>M2</i>	S124040601SC	M4*6
			<i>M3</i>	S124040802SC	M4*8
			<i>M4</i>	S124040803SD	M4*8
<i>L</i>	Hexagon Socket Head Set Screw		<i>M5</i>	S124051001SC	M5*10
<i>L1</i>	SA70730251CN	1/8*44*2.5	<i>M6</i>	S124051002SD	M5*10
<i>L2</i>	SA70730301CN	1/8*44*3	<i>M7</i>	S124051501SD	M5*15
<i>L3</i>	SA70750901CN	11/64*28*9	<i>M8</i>	S124081201SC	M8*12
<i>L4</i>	SA70750401CN	11/64*40*4	<i>M9</i>	S124081202SD	M8*12
<i>L5</i>	SA70750601CN	11/64*40*6	<i>M10</i>	S124081501SD	M8*15
<i>L6</i>	SA70750801CN	11/64*40*8	<i>M11</i>	S124030501SC	M3*5

M.N.P.R

No.	Part No.	Remark	No.	Part No.	Remark
<i>M</i>	Hexagon Socket Head	Button Screw	<i>P25</i>	S217040001SD	M4 Cap
<i>M12</i>	S124030801SC	M3*8	<i>P26</i>	S210050001SC	M5 Type 1
<i>M13</i>	S124030502TC	M3*5	<i>P27</i>	S210050002SD	M5 Type 1
			<i>P28</i>	S212050001SC	M5 Type 3
			<i>P29</i>	S212050002SD	M5 Type 3
<i>N</i>	Screw with Washer		<i>P30</i>	S217050001SD	M5 Cap
<i>N1</i>	S660480601SE	M2.6*6	<i>P31</i>	S210060001SC	M6 Type 1
<i>N2</i>	S660030601SE	M3*6	<i>P32</i>	S210060002SC	M6 Type 1 (Left)
<i>N3</i>	S660030801SE	M3*8	<i>P33</i>	S210060003SD	M6 Type 1
<i>N4</i>	S660031001SE	M3*10	<i>P34</i>	S210060004SD	M6 Type 1 (Left)
<i>N5</i>	S660031501SE	M3*15	<i>P35</i>	S212060001SC	M6 Type 3
<i>N6</i>	S660031601SE	M3*16	<i>P36</i>	S210080001SC	M8 Type 1
<i>N7</i>	S660031801SE	M3*18	<i>P37</i>	S210080002SD	M8 Type 1
<i>N8</i>	S660040601SE	M4*6	<i>P38</i>	S212080001SC	M8 Type 3
<i>N9</i>	S660040801SE	M4*8	<i>P39</i>	S212080002SD	M8 Type 3
<i>N10</i>	S660041001SE	M4*10	<i>P40</i>	S210100001SC	M10 Type 1
<i>N11</i>	S660041201SE	M4*12	<i>P41</i>	S213100002SD	M10 With Flange
<i>N12</i>	S660045501SE	M4*55	<i>P42</i>	S213100003SD	M10 With Disk Spring
<i>N13</i>	S660051001SE	M5*10	<i>P43</i>	S210120001SC	M12 Type 1
<i>N14</i>	S660051201SE	M5*12	<i>P44</i>	S212120001SC	M12 Type 3
<i>N15</i>	S660051401SE	M5*14	<i>P45</i>	S212120002SD	M12 Type 3
<i>N16</i>	S660051801SE	M5*18	<i>P46</i>	S210160001SD	M16 Type 1
<i>N17</i>	S660030801MZ	M3*8	<i>P47</i>	S212160002SC	M16 Type 1
			<i>P48</i>	S212160001SD	M16 Type 3
			<i>P49</i>	S210200001SC	M20 Type 1
<i>P</i>	Nut		<i>P50</i>	S212470001SC	M2.5 Type 3
<i>P1</i>	SB10730601CN	1/8*44*6*3			
<i>P2</i>	SB10740601CL	9/64*40*6*2			
<i>P3</i>	SB10740602CN	9/64*40*6*3			
<i>P4</i>	SB10750602CN	11/64*40*6*2			
<i>P5</i>	SB10750603CN	11/64*40*6*3	<i>R</i>	Washer	
<i>P6</i>	SB10750701CN	11/64*40*7*3	<i>R1</i>	S301410301MZ	Plain M1.4*3*t0.3
<i>P7</i>	SB11750701CN	11/64*40*7*3	<i>R2</i>	S301020351XZ	Plain M2*3.5*t0.5
<i>P8</i>	S210420001XA	M1.6 Type 1	<i>R3</i>	S301020431SD	Plain M2*4.3*t0.3
<i>P9</i>	S210020001SD	M2 Type 1	<i>R4</i>	S301480501XB	Plain M2.6*5*t0.5
<i>P10</i>	S212020002SD	M2 Type 3	<i>R5</i>	S301480751XB	Plain M2.6*7.5*t0.5
<i>P11</i>	S210460002SD	M2.3 Type 1	<i>R6</i>	S301030602XZ	Plain M3*6*t0.3
<i>P12</i>	S210470001MZ	M2.5 Type 1	<i>R7</i>	S301030603SC	Plain M3*6*t0.5
<i>P13</i>	S212480001SD	M2.6 Type 3	<i>R8</i>	S301030601SD	Plain M3*6*t0.5
<i>P14</i>	S210030001MZ	M3 Type 1	<i>R9</i>	S301030701SD	Plain M3*7*t0.5
<i>P15</i>	S210030002SC	M3 Type 1	<i>R10</i>	S301030804SD	Plain M3*8*t0.3
<i>P16</i>	S210030003SD	M3 Type 1	<i>R11</i>	S301030805MZ	Plain M3*8*t0.5
<i>P17</i>	S215030001SD	M3 Thumbscrew Type 2	<i>R12</i>	S301030801SC	Plain M3*8*t0.5
<i>P18</i>	S212030001SC	M3 Type 3	<i>R13</i>	S301030802SD	Plain M3*8*t0.5
<i>P19</i>	S212030002SD	M3 Type 3	<i>R14</i>	S301030803SD	Plain M3*8*t1
<i>P20</i>	S212530001SC	M3.5 Type 3	<i>R15</i>	S301040805SC	Plain M4*8*t0.5
<i>P21</i>	S210040001SC	M4 Type 1	<i>R16</i>	S301040802SD	Plain M4*8*t0.5
<i>P22</i>	S210040002SD	M4 Type 1	<i>R17</i>	S301040804SC	Plain M4*8*t0.8
<i>P23</i>	S212040001SC	M4 Type 3	<i>R18</i>	S301040803SD	Plain M4*8*t0.8
<i>P24</i>	S212040002SD	M4 Type 3	<i>R19</i>	S301041004MZ	Plain M4*10*t0.8

No.	Part No.	Remark	No.	Part No.	Remark
R	Washer				
R20	S301041002SC	Plain M4*10*t0.8			
R21	S301041003SD	Plain M4*10*t0.8			
R22	S301041201SC	Plain M4*12*t1			
R23	S301051002SC	Plain M5*10*t0.8			
R24	S301051003SD	Plain M5*10*t0.8			
R25	S301051204MZ	Plain M5*12*t0.8			
R26	S301051202SC	Plain M5*12*t0.8			
R27	S301051203SD	Plain M5*12*t0.8			
R28	S301061102SC	Plain M6*11*t1.6			
R29	S301061151SC	Plain M6*11.5*t0.8			
R30	S301061301SC	Plain M6*13*t1.0			
R31	S301061302SD	Plain M6*13*t1.0			
R32	S301061601SC	Plain M6*16*t1.0			
R33	S301081601SD	Plain M8*16*t1.2			
R34	S301081801SC	Plain M8*18*t1.6			
R35	S301081802SD	Plain M8*18*t1.6			
R36	S301081803SC	Plain M8*18*t3.2			
R37	S301082201SC	Plain M8*22*t3.2			
R38	S301102201SC	Plain M10*22*t1.6			
R39	S301102601SC	Plain M10*26*t3.2			
R40	S301102602SD	Plain M10*26*t3.2			
R41	S301122051SC	Plain M12*20.5*t2			
R42	S301163201SD	Plain M16*32*t2.5			
R43	S402020001KD	Spring M2			
R44	S402480001KC	Spring M2.6			
R45	S402030001KC	Spring M3			
R46	S402030002KD	Spring M3			
R47	S402530001KC	Spring M3.5			
R48	S402040001KC	Spring M4			
R49	S402040002KD	Spring M4			
R50	S402050001KC	Spring M5			
R51	S402050002KD	Spring M5			
R52	S402050003MZ	Spring M5			
R53	S402060001KC	Spring M6			
R54	S402060002KD	Spring M6			
R55	S402080001KC	Spring M8			
R56	S402080002KD	Spring M8			
R57	S402100001KC	Spring M10			
R58	S402100002KD	Spring M10			
R59	S402120001KC	Spring M12			
R60	S305041101TP	Wave M4			
R61	S305051101TN	Wave M5			
R62	S305061051TN	Wave M6			
R63	S304040851TP	With teeth M4			
R64	S304051001TP	With teeth M5			
R65	S306080001SC	Slant M8			
R66	S303040801SC	Disk Spring M4			
R67	S301040901EZ	Plain M4*9*t0.3			
R68	S301470252MZ	Plain M2.5*5*t0.5			

1st Edition

July, 2007

■ **Manufactured by:**
Tokai Industrial Sewing Machine Co., Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pre., 486-0901, Japan
Tel:81-568-33-1161 Fax:81-568-33-1191

■ **Distributed by:**
Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan
Tel:81-52-932-3444 Fax:81-52-932-2457

■ **Authorized Distributor:**



THE TAJIMA GROUP

Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, JAPAN
Tel. 81-52-932-3811 Fax. 81-52-932-3815

Tokai Industrial Sewing Machine Co.,Ltd.

NO. 1800, Ushiyama-cho, Kasugai, Aichi-pre. , 486-0901, JAPAN
Tel. 81-568-33-1161 Fax. 81-568-33-1191