

PARTS LIST

TFSN

Table of Contents


● GENERAL VIEW	
● FRAMING.....	SN-1
● TABLE.....	SN-2
● ROTARY HOOK SHAFT TRANSMISSION BOX.....	SN-3
● ROTARY HOOK BASE 1.....	SN-4-1
● ROTARY HOOK BASE 2.....	SN-4-2
● COLOR CHANGE SYSTEM.....	SN-5
● ARM 1.....	SN-6-1
● ARM 2.....	SN-6-2
● ARM 3.....	SN-6-3
● NEEDLE BAR CASE 1.....	SN-7-1
● NEEDLE BAR CASE 2.....	SN-7-2
● FRONT COVER.....	SN-8
● UPPER THREAD HOLDER.....	SN-9
● CAM DRIVE SYSTEM.....	SN-10
● X-AXIS DRIVE SYSTEM 1.....	SN-11-1
● X-AXIS DRIVE SYSTEM 2.....	SN-11-2
● Y-AXIS DRIVE SYSTEM 1.....	SN-12-1
● Y-AXIS DRIVE SYSTEM 2.....	SN-12-2
● ROTARY-TYPE TENSION BASE.....	SN-13
● THREAD STAND.....	SN-14
● BAR SWITCH BOX.....	SN-15
● EMBROIDERY FRAME.....	SN-16
● POWER SUPPLY BOX.....	SN-17
● LCD OPERATION PANEL.....	SN-18
● MAIN SHAFT MOTOR.....	SN-19
● FDD (OPTION).....	SN-20

*Part Nos. of screws, nuts, washers etc. are listed at the end of volume.


*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.
When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.

Ex.	TFSN-912	680×360S	No.01234
	[Model]	[Emb. Space]	[Mfg. No.]

GENERAL VIEW



FRAMING



FRAMING


SN-1

No.	Description	Part.No.	Remark
1	STAND :M-SPEC. M/C :0912/045-100*360S[A]	MR2C39@@1A10	
2	LEVELING BOLT :M20*60	030530020000	
3	VIBRATION-PREVENTIVE BASE[S]	030520050S20	Standard Drive Spec. M/C with Total Length 6366mm or more
3	VIBRATION-PREVENTIVE BASE[S]	030520051S20	
4	COVER :STAND LOWER	030410010010	
5	BRACKET :HEAD CARD	0J1941400010	
6	ONE-TOUCH COLLAR :TA-310	644500690000	
7	TAJIMA BRAND NAME PLATE	030710060010	
8	COVER :SQUARE PIPE	030420120000	Square Pipe 300*300
8	COVER :SQUARE PIPE	030420190000	Square Pipe 400*400
8	COVER :SQUARE PIPE	030420090010	
9	PIPE :CONTROLLER :A-D	03021040@000	
10	HOLDER :CONTROLLER	030220580000	
11	BASE :CONTROLLER	030220590000	
12	SWITCH :EMERGENCY STOP[A]	0J0603000A00	
13	BASE :EMERGENCY STOP SWITCH[S]	030230170S10	
14	BRACKET :EMERGENCY STOP SWITCH :LESS THAN Y680	03023018A020	Y-emb. Space: less than 680mm
14	BRACKET :EMERGENCY STOP SWITCH :Y680 OR MORE	03023018B020	Y-emb. Space: 680mm or more
15	BASE :EMERGENCY STOP SWITCH[S]	030230160S10	
16	SHAFT COVER :A :L504 :360P	17013014A000	
17	BRACKET :SHAFT COVER :B	030460130010	
18	CLAMP :HARNESS	0C0560020000	
19	GUIDE :HARNESS	0C0560030010	
20	WIRING COVER :R :L1000	1B4301020000	
21	WIRING COVER :L1000	1B4100010000	
22	WIRING COVER :L :L1000	1B4201020000	
23	STUD :NO.1 :M8-110.3	505108170010	
24	FLUORESCENT LAMP :1-LAMP 40W 220V :DIRECT MOUNTING[A]	0J0714000A00	
25	CARD :HEAD83-A	0J2701700000	
26	MINI CARD SPACER :MPS-20	644500700000	
27	CLAMP :CONTROLLER HOLDER :A	03022064A000	
28	KNOBBED SCREW :NO.2 :M5*9[S]	511F05080S10	
29	CENTER SUPPORT :NO.1 :FRONT	030510030000	Standard Drive Spec. M/C with Total Length 7366mm or more
30	LEVELING BOLT :M20*70	030530010000	
31	CENTER SUPPORT :NO.2 :FRONT	030510050000	Standard Drive Spec. M/C with Total Length 7366mm or more
32	CENTER SUPPORT :NO.2 :REAR	030510060000	Standard Drive Spec. M/C with Total Length 7366mm or more
33	JOINT :CENTER SUPPORT :Y450-1500	03051001@000	Standard Drive Spec. M/C with Total Length 7366mm or more
34	CENTER SUPPORT :NO.1 :FRONT	03051023@000	
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

TABLE




TABLE

SN-2

No.	Description	Part.No.	Remark
1	TABLE :M-SPEC. M/C :0012/045-080*360S/C0-7	2R2C39@@1010	
2	TABLE COVER :NO.11 :Y450-750	13111023@000	
3	COUNTERSUNK TAPPING SCREW :3P*12	S550031201MZ	
3	COUNTERSUNK TAPPING SCREW :3P*16	S550031601MZ	
4	TABLE COVER :NO.4 :A :X405	130400014000	
5	TABLE COVER :NO.4 :B :X405	130400024010	
6	COVER :BELT	0E0150010010	
7	COVER :N-COUPLING	134250010000	
8	TABLE COVER :N-COUPLING :B	134290110000	
9	TABLE SUPPORT :NO.3 :L	150310320050	
10	TRUSS HEAD TAPPING SCREW :4P*20	S530042001SD	
11	TABLE SUPPORT :NO.1 :R	150120210060	
12	TABLE SUPPORT :NO.1 :L	150120220060	
13	CAP :TABLE SUPPORT	150130010000	
14	TABLE SUPPORT :NO.2 :L	150210070050	
15	TABLE SUPPORT :NO.2 :R	150210080050	
16	TABLE SUPPORT :NO.3	150310100050	
17	TABLE SUPPORT :NO.3	150310110050	
18	TABLE SUPPORT :NO.4	150420080060	
19	TABLE SUPPORT :NO.5 :L1384	150520250060	
20	COLLAR :TABLE SUPPORT	152150050000	
21	STUD :NO.1 :M10-50	505110010010	
22	GUIDE :FABRIC :C :L	03063006C000	
23	GUIDE :FABRIC :A :R	03063006A000	
24	PAN HEAD WOOD SCREW :5.1P*32	S560523201TN	
25	GUIDE : Y SHAFT	0F0170050010	
26	TABLE SUPPORT :NO.3	150310090060	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

ROTARY HOOK SHAFT TRANSMISSION BOX



ROTARY HOOK SHAFT TRANSMISSION BOX


SN-3

No.	Description	Part.No.	Remark
1	TRANSMISSION BOX	04011020@000	
2	SHIELD RUBBER :GROOVE SECTION	040120660000	
3	BRACKET :TRANSMISSION BOX	040120650000	
4	BEARING :60/22ZZ	630200040000	
5	SCREW WITH PIN :NO.1 :M4-93	513104040000	
6	CLEAR PLATE	040120630000	
7	COVER :HANDLE	040120580050	
8	LID :HANDLE	040120550030	
9	BASE SHAFT :MAIN :A	040120240000	
10	BEARING :6004ZZ	630200090000	
11	BEARING COLLAR :15MM DIA.	502715050010	
12	TIMING PULLEY :W25-32	501459010000	
13	BASE :ANGLE INDICATOR	040120260000	
14	ANGLE INDICATOR	040420230010	
15	POINTER	040120350000	
16	BASE SHAFT :ROTARY HOOK	040120570010	
17	TIMING PULLEY :W25-32	501459030040	
18	TIMING BELT :SPTG :W25-S5M0600/G	623400180000	
19	SCREW WITH PIN :NO.1 :M8-74.5	513110030010	
20	STRAIGHT PIN E :TENSION PULLEY	040120640010	
21	FLAT PULLEY :40MM DIA.[S]	501903040S20	
22	COVER :TRANSMISSION BOX	040120340000	
23	SPECIAL SCREW :UNBRAKO :KCP :M8*8	690200010000	
24	BEARING COLLAR :18MM DIA.	502718010010	
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

ROTARY HOOK BASE 1




ROTARY HOOK BASE 1

SN-4-1

No.	Description	Part.No.	Remark
1	ROTARY HOOK BASE :REGULAR ROTARY HOOK :DAMPER/LB	050110200000	
1	ROTARY HOOK BASE :JUMBO ROTARY HOOK :DAMPER/LB	05011020J000	
2	STRAIGHT BOLT :M10*60	511G10010000	
3	BEARING :6003ZZ	630200080000	
4	BEARING COLLAR :15MM DIA.	502715080000	
5	SPIRAL BEVEL GEAR :NO.1 :28T	506528030000	
6	SPIRAL BEVEL GEAR :NO.1 :14T	506514030000	
7	PLAIN WASHER :7.94*19*T0.8	519108030000	
8	OIL-BUSHING :NO.1 :7.94MM DIA.	509179010000	
8	OIL-BUSHING :NO.1 :7.94MM DIA.	509179030010	
9	SHAFT :ROTARY HOOK	050310090010	
10	STOPPER COLLAR :7.94MM DIA.	502107010020	
11	ROTARY HOOK :REGULAR ROTARY HOOK KHS12-RYPOET2	050210190010	
11	ROTARY HOOK :JUMBO ROTARY HOOK HSM-ATR (MTQETA)	05022006J010	
12	ROTARY HOOK SET SCREW	050290010000	
13	BOBBIN CASE :REGULAR ROTARY HOOK :STANDARD	050240150000	
13	BOBBIN CASE :JUMBO ROTARY HOOK :STANDARD	05025001J000	
14	BOBBIN :REGULAR ROTARY HOOK	050260010020	
14	BOBBIN :HSM ALUMINUM FULL HARD ALUMITE	05027002J000	
15	ROTARY HOOK SUPPORT :REGULAR ROTARY HOOK	050310100000	
15	ROTARY HOOK SUPPORT :JUMBO ROTARY HOOK	05031008J000	
16	NEEDLE PLATE :2MM DIA.	050340090020	
16	NEEDLE PLATE :2.5MM DIA.	050340091020	
17	ROUND COUNTERSUNK HEAD SCREW :11/64*8.4B	511554010000	
18	TOP LID	050310060020	
19	R. H. BASE CONNECTING SHAFT :15MM DIA.	QR7@02@@0000	
20	N-COUPPLING :N-15-15	504715010000	
21	DAMPER :ROTARY HOOK BASE[S]	050310130S10	
22	COVER :DAMPER	050310150000	
23	BUSHING :ROTARY HOOK BASE	050310160000	
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)



ROTARY HOOK BASE 2

SN-4-2

No.	Description	Part.No.	Remark
1	BASE :FIXED KNIFE	050320300000	
2	HOLDER :ATH ROD[A]	050320310A10	
3	SPACER :FIXED KNIFE :T0.05-0.1	51010008@000	
4	HEXAGON SOCKET HEAD CAP SCREW :11/64*10	511954010000	
5	MOVABLE KNIFE :REVERSE MOVE 2-BLADE TYPE	050320880010	
6	SHAFT :MOVABLE KNIFE[S]	050320450S60	
7	FIXED KNIFE :REVERSE MOVE 2-BLADE TYPE	050320900010	
8	UNDER THREAD PRESSER	050320350000	
9	OIL-BUSHING :NO.2 :5MM DIA.	509205010000	
10	LEVER :MOVABLE KNIFE	050320680000	
11	CONNECTING PLATE :MOVABLE KNIFE LEVER	050320690000	
11	CONNECTING PLATE :ATH ROD CLAMP	010110080000	Last head
12	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
13	CLAMP :ATH ROD	050320390010	
14	HOLDER :ATH ROD	050320310010	
15	BRACKET :PROXIMITY SWITCH	050320370010	
16	CARD :MAGNETIC SENSOR A	0J4200800010	
17	HARNESS :ATH RETRACTABLE SENSOR	H0R7049@@000	
18	MAGNET BLOCK[S]	050320380S10	
19	ATH ROD :6MM DIA.	QR7@05@@0000	
20	SCREW JOINT :M6	504506010010	
21	COMPRESSION SPRING :0.8MM DIA.	507608040040	Last head
22	BRACKET :PICKER SOLENOID	050320250000	
23	SOLENOID :OPEN FRAME	640600021021	
24	COVER :PICKER SOLENOID	050320220020	
25	STEPPED SCREW :NO.1 :M2.5*6	512130010000	
26	COMPRESSION SPRING :0.6MM DIA.	507606020010	
27	E-RING :4MM DIA.	611100070000	
28	O-RING :6.8MM DIA.	050320510000	
29	CONNECTING ROD :PICKER SHAFT	050320260000	
30	STEPPED SCREW :NO.1 :9/64*5.5	512153070000	
31	SHAFT :PICKER	050320870000	
32	BRACKET :PICKER	050320230000	
33	PICKER	050320240020	
34	DAMPER RING :3MM DIA. E	050320470010	
35	THREAD SEPARATING PLATE :REVERSE MOVE 2-BLADE TYPE	050320890010	
36	SPLIT COLLAR :PRESSER FOOT	090460040020	
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

COLOR CHANGE SYSTEM

SN-5

No.	Description	Part.No.	Remark
1	CHANGE BOX :47ST :09-12-NEEDLE	070310031000	
2	TIMING PULLEY :W6-10	501221010000	
3	STEPPED PIN :NO.2	503202050010	
4	STRAIGHT PIN :NO.2	503102190010	
5	BEARING CASE :TIMING PULLEY :A	070320010010	
6	BEARING CASE :TIMING PULLEY :B	070320020010	
7	BRACKET :PULLEY BEARING CASE	070320160000	
8	BELT CATCHER :S3M	070320050000	
9	BASE :BALL SCREW	070320140000	
10	DRIVE BLOCK :CHANGE ROD	070320130000	
11	BEARING CASE :BALL SCREW	070320080000	
12	TIGHTENING COLLAR :10MM DIA.	502210040000	
13	TIGHTENING COLLAR :12MM DIA.	502212020000	
14	BASE :NEEDLE POSITION INDICATOR	070320150000	
15	GUIDE SHAFT :12-NEEDLE	07032010Y000	
16	BASE ROD :CHANGE :09-NEEDLE	070320189010	
17	BALL SCREW :CHANGE :12-NEEDLE	07032012Y000	
18	TIMING BELT :MA3 :W6-162E/LY	621A00020000	
19	LABEL :NEEDLE POSITION INDICATION :10MM DIA.	690300010000	
20	KNOB :C	08052001C010	
21	STUD :NO.4 :M4-23	505404010020	
22	BRACKET :POTENTIOMETER	0C0420020010	
23	BEARING :6200ZZNR	630300050000	
24	SLIDE BEARING :E-12	662100050000	
25	OIL-BUSHING :NO.1 :MB1010DU	638100200000	
26	MAIN NAME PLATE :TFSN :09-NEEDLE	14R29002@000	
27	PULSE MOTOR :56MM SQUARE :WITH SENSOR[A]	0J6109300A00	
28	POTENTIOMETER	640900010001	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)




ARM 1

SN-6-1

No.	Description	Part.No.	Remark
1	HEAD	080120010020	
2	BASE :BEARING	080290020010	
3	SENSOR ARM	0C0230090010	
4	SLIDE RAIL :C201-6634	661100120001	
5	BASE :NEEDLE BAR CASE :47ST :09-NEEDLE	080260219000	
6	HEAD FRONT COVER :L	08042002L000	
7	HEAD FRONT COVER :R	08042002R000	
8	SOLENOID :OPEN FRAME	640600121001	
9	O-RING :S-7	612200120000	
10	E-RING :4MM DIA.	611100070000	
11	O-RING :SS-18	612200150000	
12	E-RING :1.5MM DIA.	611100040000	
13	LEVER :SOLENOID	080270010000	
14	TORSION SPRING :0.5MM DIA.	507305020010	
15	COLLAR :NO.1 :3.1MM DIA.	502505010000	
16	LEVER :DRIVE[S]	080270040S10	
17	GUIDE PLATE :NEEDLE BAR CASE	080250020000	
18	GUIDE BRACKET :NEEDLE BAR CASE	080250030010	
19	WASHER :4.8*8*T0.8	S301040801KC	
20	SIDE COVER :HEAD :LOWER	080430220000	
21	SIDE COVER :HEAD :UPPER	080430010000	
22	BRACKET :JUMP MOTOR	080320490000	
23	PULSE MOTOR :42MM SQUARE :DOUBLE-END :WITH SCREW BASE	0J6107902000	
24	LEVER :JUMP	080320420010	
25	STEPPED SCREW :NO.1 :11/64*8.2	512154010010	
26	TORSION SPRING :0.9MM DIA.	507309040020	
27	DAMPER RING :4MM DIA.	080320410000	
28	LEVER :SEQUIN	0L0431030010	
29	SCREW WITH PIN :NO.1 :9/64-4	513153060010	
30	BASE :CLUTCH LEVER	080320380000	
31	CLUTCH LEVER[S]	080320370S20	
32	STEPPED SCREW :NO.1 :M3*2.8	512203010010	
33	DAMPER RING :3MM DIA. E	050320470010	
34	ROLLER PIN[S]	080290040S10	
35	TAKE-UP LEVER GUIDE RAIL	080280070000	
36	ROLLER :4.7MM DIA.	515110010010	
37	LINEAR WAY :NEEDLE BAR CASE :09-NEEDLE	080250049000	
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)



ARM 2


SN-6-2

No.	Description	Part.No.	Remark
1	NEEDLE BAR RECIPROCATOR :GN	089300000100	
2	TORSION SPRING :0.7MM DIA.	507307010010	
3	HOLDER :JUMP SPRING	080210110010	
4	NEEDLE BAR RECIPROCATOR[S]	080210270S40	
5	PLAIN WASHER :10.3*14*T0.5	519112010000	
6	RECIPROCATING SLIDE BLOCK	080210410010	
7	PLASTIC BUSHING :NO.2 :7.24MM DIA.	509472050010	
8	DAMPER BRACKET :NEEDLE BAR RECIPROCATOR	080210090000	
9	SCREW WITH PIN :NO.3 :11/64-8[A]	513354060A00	
10	SCREW WITH PIN :NO.3 :11/64-8	513354060000	
11	WICK :2.5*1*22	080240120010	
12	PLAIN WASHER :6*9.5*T0.5	519106043010	
12	PLAIN WASHER :6*9.5*T0.4	519106042010	
12	PLAIN WASHER :6*9.5*T0.3	519106041010	
13	FELT :14MM DIA.	080240060000	
14	PRESSER FOOT RECIPROCATOR :47MM ST[S]	080210420S10	
15	SCREW WITH ROLLER PIN :NO.7 :M4[S]	514704010S10	
16	PLATE :PRESSER FOOT RECIPROCATOR	080250060000	
17	DAMPER BRACKET :PRESSER FOOT RECIPROCATOR[S]	080210180S20	
18	LID :TAKE-UP LEVER BEARING CASE :13MM DIA.	080290010000	
19	BEARING CASE BUSHING :NO.1 :8MM DIA.	509508080000	
20	NEEDLE BAR DRIVE SHAFT :AUTOMATIC LUBRICATION[S]	010210030S00	
21	NEEDLE BAR DRIVE SHAFT	080210120040	
22	WICK :3.5P*183	080240020010	
23	FELT :NEEDLE BAR DRIVE SHAFT :B	080240070000	
24	GUIDE :NEEDLE BAR CASE[S]	080250170S00	
25	ROLLER :3MM DIA.	515103010020	
26	FELT :NEEDLE BAR DRIVE SHAFT :D	080240170000	
27	STRAIGHT PIN :NO.1 :8MM DIA.	503101130000	
28	LEVER :TAKE-UP LEVER	080230020000	
29	ARM :TAKE-UP LEVER	080230060000	
30	SCREW WITH PIN :NO.4 :M3-12.5	513403020000	
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

ARM 3



ARM 3

SN-6-3

No.	Description	Part.No.	Remark
1	TIGHTENING COLLAR :21MM DIA.	502221010010	
2	BEARING CASE :NO.2 :22MM DIA.[S]	508222010S00	
3	BEARING :60/22ZZ	630200040000	
4	CAM :NEEDLE BAR	080220010000	
5	NEEDLE CAGE :KT404310NE01B2	634400070001	
6	CONNECTING ROD :51.7	080220040000	
7	BASE :TAKE-UP LEVER CAM	080220050000	
8	CAM :TAKE-UP LEVER :REGULAR ROTARY HOOK	080220060010	
8	CAM :TAKE-UP LEVER :JUMBO ROTARY HOOK	080220070010	
9	PLAIN WASHER :CAM	080220180000	
10	STEPPED PIN :NO.4[S]	503204040S00	
11	COLLAR :NO.1 :21MM DIA.	502521010000	
12	CAM :PRESSER FOOT[A]	080220021A10	
13	HOLDER :BALANCER	030730040000	
14	LEVER :NEEDLE BAR[S]	080230050S10	
15	STEPPED PIN :NO.4	503204040010	
16	WICK :3.5P*61	080240040010	
17	STOPPER COLLAR :8MM DIA.	502108020010	
18	STEPPED SCREW :NO.2 :M6*21[S]	512206030S00	
19	STEPPED SCREW :NO.2 :M6*21	512206030010	
20	WICK	080240140000	
21	SCREW WITH PIN :NO.3 :11/64-7.7[A]	513354050A00	
22	SCREW WITH PIN :NO.3 :11/64-7.7	513354050010	
23	WICK	080240120000	
24	CONNECTING ROD :26	080230010000	
25	LEVER :PRESSER FOOT[S]	080230140S50	
26	STEPPED PIN :NO.4	503204030010	
27	STOPPER COLLAR :8MM DIA.	502108050010	
28	CAM FOLLOWER :CFS4-15E02	634500020000	
29	SCREW WITH ROLLER PIN :NO.4 :11/64E	080230150010	
30	MAIN SHAFT :18MM DIA.	QR7@01@@0000	
31	N-COUPLING :N-18-18	504718010000	
32	PLAIN WASHER :8*15*T0.5	519108050000	
33	CONNECTING ROD	080230210000	
34	BALANCER :B	030730050000	
35	STEPPED PIN :NO.4[S]	503204030S00	
36	SCREW WITH ROLLER PIN :NO.4 :11/64E[S]	080230150S10	
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)


NEEDLE BAR CASE 1

SN-7-1

No.	Description	Part.No.	Remark
1	NEEDLE BAR CASE :09-NEEDLE	090120019000	
2	NEEDLE BAR	090410020010	
3	COMPRESSION SPRING :0.5MM DIA.	507605030040	
4	FELT PACKING	090430040000	
5	DAMPER RING :F	090430020010	
6	STOPPER :UPPER DEAD POINT	090420040020	
7	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
8	NEEDLE BAR CONNECTING STUD	090420060010	
9	COMPRESSION SPRING :0.9MM DIA.	507609030010	
10	PRESSER FOOT CONNECTING STUD	090420020020	
11	PRESSER FOOT[A]	090460070A00	
12	PRESSER FOOT	090460070000	
13	SPLIT COLLAR :PRESSER FOOT	090460040020	
14	FLAT FILLISTER HEAD SCREW :1/8*44	090470020010	
15	DAMPER RING :A	090430070020	
16	NEEDLE CLAMP[S]	090420010S60	
17	SLOTTED HEAD SET SCREW :11/64*6B	511754010010	
18	NEEDLE :DB-K5Z1 #11	616500080000	
19	SPLIT COLLAR :NO.2 :8MM DIA.	502408020010	
20	GUIDE SHAFT :TAKE UP LEVER :09-NEEDLE	090330019000	
21	TAKE-UP LEVER[A]	090310050A20	
22	TAKE-UP LEVER[S]	090310050S20	
23	THREAD GUIDE COLLAR :1.8MM DIA.	516503010010	
24	BOSS :TAKE-UP LEVER	090310040010	
25	SPLIT COLLAR :NO.1 :8MM DIA.	502308010010	
26	NEEDLE BAR GUIDE :09-NEEDLE	090450049010	
27	RAIL GUIDE :09-NEEDLE	080270069000	
28	RAIL :CASE :LOWER :09-NEEDLE	090440019010	
29	PARALLEL PIN :4*16-H7	611200050000	13 or more heads
30	POSITIONING COLLAR :NEEDLE BAR CASE	0N2570030000	
31	BRACKET :CHANGE ROD	0N2570010000	
32	TORSION SPRING :1MM DIA.	507310040010	
33	CHANGE ROD :6MM DIA.	QR7@04@@@000	
34	SCREW JOINT :M6	504506010010	
35	SPRING HOOK BAR :09-NEEDLE	090330029000	
36	LEVER :STOPPER	090320010000	
37	BRACKET :CHANGE ROD :L	08026001L000	
38	BRACKET :CHANGE ROD :R	08026001R000	
39	FLAT FILLISTER HEAD SCREW :M4*10	511104010010	
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)



NEEDLE BAR CASE 2


SN-7-2

No.	Description	Part.No.	Remark
1	TAKE-UP LEVER COVER :09-NEEDLE	090530029000	
2	PAN HEAD SCREW :9/64*25	511353010000	
3	FLAT FILLISTER HEAD SCREW :M3*4.3	511103010000	
4	BASE :ROLLER-TYPE MIDDLE THREAD GUIDE :09-NEEDLE	090210259000	
5	ADJUSTING LEVER[S]	090210140S10	
6	COMPRESSION SPRING :0.7MM DIA.	507607160000	
7	RATCHET	090210050020	
8	TENSION COLLAR :NO.1	090210160010	
9	THREAD TAKE-UP SPRING :NO.2 :0.4MM DIA.	507204010010	
10	TENSION COLLAR :NO.2	090210170010	
11	STRAIGHT PIN :5MM DIA. :09-NEEDLE	090210239000	
12	STOPPER COLLAR :5MM DIA.	090210180010	
13	ROLLER-TYPE MIDDLE THREAD GUIDE :09-NEEDLE[S]	090210099S30	
14	STRAIGHT PIN :NO.1 :3MM DIA.	503101150020	
15	THREAD GUIDE COLLAR :1.8MM DIA.	516503010010	
16	FACE PLATE :NEEDLE BAR CASE :09-NEEDLE	090510019060	
17	UPPER THREAD LOCK :47 :09-NEEDLE	096190000010	
18	BASE :UPPER THREAD LOCK :09-NEEDLE	080270059000	
19	LOCK SHAFT[S]	080270030S00	
20	COMPRESSION SPRING :0.3MM DIA.	507603040030	
21	UPPER THREAD HOLDER :09-NEEDLE[A]	0B0200099A00	
22	BRACKET :UPPER THREAD HOLDER	0B0200010000	
23	THREAD SUSPENDER DISK	0B0200050000	
24	COMPRESSION SPRING :0.3MM DIA.	507603020010	
25	PRESSER :THREAD SUSPENDER SPRING	0B0200060000	
26	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
27	BASE :UPPER THREAD HOLDER :09-NEEDLE[S]	0B0200099S00	
28	BASE :UPPER THREAD HOLDER :09-NEEDLE	0B0200099000	
29	VELCRO :09-NEEDLE	0B0200079000	
30	UPPER THREAD HOLDER :09-NEEDLE[S]	0B0200189S00	
31	UPPER THREAD HOLDER :09-NEEDLE	0B0200189000	
32	COLLAR :NO.1 :3MM DIA.	502503070010	
33	E-RING :1.5MM DIA.	611100040000	
34	STEPPED SCREW :NO.1 :9/64*8.8	512153150000	
35	ROUND COUNTERSUNK HEAD SCREW :9/64*3.5	511553010010	
36	HOLDER :STRAIGHT PIN	090210190010	
37	STRAIGHT PIN :3MM DIA. :09-NEEDLE	090210229000	
38	E-RING :2MM DIA.	611100050000	
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

FRONT COVER



FRONT COVER


SN-8

No.	Description	Part.No.	Remark
1	HEAD R COVER :NO.1 :L30	17011011@000	Slide Rail
2	FRONT COVER :NO.1	17045@@@0000	
3	BRACKET :FRONT COVER :L[S]	17111015LS00	
4	FRONT COVER :NO.7 :L90	170120010000	
5	BRACKET :COVER	030460050010	
6	BRACKET :FRONT COVER :L[S]	17111014LS00	
7	BRACKET :FRONT COVER :R[S]	17111014RS00	
8	COVER :TIGHTENING COLLAR	170110080000	
9	BRACKET :FRONT COVER :R[S]	17111015RS00	
10	HEAD R COVER :NO.1 :L30	170110050000	Linear Rail
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

UPPER THREAD HOLDER




UPPER THREAD HOLDER

SN-9

No.	Description	Part.No.	Remark
1	HEXAGON CAP NUT :M3	S217030001SD	
2	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6107802000	
3	BASE :HOOK MOTOR	0B0110420000	
4	COLLAR :SPRING GUIDE	502522010010	
5	DAMPER RING :4MM DIA.	080320410000	
6	TORSION SPRING :0.8MM DIA.	507308190010	
7	LEVER :HOOK	0B0110470000	
8	CONNECTING PLATE :HOOK	0B0110080010	
9	SLIDE :HOOK	0B0110510000	
10	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
11	HOOK[S]	0B0110500S30	
12	GUIDE :HOOK	0B0110520010	
13	COVER :HOOK	0B0120010000	
14	STEPPED SCREW :NO.1 :9/64*9	512153060000	
15	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
16	SPACER :SLIDE HOOK	0B0110370010	
17	WASHER :2.6*7*T0.5	519204010000	
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)




CAM DRIVE SYSTEM

SN-10

No.	Description	Part.No.	Remark
1	BASE :ATH CAM[S]	0E0110110S40	
2	LEVER :ATH	0E0210840000	
3	BASE ROD :ATH	0E0210590010	
4	STRAIGHT PIN E :TENSION PULLEY	0E0210690010	
5	SCREW WITH PIN :NO.1 :M8-66.5	513110040000	
6	FLAT PULLEY :36MM DIA.[S]	501903050S10	
7	N-COUPLING :N-15-15	504715010000	
8	TIMING PULLEY :W25-20[S]	501454060S00	
9	BEARING CASE :NO.3 :15MM DIA.[S]	508315010S00	
10	NEEDLE COLLAR :15MM DIA.	502815010000	
11	TIMING PULLEY :W25-20	501454070000	
12	THRUST WASHER :AS1528	633200040000	
13	THRUST BEARING :NTB1528	633100030000	
14	NEEDLE BEARING :HMK1512	634200130000	
15	TIGHTENING COLLAR :10MM DIA.	502210030010	
16	O-RING :S-10	612200140000	
17	BRACKET :ATH MOTOR	0E0210670000	
18	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6107802000	
19	LEVER :SHAFT LEVER ROD	0E0210280000	
20	STRAIGHT PIN :NO.2 :6MM DIA.	503102010010	
21	UP/DOWN COLLAR :ATH	0E0210260010	
22	COVER :ATH CAM BOX	0E0210870000	
23	COMPRESSION SPRING :0.8MM DIA.	507608120010	
24	SHAFT :ATH CAM	0E0210210000	
25	COVER :BELT	0E0150010010	
26	TIMING BELT :SPTG :W25-S5M0410/G	623400290000	
27	SPACER :NO.4 :T0.5-2.0	51040019@000	
28	PIN :ATH BASE ROD	0E0210910000	
29	SCREW WITH PIN :NO.4 :M8-110	513408030010	
30	PLASTIC WASHER :15.5*22*T1	519216020000	
31	SCREW WITH ROLLER PIN :NO.5 :M6	514406010000	
32	ROLLER :8*14*8	515108030000	
33	FLAT FILLISTER HEAD SCREW :11/64*7	511154010030	
34	CAM :ATH	0E0120010000	
35	ROUND FILLISTER HEAD SCREW :9/32*17.5B	511252010000	
36	COUNTERSUNK TAPPING SCREW :3P*12	S550031201MZ	
36	COUNTERSUNK TAPPING SCREW :3P*16	S550031601MZ	
37	THRUST WASHER :GS1528	633200110000	
38	THRUST BEARING :NTB1528	633100030000	
39	FLAT FILLISTER HEAD SCREW :11/64*7	511154010030	
40	ROLLER :8*12*15.8	515108050000	
41	SPACER :NO.2 :T3.2	510200420000	
42	TIGHTENING COLLAR :A :20MM DIA.	502220020000	
43	TIGHTENING COLLAR :B :20MM DIA.	502220030000	
44	HEXAGON SOCKET HEAD CAP SCREW :LOW HEAD :M5*15	S120051504TN	
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)




X-AXIS DRIVE SYSTEM 1

SN-11-1

No.	Description	Part.No.	Remark
1	X-AXIS FEED PLATE :NO.2 :AZ :W50[S]	0F2220030000	
2	X-AXIS FEED PLATE :NO.2 :BZ :W50[S]	0F2220040000	
3	TIMING BELT :MA5 :W50/LY	623E00@@@000	
4	JOINT PLATE :BELT	0F0130020000	
5	SENSOR PLATE :MAGNET[S]	0F0110070S00	
6	HEXAGON BOLT :M3*6	511B03010000	
7	CARD :MAGNETIC SENSOR A	0J4200800010	
8	BASE :PROXIMITY SWITCH	0F0110060000	
9	KNURLED SCREW :M4*9	511D04020000	
10	NUT :M4*3.2	0F0110030000	
11	CARD :MAGNETIC SENSOR B	0J4200801020	
12	HARNESS :X-AXIS FRAME LIMIT	H0R7047@@@000	
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)




X-AXIS DRIVE SYSTEM 2

SN-11-2

No.	Description	Part.No.	Remark
1	X-DRIVE BASE :NO.1	160120@@@000	
2	X-DRIVE BASE :NO.2	160220@@@000	
3	SPACER :NO.2 :T0.5-2	51020009@000	
4	LINEAR BASE :X180-1200	0F016001@000	
5	STUD :NO.4 :M5-7	505405010010	
6	HOLDER :TENSION PULLEY	0F0120010000	
7	STRAIGHT PIN :NO.1 :12MM DIA.	503101110000	
8	STRAIGHT PIN :NO.1 :12MM DIA.	503101070000	
9	BASE :TENSION PULLEY	0F0120130000	
10	STRAIGHT PIN :NO.4 :12MM DIA.	503104040000	
11	SPACER :NO.4 :T0.5-2	51040007@000	0.5t, 1.0t, 2.0t
12	PULSE MOTOR :106MM DIA. :SINGLE-END	0J6101000020	Standard Drive Spec. M/C with Total Length 5635mm or less
12	PULSE MOTOR :106MM DIA. :SINGLE-END	0J6102400010	Standard Drive Spec. M/C with Total Length 5636mm or more
13	TIMING PULLEY :W50-16[S]	501490030S10	
14	RULON WASHER :TW-1225	638400080000	
15	BEARING CASE :NO.5 :L :17MM DIA.[S]	50851706LS00	
16	BEARING CASE :NO.5 :L	50851706L000	
17	BEARING :6003ZZ	630200080000	
18	BEARING COLLAR :15MM DIA.	502715080000	
19	TIMING PULLEY :W50-16	501G90010000	
20	BEARING CASE :NO.5 :R :17MM DIA.[S]	50851706RS00	
21	BEARING CASE :NO.5 :R	50851706R000	
22	X SHAFT	Q001X1@@@0000	
23	N-COUPLING :N-15-15	504715010000	
24	BRACKET :X MOTOR	0F0320030000	
25	LINEAR WAY	660100@@@0000	
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)



Y-AXIS DRIVE SYSTEM 1

SN-12-1

No.	Description	Part.No.	Remark
1	HARNESS :Y-AXIS FRAME LIMIT	H0R7048@@000	
2	HOLDER BLOCK :FRAME	0F0150080010	
3	Y-AXIS FEED PLATE :NO.1 :A :W50[S]	0F241008AS30	Left Side
3	Y-AXIS FEED PLATE :NO.1 :A :W35[S]	0F231005CS30	Center
4	Y-AXIS FEED PLATE :NO.1 :B :W50[S]	0F241008BS30	Right Side
5	BASE :SCREW WITH ROLLER PIN	0F0150010020	
6	STEPPED SCREW :NO.1 :M4*8.2	512104060000	
7	ROLLER PIN[S]	505406010S10	
8	SCREW WITH ROLLER PIN :NO.1 :M6[S]	514106290S00	
9	TIMING BELT :MA5 :W50/LY	623E00@@@000	Right Side, Left Side
9	TIMING BELT :MA5 :A :W35/LY	623D00@@@000	Center
10	JOINT PLATE :BELT	0F0130020000	
11	SENSOR PLATE :MAGNET[S]	0F0110070S00	
12	KNURLED SCREW :M4*9	511D04020000	
13	NUT :M4*3.2	0F0110030000	
14	Y-AXIS FEED CONNECTING PLATE :Y680-1500[S]	0F014005@S20	
15	BRACKET :FRAME PRESSER BLOCK	0F3290040000	
16	HOLDER BLOCK :FRAME :FRONT	0F3290160000	
17	Y-AXIS FEED PLATE :FRONT[S]	0F3210080S00	
18	CARD :MAGNETIC SENSOR B	0J4200801020	
19	CARD :MAGNETIC SENSOR A	0J4200800010	
20	BASE :PROXIMITY SWITCH	0F0110060000	
21	COVER :FRAME BEARING	0G0200030010	
22	HOLDER :TABLE COVER	0F0140140000	
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

Y-AXIS DRIVE SYSTEM 2


SN-12-2

No.	Description	Part.No.	Remark
1	Y-DRIVE BASE :NO.1 :Y550-800	16011007@000	
1	Y-DRIVE BASE :NO.1 :Y850-	16011008@000	
2	Y-DRIVE BASE :NO.2 :Y550-800	16021006@000	
2	Y-DRIVE BASE :NO.2 :Y850-	16021007@000	
3	SPACER :NO.2 :T0.5-2	51020009@000	
4	LINEAR BASE :Y300-1200	0F016003@000	
5	STUD :NO.4 :M5-7	505405010010	
6	HOLDER :TENSION PULLEY	0F0120010000	
7	STRAIGHT PIN :NO.1 :12MM DIA.	503101110000	
8	STRAIGHT PIN :NO.1 :12MM DIA.	503101070000	
9	BASE :TENSION PULLEY	0F0120130000	
10	STRAIGHT PIN :NO.4 :12MM DIA.	503104040000	
11	TIMING PULLEY :W35-16[S]	501470050S10	
12	COLLAR :NO.1 :12MM DIA.	502512030000	
13	TIMING PULLEY :W50-16[S]	501490030S10	
14	RULON WASHER :TW-1225	638400080000	
15	BEARING CASE :NO.5 :L :17MM DIA.[S]	50851706LS00	
16	BEARING CASE :NO.5 :L	50851706L000	
17	BEARING :6003ZZ	630200080000	
18	BEARING COLLAR :15MM DIA.	502715080000	
19	TIMING PULLEY :W35-16	501G70010000	
19	TIMING PULLEY :W50-16	501G90010000	
20	BEARING CASE :NO.5 :R :17MM DIA.[S]	50851706RS00	
21	BEARING CASE :NO.5 :R	50851706R000	
22	BRACKET :X MOTOR	0F0320030000	
23	SPACER :NO.4 :T0.5-2	51040007@000	0.5t, 1.0t, 2.0t
24	PULSE MOTOR :106MM DIA. :DOUBLE-END	0J6101100020	Standard Drive Spec. M/C with Total Length 5635mm or less
24	PULSE MOTOR :106MM DIA. :DOUBLE-END	0J6102500010	Standard Drive Spec. M/C with Total Length 5636mm or more
25	COUNTERSUNK TAPPING SCREW :4P*20	S550042001SD	
26	HOLDER :ROLLER	0F3290100000	
27	ROLLER :6*15*25	515106010000	
28	STRAIGHT PIN :NO.1 :6MM DIA.	503101310010	
29	BASE :RAIL :A :Y300-	0F312002@S00	
30	BASE :ROLLER HOLDER	0F3290150000	
31	LINEAR WAY	660100@@0000	
32	LINEAR WAY	660100@@0000	
33	N-COUPLING :N-15-15	504715010000	
34	Y SHAFT :15MM DIA.	QR5@030@0000	
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

ROTARY-TYPE TENSION BASE




ROTARY-TYPE TENSION BASE

SN-13

No.	Description	Part.No.	Remark
1	TENSION BASE :ROTARY :TFSN :ODD :09-NEEDLE	UC2D90000A00	
1	TENSION BASE :ROTARY :TFSN :EVEN :09-NEEDLE	UC2D90000B00	
2	TENSION BASE :ROTARY :09-NEEDLE[S]	0C0120029S40	
3	ROTARY TENSION DISK	0C0230120010	
4	SHAFT :ROTARY TENSION DISK	0C0230130030	
5	BASE :ROTARY TENSION DISK[S]	0C0230190S10	
6	SLIT PLATE :ROTARY DISK :50	0J4203800000	
7	TC SENSOR[A]	0J2602300A20	
8	GROMMET	0C0250090000	
9	KNOB :THREAD TENSION :A	0C0220150000	
10	SPRING HOOK	0C0220080000	
11	TAPER SPRING :0.6MM DIA.	507706010000	
12	TENSION DISK	0C0210020000	
13	THREAD TENSION STUD	0C0210010010	
14	STRAIGHT PIN :NO.1 :3MM DIA.	503101100000	
15	TRUSS HEAD TAPPING SCREW :3P*6	S530030601SD	
16	COUNTERSUNK TAPPING SCREW :3P*10	S550031001SD	
17	UPPER THREAD GUIDE :TENSION BASE :09-NEEDLE	0C0220179020	
18	COUNTERSUNK TAPPING SCREW :3P*8	S550030801SD	
19	BASE :THREAD PRESSER :09-NEEDLE	0C0220189010	
20	TRUSS HEAD SCREW :STEPPED :M3*4*2	S132030401TD	
21	TAPER SPRING :0.2MM DIA.	507702010000	
22	THREAD PRESSER	0C0220030010	
23	LAMP COVER :TENSION BASE	0C0250050000	
24	CARD :TCM82-A	0J2601201020	Odd-numbered Head
24	CARD :TCS82-A	0J2601301010	Even-numbered Head
25	COVER :TENSION BASE :09-NEEDLE[S]	0C0150079S00	
26	RAIL :THREAD BREAKAGE SENSOR :09-NEEDLE	0C0230149000	
27	BRACKET :TC SENSOR CARD	0C0230220010	
28	CARD :TC SENSOR	0J2602100010	
29	DISK GUARD :A :09-NEEDLE	0C0230209010	
30	DISK GUARD :C :09-NEEDLE	0C0230259000	
31	BRACKET :TENSION BASE :L[S]	0C024003LS00	
32	BRACKET :TENSION BASE :R[S]	0C024003RS00	
33	TENSION BASE CORD COVER :09-NEEDLE	0C0540029000	
34	CLAMP :FCN-25P	644100010000	
35	BUSHING :HARNESS	0J1501100010	
36	PLATE SPRING :T0.3	507803050000	
37	THREAD GUIDE :NO.3	0C0220200010	
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)



THREAD STAND


SN-14

No.	Description	Part.No.	Remark
1	THREAD STAND PLATE	1D1@@@@@@@@00	
2	FELT :21*15*50	0D0110080020	
3	COLLAR :NO.2 :7MM DIA.	502607010000	
4	COLLAR :NO.1 :5MM DIA.	0D0210140010	
5	JOINT :SPIRAL TUBE	0D0210130000	
6	SPIRAL TUBE :L300[A]	0D0210190A10	
7	THREAD TENSION GUIDE :TUBE	0D0210150020	
8	THREAD STAND STUD	0D0110410000	
9	FELT :THREAD STAND PLATE :T10	0D0110022000	
10	THREAD COURSE SUPPORT BAR	0D021031@010	
11	THREAD STAND BLADE	0D0110010010	
12	THREAD COURSE	1E1@@@@@@@@20	
13	THREAD GUIDE COLLAR :BLACK :4MM DIA.	516501012000	Black
13	THREAD GUIDE COLLAR :RED :4MM DIA.	516501011000	Red
14	THREAD TENSION :TUBE	UD1100000000	
15	KNOB :THREAD TENSION :A	0C0220150000	
16	SPRING HOOK	0C0220080000	
17	TAPER SPRING :0.55MM DIA.	507725010010	
18	TENSION DISK	0C0220160010	
19	THREAD TENSION STUD	0C0210010010	
20	BASE :THREAD STAND STUD	0D0110420000	
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

BAR SWITCH BOX



BAR SWITCH BOX


SN-15

No.	Description	Part.No.	Remark
1	BOX :BAR SWITCH	030240091010	
2	PAN HEAD WOOD SCREW :4.5P*25	S560510251TN	
3	SWITCH :MICRO	642300120000	
4	SENSOR PLATE :NO.1	030240110010	
5	TRUSS HEAD TAPPING SCREW :4P*16	S530041601SD	
6	COMPRESSION SPRING :1.8MM DIA.	507618010000	
7	COVER :BAR SWITCH BOX	030240100000	
8	LABEL :START/STOP	0P0600070000	
9	HOLDER :SWITCH BAR	030240050020	
10	SWITCH BAR	030240010000	
11	SIDE COVER	030240030000	
12	BRACKET :BAR SWITCH BOX	030240150010	Table Cut
13	HOLDER :SWITCH BAR	030240060010	Table Cut
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)

EMBROIDERY FRAME




EMBROIDERY FRAME

SN-16

No.	Description	Part.No.	Remark
1	BORDER FRAME :0012/068*360S[T]	301C39016T30	
2	CORNER :BORDER FRAME :FRONT R	0G0220190000	
3	CORNER :BORDER FRAME :FRONT L	0G0220200000	
4	CORNER :BORDER FRAME :REAR R	0G0220210000	
5	CORNER :BORDER FRAME :REAR L	0G0220220000	
6	RAIL PLATE :0.5*10	5181023@0000	
7	SCREW BUSHING :NO.2 :M4	0G0260020000	
8	FELT :18*7.5*980	0G0240061000	
9	CORK :T13.5[S]	0G0230020S20	
10	CORK	0G2210140000	
11	POINTER :EMBROIDERY FRAME	0G0270020000	
12	CORNER	0G0220060000	
13	CORK :T12.5[S]	0G0230090S00	
14	FELT :20*13*980	0G0240071000	
15	ADHESIVE TAPE :0.25T*8*20M	610400130000	
16	BASE :FELT :27*27*10	0G0240040200	
17	BRACKET :MIDDLE SASH CLAMP	0G0320030000	
18	CLAMP :MIDDLE SASH :A	0G0320010000	
19	CLAMP :MIDDLE SASH :B	0G0320020S00	
20	FELT :20*14*980	0G0240101000	
21	XZ SASH :Y450-800[S]	36110102@S00	
22	RAIL PLATE :0.5*10*1680	518102990000	
23	FELT :Z-SPEC. FRAME SASH	0G0140030000	
24	SPACER :Z-SPEC. FRAME SASH	0G0110030000	
25	COVER :Z-SPEC. FRAME SASH	0G0120040010	
26	HEXAGON SOCKET HEAD FLANGE SCREW :M6*8	S123060801TD	
27	BRACKET :BEARING :UPPER[S]	0G0280010S00	
28	BRACKET :BEARING :LOWER[S]	0G0280020S00	
29	ADHESIVE TAPE :0.25T*8*20M	610400130000	
30	BORDER FRAME CLIP :L220-300	0G052007@010	
31	HOLDER BUSHING :M5	509905010000	
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)




POWER SUPPLY BOX

SN-17

No.	Description	Part.No.	Remark
1	POWER SUPPLY BOX[A]	0J0102801A00	3-phase Spec. Main Shaft Motor 0.75kw
1	POWER SUPPLY BOX[A]	0J0102800A00	3-phase Spec. Main Shaft Motor 1.5kw
1	POWER SUPPLY BOX[A]	0J0102803A00	Single-phase Spec. Main Shaft Motor 0.75kw
1	POWER SUPPLY BOX[A]	0J0102802A00	Single-phase Spec. Main Shaft Motor 1.5kw
2	INVERTER :0.75K :0.75K MOTOR	0J3401000000	3-phase Spec. Main Shaft Motor 0.75kw
2	INVERTER :1.5K :1.5K MOTOR	0J3401100000	3-phase Spec. Main Shaft Motor 1.5kw
2	INVERTER :1.5K :0.75K MOTOR	0J3401101000	Single-phase Spec. Main Shaft Motor 0.75kw
2	INVERTER :2.2K :1.5K MOTOR	0J3401201000	Single-phase Spec. Main Shaft Motor 1.5kw
3	RESISTOR :BRAKE :60 OHMS	640800090011	3-/Single-phase Spec. Main Shaft Motor 0.75kw
3	RESISTOR :BRAKE :40 OHMS	640800080011	3-/Single-phase Spec. Main Shaft Motor 1.5kw
4	CARD :CPU83	0J2303003000	
5	CARD :JOINT 11	0J2502800030	
6	DRIVER :7-IDU AMP.	0J2100400020	
7	NO FUSE BREAKER :3-PHASE	646100121000	3-phase Spec. Main Shaft Motor 0.75kw, 1.5kw
7	NO FUSE BREAKER :SINGLE-PHASE	646100131000	Single-phase Spec. Main Shaft Motor 0.75kw, 1.5kw
8	NOISE FILTER	641400020000	
9	SURGE PROTECTOR :TO GROUND :3-PHASE	0J4300200000	
10	DC POWER SUPPLY :5V +/-15V	645300060000	
11	DC POWER SUPPLY :24V	645300240000	
12	TRANSFORMER :3-PHASE 200-415V	0J0902200000	3-phase Spec. Main Shaft Motor 0.75kw, 1.5kw
12	TRANSFORMER :SINGLE-PHASE 200-240V	0J0902300000	Single-phase Spec. Main Shaft Motor 0.75kw, 1.5kw
13	LABEL :EARTH :10MM DIA.	0P2310030000	
14	MOTOR :FAN[A]	0J6500600A00	
15	COUNTER :ELECTRO-MAGNETIC	0J4500200010	
16	NYLON LATCH :CP-522-2-3[T]	644500740T00	
17	VIBRATION-PREVENTIVE RUBBER :A	030110100000	
18	VIBRATION-PREVENTIVE RUBBER :B	030110110000	
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)



LCD OPERATION PANEL


SN-18

No.	Description	Part.No.	Remark
1	CASE :OPERATION PANEL :FRONT	0J1402700010	
2	PROTECTING SHEET :TOUCH PANEL :12.1	0J1402900000	
3	SWITCH :12.1 TOUCH PANEL[A]	0J0602600A00	
4	LCD	641200080000	
5	CARD :FSW82	0J3502500000	
6	INVERTER :BACKLIGHT	645500110000	
7	CARD :JOINT 8 LCD	0J3502400000	
8	CARD :JOINT 8 PANEL	0J3502300000	
9	CARD :COMPUTER	0J3502100010	
10	DC POWER SUPPLY :12V	645300290000	
11	CARD :USB CONNECTOR	0J3201100000	
12	FAN	0J1406300000	
13	CARD :COMPUTER I/F	0J3502200000	
14	CASE :OPERATION PANEL :REAR[S]	0J1402600S00	
15	LID :OPERATION PANEL :LOWER	0J1403100000	
16	JOG REMOTE-CONTROLLER POCKET[A]	0J5102100A00	
17	CARD :COMPUTER[T]	0J3502700T10	
18	LCD PANEL :8[A]	0J0401000A00	
19	JOG REMOTE-CONTROLLER[A]	0J4200100A00	
20	CARD :JOG REMOTE-CONTROLLER	0J3101100000	
21	HARNESS :JOG REMOTE-CONTROLLER	H0R705400000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(MW08)


MAIN SHAFT MOTOR



MAIN SHAFT MOTOR

SN-19

No.	Description	Part.No.	Remark
1	MOTOR :1.5KW	0J6402100010	1500W
2	TIMING PULLEY :W35-20	501472020010	
3	BASE :MAIN MOTOR	040210560000	1500W
4	GUIDE :MAIN MOTOR BASE	040210320000	
5	BRACKET :MAIN MOTOR	040210270010	
6	TIMING PULLEY :W35-60	501474090000	
7	STAR LOCK :STL21F18*35	504818010000	
8	TIMING BELT :SPTG :W35-S5M1025/G	623500100000	
9	BEARING CASE :NO.2 :22MM DIA.[S]	508222020S00	
10	SPACER :MAIN SHAFT MOTOR	040210290000	
11	BEARING COLLAR :18MM DIA.	502718010010	
12	COVER :MAIN SHAFT PULLEY	040210280010	
13	COVER :WIRING	040210420000	
14	COVER :MAIN MOTOR	040210380010	
15	BRACKET :ENCODER	040330020000	
16	BASE :ENCODER :B	0J4101100000	
17	BEARING :6901ZZ	630200270000	
18	ROTARY ENCODER	642100050011	
19	STEPPED PIN :NO.2	503202020000	
20	TIMING PULLEY :W10-24	501424020000	
21	TIMING PULLEY :W10-24	501424030000	
22	TIMING BELT :SPTG :W10-S5M0225/G	623100050000	
23	BASE :TENSION	040330010000	
24	SPONGE SEAL	040120620000	
25	COLLAR :NO.1 :3MM DIA.	502503070010	
26	BRACKET :NO.2 BEARING CASE :7	040440017000	
27	MOTOR :750W	0J6402200010	
28	BASE :MAIN MOTOR	040210259000	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



FDD (OPTION)

SN-20

No.	Description	Part.No.	Remark
1	BRACKET :FDD	0L3130020000	
2	BASE :FDD	0LZ010270000	
3	COVER :FDD	0LZ010280000	
4	FDD :USB	643300080000	
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

No.	Part No.	Remark	No.	Part No.	Remark
<i>A</i>	Flat Fillister Head Screw		<i>B12</i>	S120030802TN	M3*8
<i>A1</i>	SA41730351CN	1/8*44*3.5	<i>B13</i>	S120031001TD	M3*10
<i>A2</i>	SA41730501CN	1/8*44*5	<i>B14</i>	S120031002TN	M3*10
<i>A3</i>	SA41730551CN	1/8*44*5.5	<i>B15</i>	S120031203TD	M3*12
<i>A4</i>	SA41730601CN	1/8*44*6	<i>B16</i>	S120031201TN	M3*12
<i>A5</i>	SA41740301CN	9/64*40*3	<i>B17</i>	S120031502TD	M3*15
<i>A6</i>	SA41740402CN	9/64*40*4	<i>B18</i>	S120031501TN	M3*15
<i>A7</i>	SA41740401SA	9/64*40*4	<i>B19</i>	S120031601TN	M3*16
<i>A8</i>	SA41740403CL	9/64*40*4	<i>B20</i>	S120031801TN	M3*18
<i>A9</i>	SA41740404CN	9/64*40*4	<i>B21</i>	S120032003TD	M3*20
<i>A10</i>	SA41740501CN	9/64*40*5	<i>B22</i>	S120032001TN	M3*20
<i>A11</i>	SA41740601CN	9/64*40*6	<i>B23</i>	S120032501TN	M3*25
<i>A12</i>	SA41740602CN	9/64*40*6	<i>B24</i>	S120033001TN	M3*30
<i>A13</i>	SA41740701CN	9/64*40*7	<i>B25</i>	S120040501TD	M4*5
<i>A14</i>	SA41740801CN	9/64*40*8	<i>B26</i>	S120040502TN	M4*5
<i>A15</i>	SA41740802CN	9/64*40*8	<i>B27</i>	S120040602TD	M4*6
<i>A16</i>	SA41740803CN	9/64*40*8	<i>B28</i>	S120040601TN	M4*6
<i>A17</i>	SA41741001CN	9/64*40*10	<i>B29</i>	S120040801TD	M4*8
<i>A18</i>	SA41741202CN	9/64*40*12	<i>B30</i>	S120040802TN	M4*8
<i>A19</i>	SA41741501CN	9/64*40*15	<i>B31</i>	S120041001TD	M4*10
<i>A20</i>	SA41750431TN	11/64*40*4.3	<i>B32</i>	S120041002TN	M4*10
<i>A21</i>	SA41750701CN	11/64*40*7	<i>B33</i>	S120041201TD	M4*12
<i>A22</i>	SA41750751CN	11/64*40*7.5	<i>B34</i>	S120041202TN	M4*12
<i>A23</i>	SA41750901SH	11/64*40*9	<i>B35</i>	S120041401TN	M4*14
<i>A24</i>	SA41751151CN	11/64*40*11.5	<i>B36</i>	S120041502TD	M4*15
<i>A25</i>	SA41751201CN	11/64*40*12	<i>B37</i>	S120041501TN	M4*15
<i>A26</i>	S141030801SC	M3*8	<i>B38</i>	S120041601TN	M4*16
<i>A27</i>	S141030802SD	M3*8	<i>B39</i>	S120041801TN	M4*18
<i>A28</i>	S141031001CC	M3*10	<i>B40</i>	S120042002TD	M4*20
<i>A29</i>	S141041001SC	M4*10	<i>B41</i>	S120042001TN	M4*20
			<i>B42</i>	S120042502TD	M4*25
			<i>B43</i>	S120042501TN	M4*25
			<i>B44</i>	S120042504TN	M4*25
			<i>B45</i>	S120043001TN	M4*30
			<i>B46</i>	S120043502TD	M4*35
			<i>B47</i>	S120043501TN	M4*35
			<i>B48</i>	S120044001TN	M4*40
			<i>B49</i>	S120044501TN	M4*45
<i>B</i>	Hexagon Socket Head Cap Screw		<i>B50</i>	S120050601TN	M5*6
<i>B1</i>	S120020801TD	M2*8	<i>B51</i>	S120050801TD	M5*8
<i>B2</i>	S120021001TD	M2*10	<i>B52</i>	S120050802TN	M5*8
<i>B3</i>	S120480501TN	M2.6*5	<i>B53</i>	S120051001TD	M5*10
<i>B4</i>	S120030301TN	M3*3	<i>B54</i>	S120051002TN	M5*10
<i>B5</i>	S120030401TN	M3*4	<i>B55</i>	S120051004TP	M5*10
<i>B6</i>	S120030502TD	M3*5	<i>B56</i>	S120051201TD	M5*12
<i>B7</i>	S120030501TN	M3*5	<i>B57</i>	S120051202TN	M5*12
<i>B8</i>	S120030601TD	M3*6	<i>B58</i>	S120051401TN	M5*14
<i>B9</i>	S120030602TN	M3*6	<i>B59</i>	S120051501MZ	M5*15
<i>B10</i>	S120030804MZ	M3*8	<i>B60</i>	S120051502TD	M5*15
<i>B11</i>	S120030801TD	M3*8	<i>B61</i>	S120051503TN	M5*15

B.C

No.	Part No.	Remark	No.	Part No.	Remark
B	Hexagon Socket Head	Cap Screw	B111	S120084501TN	M8*45
B62	S120051601TN	M5*16	B112	S120084502TN	M8*45
B63	S120051801TN	M5*18	B113	S120085001TN	M8*50
B64	S120052001TD	M5*20	B114	S120086001TN	M8*60
B65	S120052002TN	M5*20	B115	S120087001TN	M8*70
B66	S120052201TN	M5*22	B116	S120102002TD	M10*20
B67	S120052301TN	M5*23	B117	S120102001TN	M10*20
B68	S120052501TN	M5*25	B118	S120102501TN	M10*25
B69	S120053001TN	M5*30	B119	S120103001TN	M10*30
B70	S120053503TD	M5*35	B120	S120103501TN	M10*35
B71	S120053501TN	M5*35	B121	S120104001TN	M10*40
B72	S120053502TN	M5*35	B122	S120123001TN	M12*30
B73	S120054001TN	M5*40	B123	S120123501TN	M12*35
B74	S120054501TN	M5*45	B124	S120081801TN	M8*18
B75	S120055001TN	M5*50	B125	S120470501TN	M2.5*5
B76	S120055002TN	M5*50	B126	S120052502TD	M5*25
B77	S120055501TN	M5*55	B127	S120030302TD	M3*3
B78	S120056001TN	M5*60	B128	S120051504TN	M5*15 LOW HEAD
B79	S120056003TN	M5*60	B129	S120031801TD	M3*18
B80	S120060801TN	M6*8	B130	S120052801TN	M5*28
B81	S120060901TN	M6*9			
B82	S120061001TN	M6*10			
B83	S120061202TD	M6*12			
B84	S120061201TN	M6*12			
B85	S120061501TD	M6*15	C	Hexagon Bolt	
B86	S120061502TN	M6*15	C1	S121030601SD	M3*6
B87	S120061801TD	M6*18	C2	S121040801SD	M4*8
B88	S120061802TN	M6*18	C3	S121042501SD	M4*25
B89	S120062001TN	M6*20	C4	S121051001SD	M5*10
B90	S120062501TN	M6*25	C5	S121051502SC	M5*15
B91	S120063001TN	M6*30	C6	S121051501SD	M5*15
B92	S120063501TN	M6*35	C7	S121052001SD	M5*20
B93	S120064001TN	M6*40	C8	S121061501SC	M6*15
B94	S120064501TN	M6*45	C9	S121062501TN	M6*25
B95	S120064502TN	M6*45	C10	S121064501SD	M6*45
B96	S120065001TN	M6*50	C11	S121065001SC	M6*50
B97	S120066501TN	M6*65	C12	S121065002SD	M6*50
B98	S120067501TN	M6*75	C13	S121065501SD	M6*55
B99	S120068001TN	M6*80	C14	S121066501SD	M6*65
B100	S12006A001TN	M6*100	C15	S121067501SC	M6*75
B101	S120081201TN	M8*12	C16	S121081501TN	M8*15
B102	S120081502TN	M8*15	C17	S121081801TN	M8*18
B103	S120081503TP	M8*15	C18	S121103001TN	M10*30
B104	S120081601TN	M8*16	C19	S121103502SC	M10*35
B105	S120082001TN	M8*20	C20	S121103501TN	M10*35
B106	S120082502TN	M8*25	C21	S121104001SC	M10*40
B107	S120083001TN	M8*30	C22	S121125001TN	M12*50
B108	S120083501TN	M8*35	C23	S12112B001TN	M12*110
B109	S120084001TN	M8*40	C24	S121082501TN	M8*25
B110	S120084002TN	M8*40	C25	S121102501TN	M10*25

No.	Part No.	Remark	No.	Part No.	Remark
D	Round Fillister Head Screw		E23	S160030801MZ	M3*8
D1	SA43740401CL	9/64*40*4	E24	S160030803SA	M3*8
D2	SA43740501CL	9/64*40*5	E25	S160030802SD	M3*8
D3	SA43740502CN	9/64*40*5	E26	S160031001MZ	M3*10
D4	SA43740503CN	9/64*40*5	E27	S160031003SC	M3*10
D5	SA43740504CN	9/64*40*5	E28	S160031002SD	M3*10
D6	SA43740601CL	9/64*40*6	E29	S160031101SC	M3*11
D7	SA43740602CN	9/64*40*6	E30	S160031201MZ	M3*12
D8	SA43740603CL	9/64*40*6	E31	S160031202SD	M3*12
D9	SA43740604CN	9/64*40*6	E32	S160031401SA	M3*14
D10	SA43740682CN	9/64*40*6.8	E33	S160031402SD	M3*14
D11	SA43740801CL	9/64*40*8	E34	S160031501SD	M3*15
D12	SA43740802CN	9/64*40*8	E35	S160031601SD	M3*16
D13	SA43741001CN	9/64*40*10	E36	S160031801SD	M3*18
D14	SA43741201CN	9/64*40*12	E37	S160032001SD	M3*20
D15	SA43750601CN	11/64*40*6	E38	S160033001SD	M3*30
D16	SA43750652CN	11/64*40*6.5	E39	S160034001SD	M3*40
D17	SA43751051CN	11/64*40*10.5	E40	S160035001SD	M3*50
D18	SA43751201CN	11/64*40*12	E41	S160040401SD	M4*4
D19	SA43751501CN	11/64*40*15	E42	S160040501SD	M4*5
D20	SA43812451CN	9/32*28*24.5	E43	S160040601MZ	M4*6
D21	S143030501SD	M3*5	E44	S160040602SD	M4*6
			E45	S160040801SD	M4*8
			E46	S160041001SD	M4*10
			E47	S160041201SD	M4*12
			E48	S160041501SD	M4*15
			E49	S160041801SD	M4*18
E	Pan Head Screw		E50	S160043001SD	M4*30
E1	S160410141MZ	M1.4*1.4	E51	S160045001SD	M4*50
E2	S160020202MZ	M2*2	E52	S160046001SD	M4*60
E3	S160020301MZ	M2*3	E53	S160050601SD	M5*6
E4	S160020401MZ	M2*4	E54	S160050701SD	M5*7
E5	S160020801MZ	M2*8	E55	S160050801SD	M5*8
E6	S160470301MZ	M2.5*3	E56	S160051002MZ	M5*10
E7	S160470402MZ	M2.5*4	E57	S160051001SD	M5*10
E8	S160470501MZ	M2.5*5	E58	S160051201SD	M5*12
E9	S160470801MZ	M2.5*8	E59	S160053001SD	M5*12
E10	S160471301MZ	M2.5*13	E60	S160051501SD	M5*15
E11	S160471302SD	M2.5*13	E61	S160054501SD	M5*45
E12	S160480601SD	M2.6*6	E62	S160055001SD	M5*50
E13	S160030301MZ	M3*3	E63	S160056001SD	M5*60
E14	S160030302SD	M3*3	E64	S160047001SD	M4*70
E15	S160030403CD	M3*4	E65	S160480801SD	M2.6*8
E16	S160030401MZ	M3*4	E66	S160030504SC	M3*5
E17	S160030402SD	M3*4	E67	S160480602MZ	M2.6*6
E18	S160030501MZ	M3*5	E68	S160031403MZ	M3*14
E19	S160030502SD	M3*5	E69	S160042001SD	M4*20
E20	S160030601MZ	M3*6	E70	S160044501SD	M4*45
E21	S160030603SA	M3*6			
E22	S160030602SD	M3*6			

F.G.H

No.	Part No.	Remark	No.	Part No.	Remark
<i>F</i>	Countersunk Head Screw		<i>G</i>	Round Countersunk Head Screw	
<i>F1</i>	SA51741001CN	9/64*40*10	<i>G1</i>	SA53730601CL	1/8*44*6
<i>F2</i>	SA50750801CN	11/64*40*8	<i>G2</i>	SA53740301CL	9/64*40*3
<i>F3</i>	S150020601SD	M2*6	<i>G3</i>	SA53740351CL	9/64*40*3.5
<i>F4</i>	S150030401MZ	M3*4	<i>G4</i>	SA53740401CL	9/64*40*4
<i>F5</i>	S150030402SD	M3*4	<i>G5</i>	SA53740601CL	9/64*40*6
<i>F6</i>	S150030501MZ	M3*5	<i>G6</i>	SA53740701CL	9/64*40*7
<i>F7</i>	S150030502SD	M3*5	<i>G7</i>	SA53740951CL	9/64*40*9.5
<i>F8</i>	S151030601SD	M3*6	<i>G8</i>	SA53741201CL	9/64*40*12
<i>F9</i>	S150030601MZ	M3*6			
<i>F10</i>	S150030602SD	M3*6			
<i>F11</i>	S150030701SD	M3*7			
<i>F12</i>	S151030801SD	M3*8			
<i>F13</i>	S150030801MZ	M3*8			
<i>F14</i>	S150030804SC	M3*8			
<i>F15</i>	S150030802SD	M3*8			
<i>F16</i>	S150030803SN	M3*8	<i>H</i>	Truss Head Screw	
<i>F17</i>	S150031002MZ	M3*10	<i>H1</i>	SA30730701CL	1/8*44*7
<i>F18</i>	S150031001SD	M3*10	<i>H2</i>	SA30740301CL	9/64*40*3.5
<i>F19</i>	S150031201MZ	M3*12	<i>H3</i>	SA30740401CL	9/64*40*4
<i>F20</i>	S150031202SD	M3*12	<i>H4</i>	SA31740401CM	9/64*40*4
<i>F21</i>	S150031501MZ	M3*15	<i>H5</i>	SA30740601CL	9/64*40*6
<i>F22</i>	S150031601SD	M3*16	<i>H6</i>	SA30740801CL	9/64*40*8
<i>F23</i>	S150040501SD	M4*5	<i>H7</i>	S130470301MZ	M2.5*3
<i>F24</i>	S150040602MZ	M4*6	<i>H8</i>	S130470302SD	M2.5*3
<i>F25</i>	S150040601SD	M4*6	<i>H9</i>	S130470401MZ	M2.5*4
<i>F26</i>	S150040801MZ	M4*8	<i>H10</i>	S130470402SA	M2.5*4
<i>F27</i>	S150040802SD	M4*8	<i>H11</i>	S130470403SD	M2.5*4
<i>F28</i>	S150041001MZ	M4*10	<i>H12</i>	S130030301MZ	M3*3
<i>F29</i>	S150041002SD	M4*10	<i>H13</i>	S130030302SD	M3*3
<i>F30</i>	S150041201SD	M4*12	<i>H14</i>	S130030402SD	M3*4
<i>F31</i>	S150041401SD	M4*14	<i>H15</i>	S130030501MZ	M3*5
<i>F32</i>	S150041501SD	M4*15	<i>H16</i>	S130030502SD	M3*5
<i>F33</i>	S150042001SD	M4*20	<i>H17</i>	S130030601MZ	M3*6
<i>F34</i>	S150042201SD	M4*22	<i>H18</i>	S130030601SD	M3*6
<i>F35</i>	S150042501SD	M4*25	<i>H19</i>	S130030603SA	M3*6
<i>F36</i>	S150050601SD	M5*6	<i>H20</i>	S130030802SD	M3*8
<i>F37</i>	S150050801SD	M5*8	<i>H21</i>	S130030803SA	M3*8
<i>F38</i>	S150051001MZ	M5*10	<i>H22</i>	S130031001MZ	M3*10
<i>F39</i>	S150051002SD	M5*10	<i>H23</i>	S130031002SD	M3*10
<i>F40</i>	S150051201SD	M5*12	<i>H24</i>	S130032001SD	M3*20
<i>F41</i>	S150051501SD	M5*15	<i>H25</i>	S130040401MZ	M4*4
<i>F42</i>	S150053001SD	M5*30	<i>H26</i>	S130040402SD	M4*5
<i>F43</i>	S150053501SD	M5*35	<i>H27</i>	S130040501MZ	M4*5
<i>F44</i>	S150054001SD	M5*40	<i>H28</i>	S130040502SD	M4*5
<i>F45</i>	S150061502SC	M6*15	<i>H29</i>	S130040601MZ	M4*6
<i>F46</i>	S150061503SD	M6*15	<i>H30</i>	S130040602SD	M4*6
<i>F47</i>	S150063501SD	M6*35	<i>H31</i>	S130040651SD	M4*6.5
<i>F48</i>	S150081201SD	M8*12	<i>H32</i>	S130040801MZ	M4*8
<i>F49</i>	S150087001TN	M8*70	<i>H33</i>	S130040802SD	M4*8

No.	Part No.	Remark	No.	Part No.	Remark
<i>H</i>	Truss Head Screw		<i>K</i>	Slotted Set Screw	
<i>H34</i>	S130040803MZ	M4*8 JIS	<i>K1</i>	SA71730351CN	1/8*44*3.5
<i>H35</i>	S130041002MZ	M4*10	<i>K2</i>	SA71740601CN	9/64*40*6
<i>H36</i>	S130041001SD	M4*10	<i>K3</i>	SA71750251CN	11/64*40*2.5
<i>H37</i>	S130041201SD	M4*12	<i>K4</i>	SA71750351CN	11/64*40*3.5
<i>H38</i>	S130041502SD	M4*15	<i>K5</i>	SA71750401CN	11/64*40*4
<i>H39</i>	S130042001SD	M4*20	<i>K6</i>	SA71750501CN	11/64*40*5
<i>H40</i>	S130050501SD	M5*5	<i>K7</i>	SA71790501CN	15/64*28*5
<i>H41</i>	S130050602MZ	M5*6	<i>K8</i>	SA71791001CN	15/64*28*10
<i>H42</i>	S130050601SD	M5*6	<i>K9</i>	SA71791501CN	15/64*28*15
<i>H43</i>	S130050651SD	M5*6.5	<i>K10</i>	SA71791701CN	15/64*28*17
<i>H44</i>	S130050701SD	M5*7	<i>K11</i>	SA71800401CN	1/4*40*4
<i>H45</i>	S130050801MZ	M5*8	<i>K12</i>	SA71800451CN	1/4*40*4.5
<i>H46</i>	S130050802SD	M5*8	<i>K13</i>	SA71800501CN	1/4*40*5
<i>H47</i>	S130051002MZ	M5*10	<i>K14</i>	SA71800601CN	1/4*40*6
<i>H48</i>	S130051001SD	M5*10	<i>K15</i>	SA71800801CN	1/4*40*8
<i>H49</i>	S130051201MZ	M5*12	<i>K16</i>	SA71811201CN	9/32*28*12
<i>H50</i>	S130051202SD	M5*12	<i>K17</i>	S171050601TN	M5*6
<i>H51</i>	S130051501SD	M5*15			
<i>H52</i>	S130052001SD	M5*20			
<i>H53</i>	S130052502SD	M5*25			
<i>H54</i>	S130053001SD	M5*30			
<i>H55</i>	S130053501SD	M5*35			
<i>H56</i>	S130060801SD	M6*8	<i>L</i>	Hexagon Socket Head Set Screw	
<i>H57</i>	S130061001SD	M6*10	<i>L1</i>	SA70730251CN	1/8*44*2.5
<i>H58</i>	S130062201SD	M6*22	<i>L2</i>	SA70730301CN	1/8*44*3
<i>H59</i>	S130062501SD	M6*25	<i>L3</i>	SA70750901CN	11/64*28*9
<i>H60</i>	S130063501SD	M6*35	<i>L4</i>	SA70750401CN	11/64*40*4
<i>H61</i>	S130064001SD	M6*40	<i>L5</i>	SA70750601CN	11/64*40*6
<i>H62</i>	S130031501SD	M3*15	<i>L6</i>	SA70750801CN	11/64*40*8
<i>H63</i>	S130043501SD	M4*35	<i>L7</i>	SA70790401CN	15/64*28*4
<i>H64</i>	S130020201SD	M2*2	<i>L8</i>	SA70790901CN	15/64*28*9
<i>H65</i>	S130470501SD	M2.5*5	<i>L9</i>	S170470301TN	M2.5*3
<i>H66</i>	S130052002MZ	M5*20	<i>L10</i>	S170030201TN	M3*2
			<i>L11</i>	S170030301TN	M3*3
			<i>L12</i>	S170030401TN	M3*4
			<i>L13</i>	S170030501TN	M3*5
			<i>L14</i>	S170030601TN	M3*6
			<i>L15</i>	S170030801TN	M3*8
			<i>L16</i>	S170040301TN	M4*3
<i>J</i>	Round Head Screw		<i>L17</i>	S170040401TN	M4*4
<i>J1</i>	S162020301MZ	M2*3	<i>L18</i>	S170040501TN	M4*5
<i>J2</i>	S162030801SD	M3*8	<i>L19</i>	S170040601TN	M4*6
<i>J3</i>	S162030802SE	M3*8	<i>L20</i>	S170040602TN	M4*6
<i>J4</i>	S162031001MZ	M3*10	<i>L21</i>	S170040801TN	M4*8
			<i>L22</i>	S170041001TN	M4*10
			<i>L23</i>	S170041201TN	M4*12
			<i>L24</i>	S170050401TN	M5*4
			<i>L25</i>	S170050501TN	M5*5
			<i>L26</i>	S170050601TN	M5*6

L.M.N.P

No.	Part No.	Remark	No.	Part No.	Remark
<i>L</i>	Hexagon Socket Head Set Screw		<i>N10</i>	S660041001SE	M4*10
<i>L27</i>	S170050801TN	M5*8	<i>N11</i>	S660041201SE	M4*12
<i>L28</i>	S170051001TN	M5*10	<i>N12</i>	S660045501SE	M4*55
<i>L29</i>	S170051201TN	M5*12	<i>N13</i>	S660051001SE	M5*10
<i>L30</i>	S170051501TN	M5*15	<i>N14</i>	S660051201SE	M5*12
<i>L31</i>	S170060501TN	M6*5	<i>N15</i>	S660051401SE	M5*14
<i>L32</i>	S170060601TN	M6*6	<i>N16</i>	S660051801SE	M5*18
<i>L33</i>	S170060801TN	M6*8	<i>N17</i>	S660030801MZ	M3*8
<i>L34</i>	S170061001TN	M6*10	<i>N18</i>	S660030502MZ	M3*5
<i>L35</i>	S170061801TN	M6*18	<i>N19</i>	S660031502MZ	M3*15 6MM DIA. WASHER
<i>L36</i>	S170080801TN	M8*8			
<i>L37</i>	S170081001TN	M8*10			
<i>L38</i>	S170081501TN	M8*15			
<i>L39</i>	S170031001TN	M3*10			
<i>L40</i>	S170031201TN	M3*12			
			<i>P</i>	Nut	
			<i>P1</i>	SB10730601CN	1/8*44*6*3
			<i>P2</i>	SB10740601CL	9/64*40*6*2
			<i>P3</i>	SB10740602CN	9/64*40*6*3
			<i>P4</i>	SB10750602CN	11/64*40*6*2
<i>M</i>	Hexagon Socket Head Button Screw		<i>P5</i>	SB10750603CN	11/64*40*6*3
<i>M1</i>	S124030401SC	M3*4	<i>P6</i>	SB10750701CN	11/64*40*7*3
<i>M2</i>	S124040601SC	M4*6	<i>P7</i>	SB11750701CN	11/64*40*7*3
<i>M3</i>	S124040802SC	M4*8	<i>P8</i>	S210420001XA	M1.6 Type 1
<i>M4</i>	S124040803SD	M4*8	<i>P9</i>	S210020001SD	M2 Type 1
<i>M5</i>	S124051001SC	M5*10	<i>P10</i>	S212020002SD	M2 Type 3
<i>M6</i>	S124051002SD	M5*10	<i>P11</i>	S210460002SD	M2.3 Type 1
<i>M7</i>	S124051501SD	M5*15	<i>P12</i>	S210470001MZ	M2.5 Type 1
<i>M8</i>	S124081201SC	M8*12	<i>P13</i>	S212480001SD	M2.6 Type 3
<i>M9</i>	S124081202SD	M8*12	<i>P14</i>	S210030001MZ	M3 Type 1
<i>M10</i>	S124081501SD	M8*15	<i>P15</i>	S210030002SC	M3 Type 1
<i>M11</i>	S124030501SC	M3*5	<i>P16</i>	S210030003SD	M3 Type 1
<i>M12</i>	S124030801SC	M3*8	<i>P17</i>	S215030001SD	M3 Thumbscrew Type 2
<i>M13</i>	S124030502TC	M3*5	<i>P18</i>	S212030001SC	M3 Type 3
			<i>P19</i>	S212030002SD	M3 Type 3
			<i>P20</i>	S212530001SC	M3.5 Type 3
			<i>P21</i>	S210040001SC	M4 Type 1
			<i>P22</i>	S210040002SD	M4 Type 1
			<i>P23</i>	S212040001SC	M4 Type 3
			<i>P24</i>	S212040002SD	M4 Type 3
<i>N</i>	Screw with Washer		<i>P25</i>	S217040001SD	M4 Cap
<i>N1</i>	S660480601SE	M2.6*6	<i>P26</i>	S210050001SC	M5 Type 1
<i>N2</i>	S660030601SE	M3*6	<i>P27</i>	S210050002SD	M5 Type 1
<i>N3</i>	S660030801SE	M3*8	<i>P28</i>	S212050001SC	M5 Type 3
<i>N4</i>	S660031001SE	M3*10	<i>P29</i>	S212050002SD	M5 Type 3
<i>N5</i>	S660031501SE	M3*15	<i>P30</i>	S217050001SD	M5 Cap
<i>N6</i>	S660031601SE	M3*16	<i>P31</i>	S210060001SC	M6 Type 1
<i>N7</i>	S660031801SE	M3*18	<i>P32</i>	S210060002SC	M6 Type 1 (Left)
<i>N8</i>	S660040601SE	M4*6	<i>P33</i>	S210060003SD	M6 Type 1
<i>N9</i>	S660040801SE	M4*8	<i>P34</i>	S210060004SD	M6 Type 1 (Left)

No.	Part No.	Remark	No.	Part No.	Remark
P	Nut		R26	S301051202SC	Plain M5*12*t0.8
P35	S212060001SC	M6 Type 3	R27	S301051203SD	Plain M5*12*t0.8
P36	S210080001SC	M8 Type 1	R28	S301061102SC	Plain M6*11*t1.6
P37	S210080002SD	M8 Type 1	R29	S301061151SC	Plain M6*11.5*t0.8
P38	S212080001SC	M8 Type 3	R30	S301061301SC	Plain M6*13*t1.0
P39	S212080002SD	M8 Type 3	R31	S301061302SD	Plain M6*13*t1.0
P40	S210100001SC	M10 Type 1	R32	S301061601SC	Plain M6*16*t1.0
P41	S213100002SD	M10 With Flange	R33	S301081601SD	Plain M8*16*t1.2
P42	S213100003SD	M10 With Disk Spring	R34	S301081801SC	Plain M8*18*t1.6
P43	S210120001SC	M12 Type 1	R35	S301081802SD	Plain M8*18*t1.6
P44	S212120001SC	M12 Type 3	R36	S301081803SC	Plain M8*18*t3.2
P45	S212120002SD	M12 Type 3	R37	S301082201SC	Plain M8*22*t3.2
P46	S210160001SD	M16 Type 1	R38	S301102201SC	Plain M10*22*t1.6
P47	S212160002SC	M16 Type 1	R39	S301102601SC	Plain M10*26*t3.2
P48	S212160001SD	M16 Type 3	R40	S301102602SD	Plain M10*26*t3.2
P49	S210200001SC	M20 Type 1	R41	S301122051SC	Plain M12*20.5*t2
P50	S212470001SC	M2.5 Type 3	R42	S301163201SD	Plain M16*32*t2.5
P51	SB12750701SC	11/64*7*2.2 Type 3	R43	S402020001KD	Spring M2
P52	S211040001SD	M4 Type 2	R44	S402480001KC	Spring M2.6
P53	SB12740601MZ	9/64*6*2 Type 3	R45	S402030001KC	Spring M3
			R46	S402030002KD	Spring M3
			R47	S402530001KC	Spring M3.5
			R48	S402040001KC	Spring M4
			R49	S402040002KD	Spring M4
R	Washer		R50	S402050001KC	Spring M5
R1	S301410301MZ	Plain M1.4*3*t0.3	R51	S402050002KD	Spring M5
R2	S301020351XZ	Plain M2*3.5*t0.5	R52	S402050003MZ	Spring M5
R3	S301020431SD	Plain M2*4.3*t0.3	R53	S402060001KC	Spring M6
R4	S301480501XB	Plain M2.6*5*t0.5	R54	S402060002KD	Spring M6
R5	S301480751XB	Plain M2.6*7.5*t0.5	R55	S402080001KC	Spring M8
R6	S301030602XZ	Plain M3*6*t0.3	R56	S402080002KD	Spring M8
R7	S301030603SC	Plain M3*6*t0.5	R57	S402100001KC	Spring M10
R8	S301030601SD	Plain M3*6*t0.5	R58	S402100002KD	Spring M10
R9	S301030701SD	Plain M3*7*t0.5	R59	S402120001KC	Spring M12
R10	S301030804SD	Plain M3*8*t0.3	R60	S305041101TP	Wave M4
R11	S301030805MZ	Plain M3*8*t0.5	R61	S305051001TN	Wave M5
R12	S301030801SC	Plain M3*8*t0.5	R62	S305061051TN	Wave M6
R13	S301030802SD	Plain M3*8*t0.5	R63	S304040851TP	With teeth M4
R14	S301030803SD	Plain M3*8*t1	R64	S304051001TP	With teeth M5
R15	S301040805SC	Plain M4*8*t0.5	R65	S306080001SC	Slant M8
R16	S301040802SD	Plain M4*8*t0.5	R66	S303040801SC	Disk Spring M4
R17	S301040804SC	Plain M4*8*t0.8	R67	S301040901EZ	Plain M4*9*t0.3
R18	S301040803SD	Plain M4*8*t0.8	R68	S301470252MZ	Plain M2.5*5*t0.5
R19	S301041004MZ	Plain M4*10*t0.8	R69	S301030605SD	Plain M3*6*t1.0
R20	S301041002SC	Plain M4*10*t0.8	R70	S301030604MZ	Plain M3*6*T0.5
R21	S301041003SD	Plain M4*10*t0.8	R71	S305051101TN	Wave M5
R22	S301041201SC	Plain M4*12*t1			
R23	S301051002SC	Plain M5*10*t0.8			
R24	S301051003SD	Plain M5*10*t0.8			
R25	S301051204MZ	Plain M5*12*t0.8			

1st Edition February, 2006
2nd Edition September, 2007
3rd Edition November, 2008
4th Edition August, 2009


■ **Manufactured by:**
Tokai Industrial Sewing Machine Co., Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pre., 486-0901, Japan
Telephone:568-33-1161 Fax:568-33-1191

■ **Distributed by:**
Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan
Telephone:52-932-3444 Fax:52-932-2457

■ **Authorized Distributor:**



●Copy, reprint, or reform of a part or whole of this manual without permission is prohibited.

THE TAJIMA GROUP

<http://www.tajima.com>

Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, JAPAN
TEL.81-52-932-3811 FAX.81-52-932-3815

Tokai Industrial Sewing Machine Co., Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pre., 486-0901, JAPAN
TEL.81-568-33-1161 FAX.81-568-33-1191