


STANDARD FEET

Durkopp Adler 杜克普 / Juki 重機


標準壓腳

367, 467, 767 / LU-2210


DURKOPP ADLER 杜克普

KP367W


Feeding foot width 內壓腳闊: 8mm
0367-220993 + 0467-220013

KP367N


Feeding foot width 內壓腳闊: 5.8mm
0367-225053 + 0367-225043

KP367F


For binding 包邊用
Feeding foot width 內壓腳闊: 12.2mm
0367-220103 + 0067-220993

KP367LN

Left cording feet set 左單邊壓腳
0367-220343 + 0067-220703

KP367RN

Right cording feet set 右單邊壓腳
0367-220283 + 0067-220713

KP367T


For zipping 傍膠條用
Feeding foot width 內壓腳闊: 6mm
0367-220103 + 0067-220993

KP367-N081

Presser foot width 外壓腳闊: 10mm
Feeding foot width 內壓腳闊: 4.5mm


KP367-L081

Presser foot width 外壓腳闊: 7.5mm
Feeding foot width 內壓腳闊: 4.5mm

KP367-R081

Presser foot width 外壓腳闊: 7.5mm
Feeding foot width 內壓腳闊: 4.5mm

Presser feet set for narrow operation. They must be used together with "KH467N081-NP" needle plate and "KH467N081-FD" feed dog.
以上壓腳組適用於狹窄縫製空間，需配搭 "KH467N081-NP" 針板和 "KH467N081-FD" 送布牙使用。

KP467Q

For upturned material, head rest or seam with a large drop-height
適用於上翻形物料/頭枕用
* Must be used with KH467Q-NP/FD
需配搭 KH467Q-NP/FD 針板/送布牙使用

KP367VX

Climbing over cross seams
適用於縫製十字縫
0767-220013 + 0467-220483

KP367VC


Climbing over thicker materials
適用於縫製特厚物料
0367-221543 + 0367-221553

STANDARD FEET










標準壓腳

Durkopp Adler 杜克普 / Juki 重機

367, 467, 767 / LU-2210

KP367S

For small operation 精巧工序用

KP367TPTape attaching tube on feeding feed
Tape width: 5mm or tailor-made
落縫條用，細條寬度: 5mm或訂造**KP367B**For binding. Working together with KH467B
needle plate & feed dog and KH8767
包邊用，可配搭KH467B 針板/送布牙
及KH8767 擺架一起使用**KP367ZP**Feet for invisible zipper, used together with KH844
隱形拉鍊用，可配搭KH844 拉筒一起使用**KP367LV**Left cording foot for climbing cross seams
左單邊壓腳，適用於縫製十字縫**KP367RV**Right cording foot for climbing cross seams
右單邊壓腳，適用於縫製十字縫**KP467LW**Left cording foot for heavy materials
左單邊壓腳，特厚料用**KP467RW**Right cording foot for heavy materials
右單邊壓腳，特厚料用**KP10711703**Climbing over thicker materials
特厚料用**KH367FG**Finger guard for KP367W/ N/ LN/ RN/ F/ T
護針罩，KP367W/ N/ LN/ RN/ F/ T 用
* Right hand side model is available
* 另有右邊型號可供選擇**KH367FG2**Stronger finger guard 加強型護針罩
* Right hand side model is available
* 另有右邊型號可供選擇

DURKOPP ADLER 杜克普

JUKI 重機


GUIDING FEET (SINGLE NEEDLE)

Durkopp Adler 杜克普 / Juki 重機


傍位壓腳(單針)

367, 467, 767 / LU-2210


DURKOPP ADLER 杜克普

GL367Left compensating guide feet
左邊彈弓傍位壓腳


3, 4, 5, 6, 8, 9 mm

GR367Right compensating guide feet
右邊彈弓傍位壓腳


3, 4, 5, 6, 8, 9 mm

GL367XStronger left compensating guide &
wider feeding foot for HEAVY DUTY
特強左邊彈弓傍位壓腳，特闊送料


3, 4, 5, 6, 8, 9 mm

GR367XStronger right compensating guide &
wider feeding foot for HEAVY DUTY
特強右邊彈弓傍位壓腳，特闊送料


3, 4, 5, 6, 8, 9 mm

GL367HDeeper left compensating guide with
balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳，超厚物用


4, 5, 6, 8, 9 mm

GR367HDeeper right compensating guide with
balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳，超厚物用

4, 5, 6, 8, 9 mm

R367RRight roller guide feet
右邊傍位滾輪壓腳

3, 4, 5, 6 mm

GD367Double compensating guide feet
左右雙傍位壓腳

3/32", 1/8", 3/16", 1/4"

JUKI 重機

PIPING GAUGE SETS

Durkopp Adler 杜克普 / Juki 重機

繩管針位

367, 467, 767 / LU-2210

KH367-NP

Needle plate for piping,
which is used together with
KH367-FDP or KH367-FD
繩管用針板
配搭KH367-FDP或
KH367-FD 同時使用

Grooved feed dog's main
purpose is solving the problem
of unbalance between upper
and lower layers. It must be used
together with KH367PL/
PR/ PF/ PB/ PC/ PCS presser feet
有坑送布牙用於縫製繩管
部份，需配搭KH367PL/ PR/ PF
PB/ PC/ PCS 壓腳同時使用。

KH367-HNP

Needle plate for larger piping,
which is used together
with KH367-HFD
粗繩管用針板
配搭KH367-HFD
同時使用


Groove Size 坑闊:
6mm, 9mm

KH767WG



Welt groove is integrated one half each in the
presser foot and feeding foot
It can be used together with KH767WS
粗飾邊用，針孔貼齊坑邊
可配搭KH767WS一起使用

5mm (W) x 5mm (H), 5mm (W) x 7mm (H)



KH367-FDP

Grooved feed dog for 5mm
piping, totally 11.5mm wide
送布牙11.5mm 闊
坑5mm闊

KH367-FD

Feed dog for piping,
11.5mm wide
送布牙11.5mm 闊

KH367-HFD

Grooved feed dog for larger
piping, which is used
together with KH367-HNP
粗繩管用牙
配搭KH367-HNP 同時使用

Groove Size 坑闊:
6mm, 9mm


KH767TG



Welt groove is integrated one half each in the
presser foot and feeding foot
It can be used together with KH767TS
粗飾邊用，針孔貼齊坑邊
可配搭KH767TS一起使用

5, 6, 8 mm

KH367PF



Cording groove on the left of the needle
左坑，繩管用雙趾壓腳

3, 4, 5, 6, 8, 9 mm

KH367PL



Cording groove on the left of the needle
左坑，繩管用單左趾壓腳

3, 4, 5, 6, 8, 9 mm


KH367PR



Cording groove on the right of the needle
右坑，繩管用單右趾壓腳

3.2, 4.8, 6.4 mm


KH367PB



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳

4, 5, 6, 8, 9 mm

KH367PC



Piping operation to the left of the needle
左坑，繩管用雙趾壓腳

4, 5, 6, 8, 9 mm

KH367PCS



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳

4, 5, 6, 8, 9 mm

DURKOPP ADLER 杜克普

JUKI 重機

PIPING GAUGE SETS

Durkopp Adler 杜克普 / Juki 重機

繩管針位

367, 467, 767 / LU-2210

DURKOPP ADLER 杜克普


KH367PD



Double piping groove, needle hole in the middle
雙坑壓腳，針孔在中

3/16" x 2, 1/4" x 2, 3/8" x 2
5mm x 2, 6mm x 2, 8mm x 2

KH367PJ



Cording groove on the left of the needle.
Groove position is adjustable in order to adjust
the space between the needle and the cord.
左坑，單左趾壓腳，繩管與落針距離可調教

3, 4, 5, 6, 7, 8, 9 mm

KH367TG



Cording groove on the left of the needle
its welt groove is integrated one half each
in the presser foot and feeding foot
左坑，繩管用單左趾壓腳，針孔貼齊坑邊

3, 4, 5, 6 mm

JUKI 重機


GAUGE SETS (SINGLE NEEDLE)

Durkopp Adler 杜克普 / Juki 重機

單針針位


467, 767 / LU-2210

KH467-NP6/FD




Feed dog 8mm wide, max stitch length 6mm
送布牙面寬 8mm，最長行程 6mm

KH467-NP11/FD




Feed dog 8mm wide, max stitch length 11mm
送布牙面寬 8mm，最長行程 11mm

0467-210070




Feed dog 8mm wide
送布牙面寬 8mm

KH467N081-NP/FD




* Must be used with KP467-N081/L081/R081
presser feet for narrow operation
需配搭KP467-N081/L081/R081壓腳使用，
適合狹窄面料

KH467Q-NP/FD



For upturned material, head rest or
seam with a large drop-height
適用於上翻形物料/頭枕用
* Must be used with KP467Q presser feet
需配搭 KP467Q 壓腳使用

KH467K-NP/FD




For thin material
薄料用

GAUGE SETS (SINGLE NEEDLE)


Durkopp Adler 杜克普 / Juki 重機

單針針位


467, 767 / LU-2210

KH467B


Feed dog enable the binder and rocking with moving arm KHB767
配搭KHB767包邊擺架使用

KCU467-GS 467/767 Edge cutting gauge set 切邊針位組

Standard width 標準寬度: 3.0mm, 4.8mm

0767-200030

Needle plate for 767-KFA-373-RAF-HP
Max stitch length 9mm
767-KFA-373-RAF-HP針板, 最長行程 9mm

0767-210030


Feed dog for 767-KFA-373-RAF-HP
767-KFA-373-RAF-HP送布牙

0367-232010KH

Needle bar for single needle
using with KH767-NCS
單針針柱
需配搭KH767-NCS使用


0767-120050KH

Needle bar complete
for single needle
單針針柱

0767-120064KH

Needle bar complete
for single needle
單針針柱 (連線耳)

0767-120060 Needle bar 針柱
0291-000159 Thread guide 線耳
9203-312411 Screw 螺絲

0367-200340 + 0367-210230

Wider feeding area for
piping or other operations
特闊送布牙面, 為飾邊等操作而設

KH767-NCS

Single needle holder with screw,
using on 0367-232010KH
單針針頭連螺絲
安裝於0367-232010KH使用

0291-000159 + 9203-312411

0291-000159 Thread guide 線耳
9203-312411 Screw 螺絲
(for 用於 0767-120064KH)

DURKOPP ADLER 杜克普

JUKI 重機

DOUBLE NEEDLE FEET

Durkopp Adler 杜克普 / Juki 重機


雙針壓腳

467, 767 / LU-2260

DURKOPP ADLER 杜克普

KP767Spring type center guide feet set
彈弓中分刀雙針壓腳


5, 6, 8, 10, 12, 14, 16 mm

KP767-SOSpring type center guide foot
彈弓中分刀雙針外壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP767-SIFeeding foot for center guiding
中分刀雙針內壓腳


5, 6, 8, 10, 12, 14, 16 mm

KP768AOPneumatic center guide foot
氣動中分刀外壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP768-ICompensating inner foot
高低互補內壓腳


5, 6, 8, 10, 12, 14, 16 mm

KP768-IXCompensating foot with
a center guide on right toe
高低互補內壓腳連中分刀(右趾)


6, 8, 10, 12, 14 mm

KP768-HISupport larger difference in height
可應付大高度落差


8, 10, 12, 14, 16 mm

KP767SFor small operation
精巧工序用


6, 8, 10, 12, 14 mm

KP767SKFor small operation with center guide
精巧工序用(中分刀)

6, 8, 10, 12 mm

KP767UDDouble needle presser feet set
雙針壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KP767UDouble needle presser foot
雙針外壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KP767DDouble needle feeding foot
雙針內壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


JUKI 重機

DOUBLE NEEDLE FEET

Durkopp Adler 杜克普 / Juki 重機


雙針壓腳

467, 767 / LU-2260

KP767EP

Zipper feet, use together with KHF844
拉鍊壓腳・配搭KHF844使用

10, 12, 14 mm

KP768-MO + KP768-MI

For center cording/piping
中間繩管內外壓腳

8, 10 mm

GA767R


Double needle feet with right guide
Guide pressure and guide level are adjustable
雙針右側壓腳・側位壓力及高度均可調教

5, 6, 8, 10, 12, 14, 16 mm

KP768-ZO

Pneumatic center guide foot for small operation
精巧工序用氣動中分刀外壓腳

6, 8, 10, 12 mm

KP768-ZI

Pneumatic center guide feeding foot for small operation
精巧工序用氣動中分刀內壓腳

6, 8, 10, 12 mm

DURKOPP ADLER 杜克普


JUKI 重機

GAUGE SET (DOUBLE NEEDLE)

Durkopp Adler 杜克普 / Juki 重機


雙針針位

467, 767 / LU-2260

KH767-NP


Needle plate for 767
767 針板

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KH767-FD

Feed dog for 767
767 送布牙

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KH767-NC

Needle clamp for double needle
雙針針頭

3, 4, 5, 6, 8, 10, 12, 14, 16 mm


GAUGE SETS (DOUBLE NEEDLE)

Durkopp Adler 杜克普 / Juki 重機


雙針針位

767, 768 / LU-2260


DURKOPP ADLER 杜克普

KH768-NPNeedle plate for 768
768 針板


5, 6, 8, 10, 12, 14, 16 mm

KH768-NPTNeedle plate for 768 with thread trimmer
768 針板 (剪線車用)

5, 6, 8, 10, 12, 14, 16 mm

KH768-FDFeed dog for 768
768 送布牙

5, 6, 8, 10, 12, 14, 16 mm

KH768-NPCNeedle plate carrier for 768
768 針板橋

5, 6, 8, 10, 12, 14, 16 mm

0367-232010KHNeedle bar for double needle
using with KH767-NC
雙針針柱，需配搭KH767-NC使用

JUKI 重機



KH767AS Asymmetric gauge set 不對稱針位

KP767AS-D

KH767AS-NC

KP767AS-U

KH767AS-NP



KH767AS-FD



This gauge set is a convenient solution for the user who use alternately single needle and double needle.

The center is at the right needle hole, but not the middle between two needles.

此針位設計為不對稱地偏向左邊，針位中心置於右針上。

目的為方便交替單針及雙針縫製。

8, 10, 12 mm

KH867-OSNCModification of needle bar bushing
需修改針柱軸套Flip-up needle clamp for double needle
雙跳針針頭

6, 8, 10, 12 mm

SEWING FEET (12mm stitch length)


Durkopp Adler 杜克普

12mm行程壓腳

867, 868


DURKOPP ADLER 杜克普

KP867UD

Double needle presser feet set
雙針壓腳

6, 8, 10, 12, 14, 16 mm

KP867U

Double needle presser foot
雙針外壓腳

6, 8, 10, 12, 14, 16 mm

KP767D

Double needle feeding foot
雙針內壓腳

6, 8, 10, 12, 14, 16 mm

KP868

Spring type center guide feet set
彈弓中分刀雙針壓腳

6, 8, 10, 12, 14, 16 mm

KP868-SO

Spring type center guide foot
彈弓中分刀雙針外壓腳

6, 8, 10, 12, 14, 16 mm

KP767-SI

Feeding foot for center guiding
中分刀雙針內壓腳

6, 8, 10, 12, 14, 16 mm

KP868AO

Pneumatic center guide foot
氣動中分刀外壓腳


6, 8, 10, 12, 14, 16 mm

KP768-I

Compensating inner foot
高低互補內壓腳

6, 8, 10, 12, 14, 16 mm

GL867

Left compensating guide feet
左邊彈弓傍位壓腳


3, 4, 5, 6, 8, 9 mm

GR867

Right compensating guide feet
右邊彈弓傍位壓腳

3, 4, 5, 6, 8, 9 mm

GL867H

Deeper left compensating guide with
balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳，超厚物用

5, 6, 8, 9 mm

GR867H

Deeper right compensating guide with
balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳，超厚物用

5, 6, 8, 9 mm

SEWING FEET (12mm stitch length)


12mm行程壓腳

Durkopp Adler 杜克普


867, 868

DURKOPP ADLER 杜克普


KP867W


Regular foot
標準壓腳

KP867LN


Left cording foot set
左單邊壓腳

KP867RN


Right cording foot set
右單邊壓腳

GAUGE SETS (SINGLE NEEDLE)

單針針位

Durkopp Adler 杜克普


867

KH868-NB




Needle Bar 針柱


0867-200010


Maximum stitch length 6 mm
最長行程 6mm


0867-200020


Maximum stitch length 9 mm
最長行程 9mm

0867-200030


Maximum stitch length 12 mm
最長行程 12mm

0867-210010A



Feed dog 送布牙

GAUGE SETS (SINGLE NEEDLE)


Durkopp Adler 杜克普

單針針位

867


DURKOPP ADLER 杜克普

0867-210010B




Feed dog 送布牙


KH867-BNP

Needle plate for binding (Moving arm KH8767)
包邊用針板 (配搭KH8767擺架使用)


KH867-BFD

Feed dog for binding (Moving arm KH8767)
包邊用送布牙 (配搭KH8767擺架使用)

0867-210010FDH


Bigger needle hole: 4.2 x 3.2mm
大針孔送布牙: 4.2 x 3.2mm

KH867-HNP


Needle plate for larger piping
Use together with KH867-HFD
特大飾邊用針板 (配合KH867-HFD送布牙用)

Groove Size坑闊: 6mm, 9mm

KH867-HFD

Groove feed dog for larger piping
Use together with KH867-HNP
特大飾邊用有坑送布牙 (配合KH867-HNP針板用)

Groove Size坑闊: 6mm, 9mm

KCU867-GS 867 Edge cutting gauge set 切邊針位組


KCU467-PW



KCU467-PS



KCU467-KF



KCU867-NP

KCU867-FD

3.0mm, 4.8mm

0291-000159 + 9203-312411

0291-000159 Thread guide 線耳
9203-312411 Screw 螺絲
(for 用於 0767-120064KH)


GAUGE SETS (DOUBLE NEEDLE)

Durkopp Adler 杜克普


雙針針位

867, 868


DURKOPP ADLER 杜克普

KH867-DNPNeedle plate for 867
867針板


3, 5, 6, 8, 10, 12 mm

KH867-DFDFeed dog for 867
867送布牙





3, 5, 6, 8, 10, 12 mm

0367-232010KHNeedle bar for double needle
using with KH767-NC
雙針針柱，需配搭KH767-NC使用**KH868-NP**Needle plate for 868, max stitch length 12mm
868針板，最長行程12mm

5, 6, 8, 10, 12, 14, 16 mm

KH868-FDFeed dog for 868, needle hole size 3mm
868送布牙，針孔尺寸3mm

5, 6, 8, 10, 12, 14, 16 mm

KH868-NPCLateral cover
針板橋**KH767-NC**Needle clamp for double needle
雙針針頭**KH867-OSNC**Flip-up needle clamp for double needle
雙跳針針頭**KH867AS Asymmetric gauge set 不對稱針位**This gauge set is a convenient solution for the user
who use alternately single needle and double needle.The center is at the right needle hole,
but not the middle between two needles.此針位設計為不對稱地偏向左邊，針位中心置於右針上。
目的為方便交替單針及雙針縫製。

8, 10, 12 mm

SPARE PARTS


配件

Durkopp Adler 杜克普

467, 767, 768, 867, 868

DURKOPP ADLER 杜克普

0245-001660A



Bobbin 線芯

Diameter 直徑: 26mm


0245-001660AS



Bobbin with spiral lining 螺旋紋線芯

Diameter 直徑: 26mm


0667-150830



Bobbin 線芯

Diameter 直徑: 32mm


0667-156530



Bobbin 線芯


Diameter 直徑: 22mm

KDB-867(26)

Bobbin for remaining thread monitor
紗線剩餘監測裝置用線芯

Diameter 直徑: 26mm

KDB-867(32)

Bobbin for remaining thread monitor
紗線剩餘監測裝置用線芯

Diameter 直徑: 32mm


0367-150270KH

Supporting spring for 26mm diameter bobbin
26mm 直徑線芯用梭內彈弓


0767-150590

Supporting spring for 32mm diameter bobbin
32mm 直徑線芯用梭內彈弓


0211-001033-1

Slot type screw for genuine needle clamp
一字槽上針螺絲(杜克普原廠針頭用)


0211-001033-6

Hexagon type screw for genuine needle clamp
內六角上針螺絲(杜克普原廠針頭用)

KH767NC-1S

Slot type screw for KH767-NC
一字槽上針螺絲(KH767-NC用)

KH767NC-6S

Hexagon type screw for KH767-NC
內六角上針螺絲(KH767-NC用)

SPARE PARTS


配件

Durkopp Adler 杜克普

467, 767, 768


DURKOPP ADLER 杜克普

0367-120284




Rock frame needle bar
針柱搖擺套筒

0367-120023



Needle bar block
針柱座

Spare Parts for Unison Feed 同步進料組件



0367-120040




Slide block
擺針柱戒指

0367-120110




Threaded bolt
螺栓

0367-140320




Left slide plate 左推板

0367-140090



Right slide plate 右推板

0367-140090F



Right slide plate for attachment installation
安裝拉筒用右推板

Durkopp Adler 杜克普

467, 767, 768

SPARE PARTS

配件

DURKOPP ADLER 杜克普


0216-000134KH

Hexagon type screw for 467/767 needle plate
467/767 內六角上針板螺絲

9400-000228KH

Hexagon type screw for 768 needle plate
768 內六角上針板螺絲

0099-004700KH1.6



Stronger conic spring 特強壓線彈弓

Spring diameter 彈弓直徑: 1.6mm


0367-170040

Fixing clamp
打線機芯

0367-170044

Winder shaft
打線機芯彈簧

0367-350060

Fixing clamp for 767
767用彈簧片


0068-000280KH

Take-up spring for 767
767用引線彈弓


0068-004910KH

Take-up spring for 767
767用引線彈弓

0467-160200

Oscillating frame
牙橋帶動組件

0467-160220

Bolt
螺栓

0367-150413

Spur wheel
齒輪

0367-150433

Driving shaft
齒輪軸

SPARE PARTS


Durkopp Adler 杜克普

配件

867, 868

DURKOPP ADLER 杜克普


KH867PBA



Presser and feeding foot bar asm.
外內壓腳柱組合

0667-315053 Presser foot bar 外壓腳柱
+ 0667-315113 Feeding foot bar 內壓腳柱
+ 0867-310430 Bolt 螺栓

0667-355110




Moving knife
剪線刀

0667-355130




Counter knife
剪線刀

0667-355140




Fixing clamp
彈簧片

0867-140020




Right slide plate with graduation
含刻度右推板

0867-140030




Front plate
前推板

0867-140010 + 0867-140040




Left & right slide plate for KH867-DNP 4 - 6mm
KH867-DNP 4 - 6mm 用左右推板

0867-140050 + 0867-140060




Left & right slide plate for KH867-DNP 8 - 10mm
KH867-DNP 8 - 10mm 用左右推板

0867-140070 + 0867-140080



Left & right slide plate for KH867-DNP 12 - 14mm
KH867-DNP 12 - 14mm 用左右推板

0867-140090 + 0867-140100



Left & right slide plate for KH867-DNP 16 - 18mm
KH867-DNP 16 - 18mm 用左右推板

PNEUMATIC GUIDES


氣動傍位

Durkopp Adler 杜克普

767, 768, 867, 868

DURKOPP ADLER 杜克普

KG768VP



Pneumatic guiding set for 768
768 氣動傍位

KG768Y




9700-10040 Piston with holder 氣筒連座

KG768V




Guiding knife for decorative topstitching
分邊面縫傍位

KG868VP



Pneumatic guiding set for 868
868 氣動傍位

KG768M



Guiding knife for
decorative topstitching with piping
飾邊面縫傍位

KG768C




Guiding knife for decorative topstitching
分邊面縫傍位

PNEUMATIC GUIDES

氣動傍位

Durkopp Adler 杜克普

767, 768, 867, 868


KG777

KG777 is a pneumatic guide for universal machines. It can be used together with our guide brackets for fixing on different machines.

By adjusting the position of guide and bracket, it can guide at the right side, left side or the middle of the seam.


KG777 為泛用型氣動傍位，可配合我們的轉接配件來安裝在不同機種上。

透過調整支架及傍位位置，可以導傍於接縫的左方、右方或正中央。


KG778

KG778 is a pneumatic lifted edge guide for all universal machines. It can be used together with our guide brackets for fixing on different machines.


KG778 為泛用型氣動升降傍位，可配合我們其他基座來裝置在不同機種上。

KHM700-1H


Heel action switch
腳跟後踏拉桿

KG-OFS

On / Off switch 開關掣

KG0010-F

F.R.L. Unit - Filter, Regulator, Lubricator
F.R.L. 聯組 - 減壓閥、壓力表、油霧器

KP767U


Double needle presser foot
雙針外壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP768-I

Compensating inner foot
高低互補內壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP768-MO + KP768-MI

For center cording/piping
中間繩管內外壓腳

8, 10 mm

ATTACHMENTS


助縫設備

Durkopp Adler 杜克普

467, 767, 867


DURKOPP ADLER 杜克普

KHF467




Tape guide on front slide plate for 467 and 767
Adjustable between 15 and 25mm wide
467/767 前置導帶推板，寬度調教15至25mm

KHF767F




For 767 - Top: Adjustable downturn hemmer in two sides
Bottom: Adjustable tape guide (15-25mm) on front slide plate
767用 - 上:可調教左右下褶邊 - 下:前置可調教(15-25mm)導帶推板

KHF867



Tape guide on front slide plate for 867
Adjustable between 15 and 25mm wide
867 前置導帶推板，寬度調教15mm至25mm

KHF867F




For 867 - Top: Adjustable downturn hemmer in two sides
Bottom: Adjustable tape guide (15-25mm) on front slide plate
867用 - 上:可調教左右下褶邊 - 下:前置可調教(15-25mm)導帶推板

KA767




Tape guide for flat bed machine
平面縫紉機用前置導帶器

KA767R



Tape guide for flat bed machine with roller holder N900-001527
平面縫紉機用-前置導帶器(連桌下型鋼條盤N900-001527)

KHF767WS



Welting attachment used together with KH767WG piping feet
滾邊拉筒(配搭KH767WG繩管壓腳使用)

KHF767TS



Welting attachment used together with KH767TG piping feet
滾邊拉筒(配搭KH767TG繩管壓腳使用)

ATTACHMENTS

助縫設備

Durkopp Adler 杜克普


467, 767, 867

KHF767RG




N800-V91271 Left retainer guide + N800-V91180 Right retainer guide
N800-V91271 左邊導硬帶器 + N800-V91180 右邊導硬帶器

KHF767TA




N516-V91174 Tape guide, it is adjustable between 1.5cm & 4cm
N516-V91174 導帶器，可調教寬度: 1.5cm - 4cm

KHF767UL




Partition attachment separates the upper and lower layers,
to set the upper feeding and lower feeding different from each other
將上下層物料分開，達致不同步推送

KHF767WL




KHF767WL finishes functions of KHF767P1 & KHF767P2 simultaneously
KHF767WL能同一時間做到KHF767P1及KHF767P2的效果

KHF767P1




Welting attachment for thicker cord
粗繩管包縫器

KHF767P2




The center part binded cord has been made by KHF767P1 already
KHF767P2 help to add the upper and bottom layer
KHF767P2將KHF767P1已包好的繩管加上上下層物料

KHF844



Zipper folder, used together with KP367ZP
拉鏈拉筒，搭配KP367ZP使用

KHB767



Moving arm for 767 & 867, used together with KHF2, KHF3 or KHF4 binder
767及867包邊筒擺架，搭配KHF2, KHF3或KHF4 使用


ATTACHMENTS

助縫設備


Durkopp Adler 杜克普

768, 868

DURKOPP ADLER 杜克普

KA768


Belt guide completed set for 20mm belt
送縫條套裝 (20mm)

KA768-BG

N522-005022 14mm
N522-005032 16mm
N522-005042 18mm
N522-005052 20mm

Belt guide completed
導帶器


10, 12, 14, 16, 18, 20 mm

KA768-BI


N522-005025 14mm
N522-005035 16mm
N522-005045 18mm
N522-005055 20mm

Belt insert
導帶座膠


10, 12, 14, 16, 18, 20 mm

N522-005007


Shackle for 768
768 用導帶橫條

N522-005007L

Longer shackle for 868
868 用加長導帶橫條

N522-005008

Guiding plate
導帶片

N900-001527

Under table tape roller holder
桌下型細條盤

SEWING FEET


壓腳

Durkopp Adler 杜克普

69, 267, 269


DURKOPP ADLER 杜克普

KP269W




Regular feet set, feeding foot 7.5mm wide
標準壓腳，內壓腳闊7.5mm

KP269N




Regular feet set, feeding foot 6mm wide
標準壓腳，內壓腳闊6mm

KP269F




Presser feet for binding, feeding foot 11.1mm wide
包邊用壓腳，內壓腳闊11.1mm

KP269LN




Stitching on edges at the left of needle
左單邊壓腳

KP269RN




Stitching on edges at the right of needle
右單邊壓腳

KP269S




For small operation. Use together with KH69S
精巧工序用，配搭KH69S使用

KP269T




For zipping. Use together with KH69S
傍膠條用，配搭KH69S使用

KP269TS




Narrower feet set for zipping.
Use together with KH69S
特窄壓腳，傍膠條用，配搭KH69S使用

KP267Q



For upturned material, head rest or
seam with a large drop-height
適用於上翻形物料/頭枕用
* Must be used with KH267Q-NP/FD
需配搭 KH267Q-NP/FD 針板/送布牙使用

GL269



Left compensating guide feet
左邊傍位壓腳

3, 4, 5, 6 mm


GR269



Right compensating guide feet
右邊傍位壓腳

3, 4, 5, 6 mm

GD269



Double compensating guide feet
左右雙傍位壓腳

3/32", 1/8", 3/16", 1/4"

SEWING FEET


壓腳

Durkopp Adler 杜克普

69, 267, 269

DURKOPP ADLER 杜克普


KH269PL



Cording groove on the left of the needle
左坑，繩管用單左趾壓腳

Groove Size 坑闊: 3, 4, 5, 6, 8, 9 mm

KH269TG



Piping groove on the left side of needle, integrated
one half each in presser and feeding foot
左坑，繩管用單左趾壓腳，針孔貼齊坑邊

Groove Size 坑闊: 3, 4, 5, 6, 8, 9 mm

KH269PC



Piping operation to the left of the needle
左坑，繩管用單右趾壓腳

Groove Size 坑闊: 4, 5, 6 mm


KP269UD



Double needle feet set
雙針壓腳

3, 4, 5, 6, 8, 10, 12 mm

KP269U



Double needle presser foot
雙針外壓腳

3, 4, 5, 6, 8, 10, 12 mm


KP269D



Double needle feeding foot
雙針內壓腳

3, 4, 5, 6, 8, 10, 12 mm

KP269DX



Feeding foot with center guide
內壓腳連中分刀


KP269



Double needle feet set with center guide
雙針壓腳連中分刀

6, 8, 10, 12 mm

KP269SK



For small operation with center guide
雙針壓腳連中分刀，精巧工序用

6, 8, 10, 12 mm

GAUGE SETS


針位

Durkopp Adler 杜克普

69, 267, 269

DURKOPP ADLER 杜克普


KH69R



Regular needle plate and feed dog set for 69
69標準針板/送布牙

Max. stitch length 最長行程: 8mm
Plate top 針板送料位置長: 18mm long


KH69D



Raised, small needle plate and feed dog set for 69
69升高短針板/送布牙

Max. stitch length 最長行程: 5mm
Plate top 針板送料位置長: 12mm long


KH69S



Extra small needle plate and feed dog set for 69
69特短針板/送布牙

Max. stitch length 最長行程: 3mm
Plate top 針板送料位置長: 8.5mm long


KH69F



Needle plate and feed dog set for binding on 69
69包邊用針板/送布牙


Max. stitch length 最長行程: 8mm
Plate top 針板送料位置長: 17.5mm long

KA69




Arm cover for binding on 69 machine
Use together with KHf2, KHf3 or KHf4 binder
69包邊拉筒架, 可配搭KHf2, KHf3或KHf4使用

KH267-NP/FD



Regular needle plate and feed dog set
for 267 single needle machine
267單針標準針板/送布牙
Max. stitch length 最長行程: 12mm


KH267Q-NP/FD



For upturned material, head rest or
seam with a large drop-height
適用於上翹形物料/頭枕用

* Must be used with KP467Q presser feet
需配搭 KP467Q 壓腳使用


KH267-DNP/DFD



Regular needle plate and feed dog set
for 267 double needle machine
267雙針標準針板/送布牙


3, 4, 6, 8 mm

KH269-NP/FD



Regular needle plate and feed dog set
for 269 single needle machine
269單針標準針板/送布牙
Needle plate 針板: 269-200010
Feed dog 送布牙: 169-210080

KH269-DNP/DFD



Regular needle plate and feed dog set
for 269 double needle machine
269雙針標準針板/送布牙

5, 6, 8, 10 mm

KH269-NB



Needle bar for 267/269
267/269 針柱

* Must be used with KH767-NCS
or KH767-NC needle clamp
需配搭KH767-NCS
或KH767-NC針頭使用


KH767-NCS



Single needle holder for 267/269
267/269 單針針頭

* Must be used with KH269-NB
需配搭KH269-NB針柱使用

KH767-NC



Double needle holder
for 267/269
267/269 雙針針頭

* Must be used with KH269-NB
需配搭KH269-NB針柱使用

3, 4, 5, 6, 8,
10, 12, 14, 16 mm


ATTACHMENTS

助縫設備

Durkopp Adler 杜克普

669

KHB669



Moving arm for binding on 669 machine (Rocking with feed dog)
Use together with KHF2, KHF3 or KHF4 binder
669包邊用送料擺架(跟送布牙擺動)。可配搭KHF2, KHF3或KHF4使用

KHF669CU



Raw edge binder with tape cutting knife, which can cut the tape immediately after sewed. More convenience and the tapes can be saved. Suitable for most cylinder-bed machines.
帶切刀散口包邊筒。可於縫製後立即切料。既方便更可節省用料。適用於圓筒型機種。

-Tape size 入口: 3/4" -Thickness 料厚: 7 mm -Raw edge binding 散口包邊

DURKOPP ADLER 杜克普

GAUGE SET

針位

Durkopp Adler 杜克普

195


KP195



Regular feet 標準壓腳

6, 8, 10, 12 mm

KH195-NP



Needle plate 針板

6, 8, 10, 12 mm

KH195-FD



Feed dog 送布牙

6, 8, 10, 12 mm

KH195-NC



Needle clamp 針頭

6, 8, 10, 12 mm

KH195-NG




Needle guard 針傍

GAUGE SETS & ATTACHMENTS

針位及助縫設備

Durkopp Adler 杜克普

205-370

KH205RG-GSRight guiding gauge set for 205-370
205-370 右傍針位





3, 4, 5, 6 mm

0268-350163 Holder 定針座

0367-100050 Flange 凸緣




0268-350163

KP205LNStitching on edges at the left side of needle
左單邊壓腳**KP205RN**Stitching on edges at the right side of needle
右單邊壓腳**KH205M**Needle plate and feed dog for small operation
針板/送布牙 (精巧工序用)**KHF205-91275****KHF205B****KHF205-91275S**N015 V91275
45° Moving binder, double folding
45° 可動雙環口包邊器N800 005355
Support sheet
包邊器連接板80° Moving binder, double folding
80° 可動雙環口包邊器**KH205-NPB/FDB**


0205 V91281

0205 V91282


Feed dog wide 牙面寬: 11.4mm
Needle plate and feed dog for binding on 205-370 machine, use together with KP205B
205-370用包邊針板/送布牙，需與 KP205B 一同使用**KP205B**

0205 V91284

0205 V91283

Presser feet for binding
Use together with KH205-NPB/FDB
包邊用壓腳，需與KH205-NPB/FDB一同使用**GR204**Right guide feet
右傍壓腳

4, 5, 6 mm

KH204PCPiping operation to the left of the needle
左坑，繩管用單右趾壓腳

Groove Size 坑闊: 5, 6, 8, 9 mm

GAUGE SETS


針位

Durkopp Adler 杜克普

291, 294, 295


DURKOPP ADLER 杜克普

KP295W




Regular feet
標準壓腳

KP295LN



Stitching on edges at the left side of needle
左單邊壓腳

KP295RN



Stitching on edges at the right side of needle
右單邊壓腳

GL291



Left compensating guide feet
左邊傍位壓腳

3, 4, 5, 6 mm


GR291



Right compensating guide feet
右邊傍位壓腳


3, 4, 5, 6 mm

KH295SS-NP/FD



For soft and thin material (Smooth feed dog)
適合柔滑較薄物料 (光滑送布牙面)

KH295ST-NP/FD



For soft and thin material
適合柔滑較薄物料

GAUGE SET & ATTACHMENT

Durkopp Adler 杜克普

針位及助縫設備

1230i

DURKOPP ADLER 杜克普

KP1230-D


Regular presser foot
標準壓腳

3.5, 5, 6, 8, 10, 12 mm

GR1230


Right guide foot 右傍邊壓腳
Guiding distance 傍邊距離: 1.8mm

5, 6 mm


KH1230-NC



Needle clamp 針頭

3.5, 5, 6, 8, 10, 12 mm


KH1230-NP



Needle plate 針板

3.5, 5, 6, 8, 10, 12 mm


KH1230-FD



Feed dog 送布牙

3.5, 5, 6, 8, 10, 12 mm

KHB1230



Bracket for folder
拉筒支架

SUSPENDING EDGE GUIDES


Durkopp Adler 杜克普

吊傍

KG367B


Roller and zipper guide for 367
367 滾輪及拉鏈傍位


KG767A



N800 075006

Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG767B


Zipper guide & 14mm diameter roller guide
拉鏈傍位及14mm直徑滾輪傍位


SUSPENDING EDGE GUIDES

Durkopp Adler 杜克普

吊傍

DURKOPP ADLER 杜克普

KG767D




N800 025009
Double guide for 467 and 767
467/767 雙傍位

KG867A




Maximum adjustable height: 100mm
最大可調教高度: 100mm
Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG967A



Extra long guiding, 20mm longer than KG867A
特長傍位，比KG867A長20mm
Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG867S




4mm and 11mm diameter roller guide
4mm及11mm直徑滾輪傍位

KG867N



N type allows both hands holding the material
N型傍位設計方便雙手同時把持物料
Long straight guide 11mm & 14mm diameter roller guide
長直形傍位、11mm及14mm直徑滾輪傍位

KG867D




Double guide for 867
867 雙傍位

KG767LR



Guiding on the left and/or right hand side
左右分別/同時導傍


KG867Y



Two steps adjustable guide
Maximum adjusting range
between two steps = 16mm
二段調節傍位
最寬調教距離16mm


Long straight guide
and 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG1087-6




6mm diameter roller guide
6mm直徑滾輪傍位

KG1087-16



16mm diameter roller guide
16mm直徑滾輪傍位

KG867A + EG01














KG867A suspending guide with EG-01 eye guard
KG867A 傍位連 EG-01 護目鏡

SUSPENDING EDGE GUIDES

Durkopp Adler 杜克普

吊傍

KG367T**KG767T****KB767****KB867****KB367****KB205****KB267****KB295****KB1230****KG-AA****KG-AB**


SUSPENDING EDGE GUIDES

Durkopp Adler 杜克普


吊傍

KG-B14

Roller diameter: 14mm
14mm直徑滾輪傍位

KG-S11


Roller diameter: 11mm
11mm直徑滾輪傍位

KG-S04


Roller diameter: 4mm
4mm直徑滾輪傍位

KG-AC

(Improved version of 0667-245004)
(0667-245004 改良款式)
Center guide
中分傍位

KG-BZ

Zipper guide
拉鏈傍位

KG-NR

Regulating guide for zipper
可調節拉鏈傍位

DURKOPP ADLER 杜克普


SEWING FEET

Pfaff 百福

壓腳

335, 345, 1245


KP1245W

Regular foot
標準壓腳

KP1245LN

Left cording foot set
左單邊壓腳


KP1245RN

Right cording foot set
右單邊壓腳


KP1245-N071

Presser foot width 外壓腳寬度: 8mm
Feeding foot width 內壓腳寬度: 4.5mm

KP1245-L071

Presser foot width 外壓腳寬度: 6.5mm
Feeding foot width 內壓腳寬度: 4.5mm

KP1245-R071


Presser foot width 外壓腳寬度: 6.5mm
Feeding foot width 內壓腳寬度: 4.5mm

GL1245

Left compensating guide foot
左側位壓腳

3, 4, 5, 6 mm

GR1245

Right compensating guide foot
右側位壓腳

3, 4, 5, 6 mm

KP335S

For small operation
精巧工序用

KP335FA

For right angle binder
包邊器用
91-049 534-04 + 91-049 327-93

KP335FB

For right angle binder
包邊器用
91-044 227-04 + 91-042 819-93

KP335FC

For right angle binder
包邊器用
91-040 432-04 + 91-040 629-93


PFAFF 百福

SEWING FEET


壓腳

Pfaff 百福


335, 345, 1245

KP335LB


91-049 558-04 C/D + 91-049 085-93/003

KH335PLLeft cording 繩管用左坑壓腳
91-044 102-04 + 91-044 101-93

1/8", 3/16", 1/4"

KH335TGLeft cording groove is integrated one half
of each in the presser foot and feeding foot
繩管用左坑壓腳，針孔貼齊坑邊




3, 4, 5, 6 mm

KP1245CSFor climbing cross seams
適用於縫十字縫
91-049 792-04 + 91-049 345-93**GAUGE SETS & ATTACHMENTS**

針位及助縫設備

Pfaff 百福

335, 345, 346, 1245

KH1245-NP/FDNeedle plate & feed dog for 1245
1245 用針板/送布牙**KH1245-NPT/FDT**Needle plate & feed dog
for 1245 with thread trimmer
1245 用剪線針板/送布牙**KH1245-NPB/FDB**Needle plate & feed dog for binding
Using with KP335FA/KP335FB/KP335FC & KHF91045
包邊用針板/送布牙，
配搭KP335FA/KP335FB/KP335FC及KHF91045使用

GAUGE SETS & ATTACHMENTS


Pfaff 百福

針位及助縫設備

335, 345, 346, 1245


335-S3 Needle plate 針板

335-S4 Feed dog 送布牙


For 335
335 用


91-158 206-04 Needle plate 針板

91-059 229-04 Feed dog 送布牙


For 335
335 用

91-150 555-05 Needle plate 針板

91-059 703-05 Feed dog 送布牙



For 335
335 用

91-046 498-05 Needle plate 針板


91-046 498-04 Feed dog 送布牙


For 335 with right angle binder
335 包邊用


91-014 636-35


For 335
335 用


KH345-NPW/FDW


For 345, feed dog wide: 10.5mm
345 用, 牙寬: 10.5mm

KH345-NPN/FDN



For 345, feed dog wide: 8.5mm
345 用, 牙寬: 8.5mm

KH346-GS



Double needle gauge set for 346
346 雙針針位

3.2mm, 4.8mm, 6.4 mm

KHF91040


91-040 894-21 + 91-044 251-21 + 91-000 380-15
Binder bracket for 335
335 包邊簡架

KHF91045


91-045 607-90
Binder bracket for 1245
1245 包邊簡架


Pfaff 百福

GAUGE SETS & ATTACHMENTS



針位及助縫設備

Pfaff 百福


1246, 1296

KP1296UDDouble needle feet
雙針壓腳






4, 5, 6, 8, 10, 12 mm

KP1246Spring type center guide feet
彈弓中分刀雙針壓腳5, 6, 8, 10, 12 mm
1/4", 3/8", 1/2", 5/8"**KP1296AO** (Stitch length 行程: 9mm)**KP1296AO-N11** (Stitch length 行程: 11mm)Pneumatic center guide foot
氣動中分刀壓腳


6, 8, 10, 12 mm

KP1296-ICompensating inner foot
高低互補內壓腳

6, 8, 10, 12 mm

KH1246-NP/FDNeedle plate & feed dog for 1246
1246 用針板/送布牙4, 5, 6, 8, 10, 12 mm
1/4", 3/8", 1/2", 5/8"**KH1246-NPT/FDT**Needle plate & feed dog
for 1246 with thread trimmer
1246 剪線用針板/送布牙4, 5, 6, 8, 10, 12 mm
1/4", 3/8", 1/2", 5/8"**KH1296-NP/FD**Needle plate & feed dog for 1296
1296 用針板/送布牙4, 5, 6, 8, 10, 12 mm
1/4", 3/8"**KHF1296-NPT/FDT**Needle plate & feed dog
for 1296 with thread trimmer
1296 剪線用針板/送布牙4, 5, 6, 8, 10, 12 mm
1/4", 3/8"**KH1296-NPJT** (Stitch length 行程: 9mm)**KH1296NPJT-N11** (Stitch length 行程: 11mm)Needle plate with adjustable tape guide
針板連可調教導帶傍位

6, 8, 10, 12 mm

N900-001527Under table tape roller holder
using with KH1296-NPJT
桌下用細條盤，配搭KH1296-NPJT使用**KH1296-NC**Needle clamp
針頭4, 5, 6, 8, 10, 12 mm
1/4", 3/8", 1/2", 5/8"

GAUGE SETS & ATTACHMENTS

Pfaff 百福

針位及助縫設備


1445, 1525

KP1525W


Feeding foot width 外壓腳闊: 8mm

KP1525N


Feeding foot width 外壓腳闊: 5.8mm

KP1525LN


Left cording feet set 左單邊壓腳

KP1525RN


Right cording feet set 右單邊壓腳

KP1525-N071Presser foot width 外壓腳闊: 8mm
Feeding foot width 內壓腳闊: 4.5mm**KP1525-L071**Presser foot width 外壓腳闊: 6.5mm
Feeding foot width 內壓腳闊: 4.5mm**KP1525-R071**Presser foot width 外壓腳闊: 6.5mm
Feeding foot width 內壓腳闊: 4.5mm**GL1525**Left compensating guide feet
左旁位壓腳


3, 4, 5, 6, 8, 9 mm

GR1525Right compensating guide feet
右旁位壓腳

3, 4, 5, 6, 8, 9 mm

GL1525HDeeper left compensating guide with
balancing spring for EXTREME HEAVY DUTY
左邊彈弓旁位壓腳, 超厚物用

4, 5, 6, 8, 9 mm

GR1525HDeeper right compensating guide with
balancing spring for EXTREME HEAVY DUTY
右邊彈弓旁位壓腳, 超厚物用

4, 5, 6, 8, 9 mm


KP1525BFor binding 包邊用
Working together with
KH1525-NPB/FDB and KHF91045
配搭KH1525-NPB/FDB及KHF91045使用

GAUGE SETS & ATTACHMENTS

針位及助縫設備


Pfaff 百福

1445, 1525

KH1525PL


Cording groove on the left of the needle
左坑，繩管用單左趾壓腳

3, 4, 5, 6, 8, 9 mm

KH1525PR


Cording groove on the right of the needle
右坑，繩管用單左趾壓腳

3, 4, 5, 6, 8, 9 mm


KH1525TG

Similar to KH1525PL, but its welt groove is
integrated one half each in
the presser foot and feeding foot
與KH1525PL相似，粗節邊用，針孔貼齊坑邊


3, 4, 5, 6, 8, 9 mm

KH1525A


KH1525A-NP Needle plate 針板
KH1525A-FD Feed dog 送布牙

KH1525B


KH1525B-NP Needle plate 針板
KH1525B-FD Feed dog 送布牙

91-150 602-05 Needle plate 針板**KH1525A-FD** Feed dog 送布牙

Max. stitch length 最長行程: 8mm

KH1525-NPB/FDB

Needle plate & feed dog for binding
Using with KP1525B & KHF91045
包縫用針板/送布牙，
配合KP1525B及KHF91045使用

KHF91045

91-045 607-90
Binder bracket for 1525
1525 用包邊筒擺架

GAUGE SETS

Pfaff 百福

針位

1526

KP1526UD

Double needle feet set
雙針壓腳

6, 8, 10, 12 mm

KP1526

Spring type center guide feet set
雙針中分刀壓腳


6, 8, 10, 12 mm

KP768AO

Pneumatic center guide foot
氣動中分刀外壓腳


6, 8, 10, 12 mm

KH1526-I

Compensating inner foot
高低互補內壓腳

6, 8, 10, 12 mm

KH1526-NP/FD

Needle plate & feed dog for 1526
1526 用針板/送布牙

6, 8, 10, 12 mm

KH1296-NC

Needle clamp
針頭

6, 8, 10, 12 mm

PFAFF 百福

DOUBLE NEEDLE FEET

Pfaff 百福

雙針壓腳

2545, 2546 Powerline

KP767

Spring type center guide feet
for 9mm stitch length
彈弓中分刀外壓腳，適合 9mm 行程用

5, 6, 8, 10, 12, 14, 16 mm

KP868

Spring type center guide feet
for 12mm stitch length
彈弓中分刀外壓腳，適合 12mm 行程用

6, 8, 10, 12, 14, 16 mm

KP768AO

Pneumatic center guide foot
for 9mm stitch length
氣動中分刀外壓腳，適合 9mm 行程用

5, 6, 8, 10, 12, 14, 16 mm


91-149 370-91 6mm
91-149 372-91 8mm
91-149 374-91 10mm
91-149 376-91 12mm
91-149 380-91 16mm

DOUBLE NEEDLE FEET

雙針壓腳

Pfaff 百福


2545, 2546 Powerline

KP868AO

91-149 381-91	8mm
91-149 382-91	10mm
91-149 383-91	12mm
91-149 384-91	16mm

Pneumatic center guide foot
for 12mm stitch length
氣動中分刀外壓腳，適合 12mm 行程用


6, 8, 10, 12, 14, 16 mm

KP768-I

91-154 978-91/001	6mm
91-154 978-93/004	8mm
91-154 978-93/006	10mm
91-154 978-93/008	12mm
91-154 978-93/013	16mm

Compensating Inner foot
高低互補內壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP767UD

91-149 279-93/001	4mm
91-049 385-93/025	
91-149 279-93/003	6mm
91-049 385-93/029	
91-149 279-93/004	8mm
91-049 385-93/035	
91-149 279-93/005	10mm
91-049 385-93/039	
91-149 279-93/006	12mm
91-049 385-93/002	

Double needle presser foot set
for 9mm stitch length
雙針壓腳，適合 9mm 行程用

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KP867UD

Double needle presser foot set
for 12mm stitch length
雙針壓腳，適合 12mm 行程用

6, 8, 10, 12, 14, 16 mm

Most of the double needle feet on Pfaff 2546 Powerline are same as those for Durkopp Adler 767, 768, 867, and 868 machines. For more presser feet with special functions, please check Durkopp Adler 767 & 768 feet (For 9mm stitch length) on P.7-8 and Durkopp Adler 867 & 868 feet (For 12mm stitch length) on P.10


大部份百福 2546 雙針配件與杜克普 767, 768, 867, 868 相同。
更多特種壓腳，請參閱杜克普 767, 768 的 9mm 行程用壓腳 (P.7-8) 及杜克普 867, 868 的 12mm 行程用壓腳 (P.10)。

GAUGE SETS

針位


Pfaff 百福

244

KP244N

Presser foot 壓腳

2.4mm, 3.2 mm

KH244N-NP/FD

Needle plate and feed dog
針板/送布牙

2.4mm, 3.2 mm

KH244-NC

Needle clamp 針頭


2.4mm, 3.2mm, 4.0 mm

GAUGE SETS

Pfaff 百福


針位

244


KH244-NG

Needle guard 針傍

2.4mm, 3.2mm, 4.0 mm

KH244-NPNeedle plate for stitching
shoe uppers & other leather articles
鞋履表層或皮革用針板

2.4mm, 3.2mm, 4.0 mm

KH244-FDFeed dog for stitching
shoe uppers & other leather articles
鞋履表層或皮革用送布牙

2.4mm, 3.2mm, 4.0 mm


PFAFF 百福

SPARE PARTS

Pfaff 百福

配件

293, 474, 491, 493, 1244

474RP

K

Roller presser 壓輪

Diameter 直徑: 25, 29, 35 mm

474NP

K


Needle plate (Double needle) for 474
474 雙針針板

1.6mm, 2.0mm, 2.4 mm

91-119 722-91 + 91-119 544-05



Lower roller 下滾輪

491NP

K

Needle plate (Single needle) for 491
491 單針針板

91-051 255-93/002

Roller presser for 293
293 壓輪

91-051 159-93/002


Roller presser for 1244
1244 壓輪

PNEUMATIC GUIDES

Pfaff 百福

氣動傍位

KG1296VP




Pneumatic guiding set for most Pfaff post bed machines
百福立柱式縫紉機用氣動傍位

KG768V




Guiding knife for decorative topstitching
分邊面縫傍位

KG768M




Guiding knife for decorative topstitching with piping
飾邊面縫傍位

KG778




Pneumatic lifted edge guide
泛用型氣動升降傍位

KG777




Pneumatic guide
泛用型氣動傍位

KG768C




Guiding knife for decorative topstitching
分邊面縫傍位

KHM700-1H




Heel action switch
腳跟後踏拉桿

KG-OFS



On / Off switch 開關掣

KG0010-F




F.R.L. Unit - Filter, Regulator, Lubricator
F.R.L. 聯組 - 減壓閥、壓力表、油霧器

SUSPENDING EDGE GUIDES

Pfaff 百福


吊傍

KG1245




Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位
For most Pfaff machine models
適合大部份百福機種

09-009 824-21




For Pfaff 1245
百福1245用

09-009 824-22




For Pfaff 1525 and 2545
百福1525及2545用

09-009 844-35




For Pfaff 1525 and 2545
百福1525及2545用

09-009 842-60



Guiding on the left and/or right hand side
左右分別/同時導傍

KG1525D



Double guides for Pfaff 1525 and 2545
百福1525及2545用雙傍位

09-009 851-98




For Pfaff 3834 百福3834用
Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG68




GB463




For Pfaff 463
百福463用

KG1087-6



6mm diameter roller guide
6mm直徑滾輪傍位

KG1087-16



16mm diameter roller guide
16mm直徑滾輪傍位

KG1245 + EG01












KG1245 suspending guide with EG-01 eye guard
KG1245 傍位連 EG-01 護目鏡

PFAFF 百福

SUSPENDING EDGE GUIDES

Pfaff 百福

吊傍

KB09Bracket for Pfaff machines
百福機型用轉接配件**KG-AA**Long straight guide
長直形傍位**KG-AB**Zipper / Long straight guide (Dual functions)
拉鍊/長直形兩用傍位**KG-B14**Roller diameter: 14mm
14mm直徑滾輪傍位**KG-S11**Roller diameter: 11mm
11mm直徑滾輪傍位**KG-S04**Roller diameter: 4mm
4mm直徑滾輪傍位**KG-AC**(Improved version of 0667-245004)
(0667-245004 改良款式)
Center guide
中分傍位**KG-BZ**Zipper guide
拉鍊傍位**KG-NR**Regulating guide for zipper
可調節拉鍊傍位

GAUGE SETS



針位

Juki 重機

LU-1510N

KP1510W


Feeding foot width 內壓腳寬: 8mm

KP1510LNLeft cording foot set
左單邊壓腳**KP1525RN**Right cording foot set
右單邊壓腳**KP1510F**For binding
包邊用**KP1510-N081**Presser foot width 外壓腳寬: 8mm
Feeding foot width 內壓腳寬: 4.5mm**KP1510-L081**Presser foot width 外壓腳寬: 6.5mm
Feeding foot width 內壓腳寬: 4.5mm**KP1510-R081**Presser foot width 外壓腳寬: 6.5mm
Feeding foot width 內壓腳寬: 4.5mm**GL1510**Left compensating guide feet
左邊彈弓傍位壓腳

3, 4, 5, 6 mm

GR1510Right compensating guide feet
右邊彈弓傍位壓腳

3, 4, 5, 6 mm

GL1510HDeeper left compensating guide with
balancing spring for EXTREME HEAVY DUTY
左邊彈弓傍位壓腳, 超厚物用

5, 6, 8, 9 mm

GR1510HDeeper right compensating guide with
balancing spring for EXTREME HEAVY DUTY
右邊彈弓傍位壓腳, 超厚物用

5, 6, 8, 9 mm

KH1510TGLeft cording groove is integrated one half
of each in the presser foot and feeding foot
左坑縫管用, 針孔貼齊坑邊

3, 4, 5, 6 mm


JUKI 重機

GAUGE SETS

針位


Juki 重機

LU-1510N

KH1510PL

Cording groove on the left of the needle
左坑・繩管用左單趾壓腳

3, 4, 5, 6 mm


KH1510PR

Cording groove on the right of the needle
右坑・繩管用單左趾壓腳

3, 4, 5, 6 mm

B1109-563-000 Needle plate 針板


213-49204 Feed dog 送布牙

**GAUGE SETS**

針位

Juki 重機

LU-1560N

KP1560


Spring type center guide feet
彈弓中分刀壓腳

6, 8, 10, 12, 14 mm
3/16", 1/4", 5/16", 3/8", 1/2", 5/8"

KP1560CG


Fix center guide feet
固定中分刀壓腳

6, 8, 10, 12, 14 mm

KP1560AO


Pneumatic center guide foot
氣動中分刀外壓腳

6, 8, 10, 12, 14 mm

KP1560-I


Compensating inner feet
高低互補內壓腳

6, 8, 10, 12, 14 mm

KH1560-NP/FD

Needle plate and feed dog
針板/送布牙

6, 8, 10, 12, 14 mm

KH1560-NC

Needle clamp
針頭

6, 8, 10, 12, 14 mm


GAUGE SET

Juki 重機

針位

TSC-441

KH441RG-GS



Right guiding gauge set for TSC-441
TSC-441用右傍針位

3mm, 4mm, 5mm, 6 mm

WALKING FEET & EDGE GUIDE


Juki 重機

上下送料壓腳及吊傍

DU-141 / DSC-245

B1524-141-H00 Presser foot 外壓腳


B1525-141-HA0 Feeding foot 內壓腳



For Juki DU-141
重機DU-141用

B1524-245-000 Presser foot 外壓腳


B1470-245-000 Feeding foot 內壓腳



For Juki DSC-245
重機DSC-245用

MAQ093080A0 Presser foot 外壓腳


MAN10452000 Feeding foot 內壓腳



For binding on Juki DSC-245
重機DSC-245包邊用


B1529-245-0AA Presser foot 外壓腳

B1476-245-00A Feeding foot 內壓腳



For Juki DSC-245
重機DSC-245用

KG141



For Juki DU-141
重機DU-141用

DOUBLE NEEDLE FEET

雙針壓腳

Juki 重機


LU-2860

KP767

Spring type center guide feet set
彈弓中分刀雙針壓腳


5, 6, 8, 10, 12, 14, 16 mm

KP767-SO

Spring type center guide foot
彈弓中分刀雙針外壓腳


5, 6, 8, 10, 12, 14, 16 mm

KP767-SI

Feeding foot for center guiding
中分刀雙針內壓腳

5, 6, 8, 10, 12, 14, 16 mm

KP768AO

Pneumatic center guide foot
氣動中分刀外壓腳


5, 6, 8, 10, 12, 14, 16 mm

KP768-I

Compensating inner foot
高低互補內壓腳


5, 6, 8, 10, 12, 14, 16 mm

KP768-IX

Compensating foot with
a center guide on right toe
高低互補內壓腳連中分刀(右趾)


6, 8, 10, 12, 14 mm

KP768-HI

Support larger difference in height
可應付大高度落差


8, 10, 12, 14, 16 mm

KP767S

For small operation
精巧工序用


6, 8, 10, 12, 14 mm

KP767SK

For small operation with center guide
精巧工序用(中分刀)


6, 8, 10, 12 mm

KP767UD

Double needle presser feet set
雙針壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KP767U

Double needle presser foot
雙針外壓腳

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KP767D

Double needle feeding foot
雙針內壓腳


3, 4, 5, 6, 8, 10, 12, 14, 16 mm

DOUBLE NEEDLE FEET

Juki 重機


雙針壓腳

LU-2860

KP767EP

Zipper feet, use together with KHf844
拉鍊壓腳・配搭KHf844使用

10, 12, 14 mm

KP768-MO + KP768-MI


For center cording/piping
中間繩管內外壓腳

8, 10 mm

GA767R


Double needle feet with right guide
Guide pressure and guide level are adjustable
雙針右側壓腳・側位壓力及高度均可調教

5, 6, 8, 10, 12, 14, 16 mm

KP768-ZO

Pneumatic center guide foot for small operation
精巧工序用氣動中分刀外壓腳

6, 8, 10, 12 mm

KP768-ZI

Pneumatic center guide feeding foot for small operation
精巧工序用氣動中分刀內壓腳

6, 8, 10, 12 mm


JUKI 重機

GAUGE SET

Juki 重機


針位

LU-2860

KH2860-NP


Needle plate for 2860
2860 針板

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KH2860-FD

Feed dog for 2860
2860 送布牙

3, 4, 5, 6, 8, 10, 12, 14, 16 mm

KH2860-NC

Needle clamp for double needle
雙針針頭


3, 4, 5, 6, 8, 10, 12, 14, 16 mm

PNEUMATIC GUIDES


氣動傍位

Juki 重機

PLC-1760

KG1760VP

Pneumatic guiding set for Juki PLC-1760
重機1760 氣動傍位

KG1760PG




Pneumatic guiding set with F.R.L. unit, knee switch and valves for Juki PLC-1760
重機PLC-1760 氣動傍位連 F.R.L. 聯組、氣閥、膝控開關

GAUGE SETS


Seiko 精工

LSWN28BL-3


針位

KP28BL-3Spring type center guide feet set
彈弓中分刀壓腳5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"**KP28BL-3-SO**Spring type center guide foot
彈弓中分刀外壓腳5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"**KP28BL-3-SI**Feeding foot for center guiding
中分刀內壓腳5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"**KP28BL-3-CG**Fix center guide feet
固定中分刀壓腳5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"**KP28BL-3-AO**Pneumatic center guide foot
氣動中分刀外壓腳5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"**KP28BL-3-I**Compensating inner foot
高低互補內壓腳5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"**KH28BL-3-DNP**

Needle plate 針板

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"**KH28BL-3-DFD**

Feed dog 送布牙

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"**KH28BL-3-NC**

Needle clamp 針頭

5/32", 3/16", 1/4",
5/16", 3/8", 1/2", 5/8"

SEIKO 精工


GAUGE SET

針位

Seiko 精工

LSWN27BL-3

KH27BL-3-GS



1/8", 5/32", 3/16", 1/4", 5/16", 3/8"


GAUGE SET

針位

Seiko 精工

BBWP-28BL

KHBBWP28BL-GS



1/8", 5/32", 3/16", 1/4", 5/16", 3/8"


GAUGE SET

針位

Seiko 精工

LCW-28BL

KHLWCW28BL-GS



4mm, 5mm, 6mm, 1/8", 3/16", 1/4"


GAUGE SET

針位

Mitsubishi 三菱 / Seiko 精工

LU2-400 / LSW-28BL

KHLSW28BL-GS



1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2"

NEEDLE PLATES & FEED DOGS

Seiko 精工

針板及送布牙


13022 Needle plate 針板

13020 Feed dog 送布牙


For CW-8B
CW-8B 用


13104 Needle plate 針板

13103 Feed dog 送布牙


For LCW-7
LCW-7 用


13240 Needle plate 針板

13243 Feed dog 送布牙


For CW-8V
CW-8V 用


10665 Needle plate 針板

10805 Feed dog 送布牙


For LSW-8BL
LSW-8BL 用


10665F Needle plate 針板

10805F Feed dog 送布牙


For LSW-8BL
LSW-8BL 用

10863 Needle plate 針板

10864 Feed dog 送布牙


For STW-7
STW-7 用


SEIKO 精工

NEEDLE PLATES & FEED DOGS

Seiko 精工


針板及送布牙

1380 Needle plate 針板
1376 Feed dog 送布牙




For SK-6F
SK-6F 用

28540 Needle plate 針板
28545 Feed dog 送布牙




For CH-2B(2)
CH-2B(2) 用

8065 Needle plate 針板
8063 Feed dog 送布牙




For TF6
TF6 用

17221 Needle plate 針板
17220 Feed dog 送布牙




For LSC-8B
LSC-8B 用

17221B Needle plate 針板
17220B Feed dog 送布牙




For LSC-8B
LSC-8B 用

112607SP




Slide plate for installing binder
包邊筒用推板

17073 Needle plate 針板
17089 Feed dog 送布牙



For LSC-8BV
LSC-8BV 用

17073S Needle plate 針板
17089S Feed dog 送布牙



For LSC-8BV
LSC-8BV 用

SEIKO 精工

WALKING FEET

Others 其他

上下送料壓腳

U192 Presser foot 外壓腳

U193 Feeding foot 內壓腳

Regular feet set
標準壓腳


U192B Presser foot 外壓腳

U193B Feeding foot 內壓腳

Wider feeding foot, toe on left side
較闊內壓腳，趾在左邊

U192B Presser foot 外壓腳


U193SG Feeding foot 內壓腳

Feeding foot with right edge guide, toe on left side
右邊內壓腳，趾在左邊

1/16", 3/32", 1/8", 5/32"

U192B Presser foot 外壓腳


U193TS Feeding foot 內壓腳

Feeding foot with right top stitch guide, toe on left side
右彈弓片頂位內壓腳，趾在左邊

1/16", 3/32", 1/8", 5/32"

U192B Presser foot 外壓腳


Y350 Feeding foot 內壓腳

Feeding foot with compensating guide, toe on left side
高低傍位內壓腳，趾在左邊

1/16", 3/32", 1/8", 5/32"


U192R Presser foot 外壓腳

U193R Feeding foot 內壓腳

Right zipper feet
右單邊壓腳


U192T Presser foot 外壓腳

U193T Feeding foot 內壓腳

Left zipper feet
左單邊壓腳


U194 Presser foot 外壓腳

U195 Feeding foot 內壓腳

For binding
包邊用

U194A Presser foot 外壓腳


U195A Feeding foot 內壓腳

Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 2mm

3/16", 1/4"

U194B Presser foot 外壓腳


U195B Feeding foot 內壓腳

Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 0mm

3/16", 1/4"

U31A Presser foot 外壓腳


U30A Feeding foot 內壓腳

Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 2mm

3/16", 1/4"

U31B Presser foot 外壓腳

U30B Feeding foot 內壓腳

Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 0mm




3/16", 1/4"

OTHERS 其他


WALKING FEET

上下送料壓腳





Others 其他

U68 Presser foot 外壓腳**U67** Feeding foot 內壓腳Cording and piping feet
繩管嵌線壓腳**U68T** Presser foot 外壓腳**U67T** Feeding foot 內壓腳Narrow cording and piping feet
窄繩管嵌線壓腳**DY350A**Piping feet 繩管壓腳
Toe & groove are on left side 腳趾及繩坑皆在左


4.0, 5.0, 6.4, 8.0, 9.5 mm

DY350BPiping feet 繩管壓腳
Toe & groove are on left side 腳趾及繩坑皆在左


4.0, 5.0, 6.4, 8.0, 9.5 mm

10796 Presser foot 外壓腳**10795** Feeding foot 內壓腳Regular feet
標準壓腳**10796H** Presser foot 外壓腳**10795H** Feeding foot 內壓腳Wider feet
闊壓腳**10796L** Presser foot 外壓腳**10795L** Feeding foot 內壓腳Left zipper feet
左單邊壓腳**10796LP** Presser foot 外壓腳**10795LP** Feeding foot 內壓腳Piping feet 繩管壓腳
Toe & groove are on left side 腳趾及繩坑皆在左



1/8", 3/16", 1/4"

10796K1-A Presser foot 外壓腳**10795K1-A** Feeding foot 內壓腳Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 2mm

1/8", 3/16", 1/4", 5/16", 3/8"











10796K1-B Presser foot 外壓腳**10795K1-B** Feeding foot 內壓腳Piping feet 繩管壓腳
From groove to needle hole 針孔至繩坑: 0mm

1/8", 3/16", 1/4", 5/16", 3/8"

17083 Presser foot 外壓腳**17086** Feeding foot 內壓腳For binding (large)
包邊用(大)**17083-B2** Presser foot 外壓腳**17086-B2** Feeding foot 內壓腳Cording feet
單邊嵌線壓腳

WALKING FEET

Others 其他

上下送料壓腳**17084** Presser foot 外壓腳**17087** Feeding foot 內壓腳For binding (small)
包邊用 (小)**13246** Presser foot 外壓腳**13249** Feeding foot 內壓腳For binding
包邊用**LU-41A** Presser foot 外壓腳**LU-41B** Feeding foot 內壓腳Piping foot 繩管壓腳
Extra roller on left side 左面輔助滾輪**4, 5, 6 mm****S31** Presser foot 外壓腳**S30** Feeding foot 內壓腳Groove on the part of needle hole left & part of left toe
繩坑於部份左面針孔及部份左腳趾上**1/8", 3/16", 1/4", 5/16", 3/8"****S96** Presser foot 外壓腳**S95** Feeding foot 內壓腳Piping foot 繩管壓腳
Groove on needle hole left 繩坑於針孔左面**3/16", 1/4"****S513** Presser foot 外壓腳**S512** Feeding foot 內壓腳With up-feeding spikes
附送布尖釘**S537** Presser foot 外壓腳**S538** Feeding foot 內壓腳With up-feeding spikes
附送布尖釘**120369** Presser foot 外壓腳**120370** Feeding foot 內壓腳For Singer 16U
勝家 16U 用**1/8"****24018** Presser foot 外壓腳**24019** Feeding foot 內壓腳Regular feet
標準壓腳**28057** Presser foot 外壓腳**28137** Feeding foot 內壓腳**97743** Presser foot 外壓腳**97738** Feeding foot 內壓腳For Singer 132K6
勝家 132K6 用**97743P** Presser foot 外壓腳**97738P** Feeding foot 內壓腳Piping foot for Singer 132K6
勝家 132K6 用繩管壓腳


OTHERS 其他

SUSPENDING EDGE GUIDES

Others 其他


吊傍

KG367B



Roller and zipper guide for Durkopp Adler 367
杜克普367用滾輪及拉鏈傍位


KG767A



N800 075006


Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG767B



Zipper guide & 14mm diameter roller guide
拉鏈傍位及14mm直徑滾輪傍位


KG767D



N800 025009

Double guide for Durkopp Adler 467 and 767
杜克普467及767用雙傍位


KG867A



Maximum adjustable height: 100mm
最大可調教高度: 100mm

Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位


KG967A



Extra long guiding, 20mm longer than KG867A
特長傍位，比KG867A長20mm


Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG867S



4mm and 11mm diameter roller guide
4mm及11mm直徑滾輪傍位


KG867N



N type allows both hands holding the material
N 型傍位設計方便雙手同時把持物料


Long straight guide 11mm & 14mm diameter roller guide
長直形傍位，11mm及14mm直徑滾輪傍位

KG867D




Double guide
雙傍位

KG867E




Triple guide
叁傍位

KG767LR



Guiding on the left and/or right hand side
左右分別/同時導傍

KG867Y



2 steps adj. guide, max. adjusting range between 2 steps = 16mm
二段調節傍位，最寬調教距離為16mm


Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

SUSPENDING EDGE GUIDES

Others 其他


吊傍

KG1087-6




Roller guide 滾輪傍位: 6mm

KG1087-16




Roller guide 滾輪傍位: 16mm

KG867A+EG01




KG867A 傍位連 EG-01 護目鏡
KG867A suspending guide with EG-01 eye guard

KG367T




Applicable for 適用於: KH367PF, KH367PL, KH367PR, KH367PB, KH367PC, KH367PCS
Cord size 繩管尺寸: 6mm, 9mm

KG767T




Applicable for 適用於: KH367PF, KH367PL, KH367PR, KH367PB, KH367PC, KH367PCS
Cord size 繩管尺寸: 6mm, 9mm

KG777




Pneumatic guide for universal machines
泛用型氣動傍位

KG778




Pneumatic lifted edge guide for universal machines
泛用型氣動升降傍位

KG1245




Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位
For most Pfaff machine models
適合大部份百福機種

09-009 824-21



For Pfaff 1245
百福1245用

09-009 824-22



For Pfaff 1525 and 2545
百福1525及2545用


OTHERS 其他

SUSPENDING EDGE GUIDES

Others 其他


吊傍

09-009 844-35




For Pfaff 1525 and 2545
百福 1525 及 2545 用

09-009 842-60



For Pfaff 1525 and 2545
百福 1525 及 2545 用

KG1525D



For Pfaff 1525 and 2545
百福 1525 及 2545 用

09-009 851-98




For Pfaff 3834 百福3834用
Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG68




GB463




For Pfaff 463
百福 463 用

KG1245+EG01




KG1245 suspending guide with EG-01 eye guard
KG1245 傍位連 EG-01 護目鏡

KG141




For Juki DU-141
重機 DU-141 用


GB1




GB2



GB4



GB9





OTHERS 其他


SUSPENDING EDGE GUIDES

Others 其他


吊傍

GB7

可安裝在任何平縫機壓腳柱上，獨立壓腳裝置使之停留在機面上，不受壓腳升降影響。
It can be installed on presser bar of most flat-bed machines. Its independently pressing device keeps it always on the bed. There is no disturbance from lifting of presser feet.


KB767

Bracket for Durkopp Adler 467, 767, 768
杜克普 467, 767, 768 用轉接配件


KB867

N800 080003


Bracket for Durkopp Adler 669, 867, 868
杜克普 669, 867, 868 用轉接配件

KB367


Bracket for Durkopp Adler 367
杜克普 367 用轉接配件

KB205

Bracket for Durkopp Adler 204-370, 205-370
杜克普 204-370, 205-370 用轉接配件


KB267

Bracket for Durkopp Adler 267, 268, 269
杜克普 267, 268, 269 用轉接配件


KB295

N900 003364


Bracket for Durkopp Adler 195, 243, 244, 291, 294, 296, 491
杜克普 195, 243, 244, 291, 294, 296, 491 用轉接配件

KB1230

Bracket for Durkopp Adler 1230i
杜克普 1230i 用轉接配件

KB09

Bracket for Pfaff machines
百福縫紉機用轉接配件

KB591


Bracket for Pfaff 591
百福 591 用轉接配件

OTHERS 其他


SUSPENDING EDGE GUIDES

Others 其他


吊傍

KB-8


Bracket for KG767LR, KG867D, KG867E
KG767LR, KG867D, KG867E 連接支架

KG-BZ


Zipper guide
拉鏈傍位

KG-NR


Regulating guide for zipper
可調節拉鏈傍位

KG-AA

Long straight guide
長直形傍位


KG-AB

Zipper / Long straight guide (Dual functions)
拉鏈/長直形兩用傍位


KG-AC

(Improved version of 0667-245004)
(0667-245004 改良款式)


Center guide
中分傍位

KG-B14

Roller diameter: 14mm
14mm直徑滾輪傍位

KG-S11

Roller diameter: 11mm
11mm直徑滾輪傍位

KG-S04

Roller diameter: 4mm
4mm直徑滾輪傍位


OTHERS 其他

ATTACHMENTS


Others 其他

助縫配件


KHF2 / KHF3 / KHF4




KHF4410



KG4410 + KG4410F / KG4410T




KHF8A + KG4410F




Tape Size 入口: 5/8", 3/4", 7/8", 1"

KHF8B + KG4410F




Tape Size 入口		Finished Size 出口
1"	~	1/4"
1-1/4"	~	5/16"
1-1/4"	~	3/8"

KH341T + KG4410T



Adjustable 可調教

KHF48A + KG4410F



Tape Size 入口: 10, 12, 13, 14, 16, 18, 20, 22, 24, 26mm


OTHERS 其他

MISCELLANEOUS

Others 其他


雜項

Round cap screws 圓杯螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M3 x 0.5	4, 5, 6mm
M4 x 0.75	5, 6, 8mm
M5 x 0.8	6, 8, 10mm
M6 x 1.0	6, 8, 10mm

Head cap screws 杯頭螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	4, 5mm
M2.5 x 0.45	4, 6mm
M3 x 0.5	4, 6, 8, 10mm
M4 x 0.75	6, 8, 10, 12, 14, 16mm
M5 x 0.8	8, 10, 12, 14, 16mm
M6 x 1.0	8, 10, 12, 14, 16mm

Countersunk head screws 平杯螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	4, 5, 6, 8, 10mm
M2.5 x 0.45	5, 6, 8, 10mm
M3 x 0.5	6, 8mm
M4 x 0.75	6, 8mm
M5 x 0.8	6, 8, 10mm
M6 x 1.0	8, 10mm

Head set screws 基米螺絲




Diameter 直徑 (Ø) x Thread pitch 牙距	Length 牙長 (L)
M2 x 0.4	3, 4, 5, 6mm
M2.5 x 0.45	3, 4, 5, 6mm
M3 x 0.5	3, 4, 5, 6, 8, 10mm
M4 x 0.75	6, 8, 10, 12, 14, 16mm
M5 x 0.8	6, 8, 10mm

Plain washers 平介(墊片)




Diameter 直徑 (Ø)
2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm

Hexagon nuts 六角絲母




Diameter 直徑 (Ø)
M2, M2.5, M3, M4, M5, M6

Wave washers 碟形墊圈




Diameter 直徑 (Ø)
8mm, 11mm, 13mm, 15mm, 21mm, 25mm, 27mm, 29mm, 31mm, 34mm

Internal retaining rings 內卡簧



Diameter 直徑 (Ø)
8mm, 10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm

External retaining rings 外卡簧



Diameter 直徑 (Ø)
8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm