

PARTS LIST

TLMX MIXED TYPE




Table of Contents

● GENERAL VIEW	
● FRAMING.....	LM-1
● TABLE.....	LM-2
● ROTARY HOOK SHAFT TRANSMISSION BOX.....	LM-3
● ROTARY HOOK BASE 1.....	LM-4-1
● ROTARY HOOK BASE 2A.....	LM-4-2a
● ROTARY HOOK BASE 2B (LM HEAD).....	LM-4-2b
● COLOR CHANGE SYSTEM.....	LM-5
● ARM 1.....	LM-6-1
● ARM 2.....	LM-6-2
● ARM 3.....	LM-6-3
● ARM 1 (LM HEAD).....	LM-7-1
● ARM 2 (LM HEAD).....	LM-7-2
● ARM 3 (LM HEAD).....	LM-7-3
● NEEDLE BAR CASE 1.....	LM-8-1
● NEEDLE BAR CASE 2.....	LM-8-2
● FRONT COVER.....	LM-9
● UPPER THREAD HOLDER.....	LM-10
● M-AXIS DRIVE SYSTEM / JUMP DEVICE.....	LM-11
● TAKE-UP LEVER CLUTCH.....	LM-12
● ZIGZAG SWING PULSE MOTOR DRIVE SYSTEM.....	LM-13
● NIPPLE PULSE MOTOR DRIVE SYSTEM.....	LM-14
● CAM DRIVE SYSTEM.....	LM-15
● X-AXIS DRIVE SYSTEM.....	LM-16
● Y-AXIS DRIVE SYSTEM 1.....	LM-17-1
● Y-AXIS DRIVE SYSTEM 2.....	LM-17-2
● Z-SPEC. FRAME DRIVE SYSTEM.....	LM-18
● EMBROIDERY FRAME.....	LM-19
● TENSION BASE.....	LM-20
● TENSION BASE(LM HEAD).....	LM-21
● THREAD STAND.....	LM-22
● BAR SWITCH BOX.....	LM-23
● MAIN SHAFT MOTOR.....	LM-24
● ELECTRICAL PARTS.....	LM-25
● OPERATION PANEL.....	LM-26
● SMALL COILING UNIT.....	LM-27
● W BOBBIN UNIT.....	LM-28
● ZIGZAG SWING UNIT (OPTION).....	LM-29
● TAPING UNIT (OPTION).....	LM-30
● WIDE TAPING UNIT (OPTION).....	LM-31
● FEATHER EMBROIDERY UNIT / BLIND EMBROIDERY UNIT (OPTION).....	LM-32
● TUCK EMBROIDERY UNIT (OPTION).....	LM-33


Part Nos. of screws, nuts, washers etc. are listed at the end of volume.


*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.

*When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.



Ex.	TLMX-G908	680 x 550(230)S	No.LM901234
	[Model]	[Emb. Space]	[Mfg. No.]

GENERAL VIEW





EY:850mm or more




FRAMING

LM-1

No.	Part Name	Part No.	Remark
1	STAND	NT7@@@@@A00	
1	STAND	NT6@@@@@000	Triple Mix M/C
2	WIRING COVER :33 OR MORE HEADS :R :P2[A]	1B430106@A00	
3	WIRING COVER :33 OR MORE HEADS :P2[A]	1B41002@@A00	
4	WIRING COVER :33 OR MORE HEADS :L :L500/P2[A]	1B4201062A00	
5	STUD :NO.1 :M8-154.3	505108190000	
6	COVER :SQUARE PIPE	03042009@010	
7	CENTER SUPPORT :NO.2 :REAR	03051006@000	8m M/C with less than Y:1200mm
8	LEVELING BOLT :M20*70	030530010000	
9	VIBRATION-PREVENTIVE BASE[S]	03052009@S00	
10	TAJIMA BRAND NAME PLATE	030710060010	
11	BASE :X DRIVE SYSTEM	11021@@@@000	Y: 1200mm or more
12	FLUORESCENT LAMP :1-LAMP 40W :200V50/60HZ[A]	0J0715000A00	3-phase 200, 240V
12	FLUORESCENT LAMP :1-LAMP 40W 220V :DIRECT MOUNTING[A]	0J0714300A10	3-phase 220V, 350 to 440V
13	BRACKET :FLUORESCENT LAMP	0J1701200010	
14	TABLE SUPPORT :34MM DIA./W180[A]	03054013@A00	
15	TABLE SUPPORT :34MM DIA./W300[A]	03054014@A00	
16	LEVELING BOLT :M20*60	030530020000	
17	COVER :STAND BASE :T10	617500030000	
18	ANTI-VIBRATION STAND :BU-1000TMA	614100150011	
18	ANTI-VIBRATION STAND :BU-1250TMA	614100160011	
18	ANTI-VIBRATION STAND :BU-2000TMA	614100200011	
19	SWITCH :EMERGENCY STOP[A]	0J0603900A00	
20	PIPE :CONTROLLER	03021042@000	
21	BASE :EMERGENCY STOP SWITCH[S]	030230170S10	
22	ERGO ADJUST CLAMP LEVER :EAL44*10	61320007M000	
23	JOINT :PANEL	030220920000	
24	HOLDER :JOINT PANEL	9A0303510000	
25	BASE :EMERGENCY STOP SWITCH	030230130000	
26	GROMMET WITH FILM :26A	644500210000	
27	PIPE :CONTROLLER	030210430000	
28	STAND :CONTROLLER PIPE	030210440000	
29	BRACKET :FLUORESCENT LAMP	030120040000	
30	PLAIN WASHER :4.2*22*T2	519106020000	
31	CENTER SUPPORT :NO.1 :FRONT	03051023@000	M-spec. M/C, G-spec. M/C
31	CENTER SUPPORT :NO.1 :FRONT	03051003@000	7m M/C
32	CENTER SUPPORT :NO.2 :FRONT	03051027@000	8m or larger M/C
33	SUPPORT BASE[S]	03052001@S00	
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




TABLE

LM-2

No.	Part Name	Part No.	Remark
1	TABLE	2T7@@@@@020	
2	TABLE SUPPORT :NO.1 :L	15012020@070	
3	TABLE SUPPORT :NO.8	150840@@@@070	
4	JOINT PLATE :TABLE SUPPORT	152150@@0000	
5	TABLE SUPPORT :NO.5 :L1869	15054009@070	
6	TABLE SUPPORT :NO.5 :L1869	15054008@070	
7	TABLE SUPPORT :NO.6	1506@000@060	
8	TABLE SUPPORT :NO.4	15044014@070	
9	TABLE SUPPORT :NO.3	15031013@060	
10	TABLE SUPPORT :NO.4	15044021@010	
11	TABLE SUPPORT :NO.3	15031003@050	
12	TABLE SUPPORT :NO.1 :R	15012021@070	
13	TABLE SUPPORT :NO.4	15044011@070	
14	TABLE SUPPORT :NO.1 :R	15014008@070	
15	CAP :TABLE SUPPORT :47	152150100010	
16	TABLE SUPPORT :NO.2 :R	15023003@050	
17	TABLE SUPPORT :NO.2 :L	15023002@050	
18	TABLE SUPPORT :NO.3 :R	15031005@050	
19	TABLE SUPPORT :NO.3	15031010@050	
20	TABLE SUPPORT :NO.3	15031009@070	
21	BRACKET :TABLE SUPPORT	15215006@010	
22	TABLE SUPPORT :NO.3	15031008@050	
23	STUD :NO.1 :M10-50	505110010010	
24	GUIDE :FABRIC :A :R	03063006A000	
25	GUIDE :FABRIC :B :L	03063006B000	
26	JOINT :TABLE :E	15214001E000	
27	BASE :TABLE JOINT :E	15214002E000	
28	SPACER :NO.2	51020045@000	
29	TABLE COVER :NO.31 :7M- :Y680-1000	13315029@000	
30	TABLE COVER :NO.31 :Y450-	13316004@000	
31	TABLE COVER :NO.1 :C :X630-	13010001@000	
32	TABLE COVER :NO.4 :A :X305-1730	13040001@000	
33	TABLE COVER :NO.16 :Y680-1600/C4	13161011@000	
34	GUIDE : Y SHAFT	0F0170050010	
35	COVER :BELT	0E0150010010	
36	COUNTERSUNK TAPPING SCREW :3P*12	S550031201MZ	
36	COUNTERSUNK TAPPING SCREW :3P*16	S550031601MZ	
37	COLLAR :TABLE SUPPORT :25MM DIA.	15215021@000	
38	PAN HEAD WOOD SCREW :5.1P*32	S560523202TP	
39	BASE :HINGE	152110180000	
40	HINGE :FLAT TYPE	615300020000	
41	TABLE ALIGNING PLATE	152110338000	
42	TOGGLE CLAMP :GY1001	615500030001	
43	TRUSS HEAD TAPPING SCREW :4P*20	S530042001SD	
44	PAN HEAD WOOD SCREW :5.1P*25	S560522502TP	
45	COLLAR :TABLE SUPPORT :T4	9A0306400000	
46	TABLE REINFORCING :Y MOTOR SECTION	152150230000	If the table width at the left side of Y-axis motor is 110mm or less
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ROTARY HOOK SHAFT TRANSMISSION BOX

LM-3

No.	Part Name	Part No.	Remark
1	TRANSMISSION BOX	04011021@000	
2	RUBBER BUSHING :TABLE[S]	03063010@S00	
2	RUBBER BUSHING :TABLE[S]	04012066@S00	
3	BRACKET :TRANSMISSION BOX	040120650000	
4	SCREW WITH PIN :NO.1 :M4-93	513104040000	
5	CLEAR PLATE	040120630000	
6	COVER :HANDLE	04012058@050	
7	LID :HANDLE	04012055@030	
8	BASE SHAFT :MAIN :A	040120690000	
9	BEARING :6004ZZ	630200090000	
10	COVER :TRANSMISSION BOX	04012034@000	
11	BEARING COLLAR :15MM DIA.	502715050010	
12	TIMING PULLEY :W25-32	501459020040	
13	BASE :ANGLE INDICATOR	040420210010	
14	ANGLE INDICATOR	040420230010	
15	POINTER	040120350000	
16	BASE SHAFT :ROTARY HOOK	040120570010	
17	TIMING PULLEY :W25-32	501459030040	
18	TIMING BELT :SPTG :W25-S5M0590/G	623400280000	
19	SCREW WITH PIN :NO.1 :M8-74.5	513110030010	
20	STRAIGHT PIN E :TENSION PULLEY	040120640010	
21	FLAT PULLEY :40MM DIA.[S]	501903040S20	
22	SPECIAL SCREW :UNBRAKO :KCP :M8*8	690200010000	
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ROTARY HOOK BASE 1

LM-4-1

No.	Part Name	Part No.	Remark
1	ROTARY HOOK BASE :REGULAR ROTARY HOOK :DAMPER/LB	050110200000	
1	ROTARY HOOK BASE :JUMBO ROTARY HOOK :DAMPER/LB	05011020J000	
2	STRAIGHT BOLT :M10*55	511G10010020	
3	BEARING :6003ZZ	630200080000	
4	BEARING COLLAR :15MM DIA.	502715080000	
5	SPIRAL BEVEL GEAR :NO.1 :28T	506528030000	
6	SPIRAL BEVEL GEAR :NO.1 :14T	506514030000	
7	PLAIN WASHER :7.94*19*T0.8	519108030000	
8	OIL-BUSHING :NO.1 :7.94MM DIA.	509179010000	
8	OIL-BUSHING :NO.1 :7.94MM DIA.	509179030010	Jumbo Rotary Hook
9	SHAFT :ROTARY HOOK	050310090010	
10	STOPPER COLLAR :7.94MM DIA.	502107010020	
11	ROTARY HOOK :REGULAR ROTARY HOOK HSL-ATR (MTQTA)	050210160010	
11	ROTARY HOOK :JUMBO ROTARY HOOK KHS20-RYPOET2	05022005J010	
12	ROTARY HOOK SET SCREW :11/64*7.2	050290020000	
13	BOBBIN CASE :REGULAR ROTARY HOOK :THREAD GUIDE L	050240170000	
13	BOBBIN CASE :JUMBO ROTARY HOOK :STANDARD	05025001J000	
14	BOBBIN :REGULAR ROTARY HOOK	050260010020	
14	BOBBIN :HSM ALUMINUM FULL HARD ALUMITE	05027002J000	Jumbo Rotary Hook
15	ROTARY HOOK SUPPORT :REGULAR ROTARY HOOK	050310170000	
15	ROTARY HOOK SUPPORT :JUMBO ROTARY HOOK :B	05031019J000	
16	NEEDLE PLATE :2MM DIA.	050340090020	
16	NEEDLE PLATE :2.5MM DIA.	050340093000	
17	ROUND COUNTERSUNK HEAD SCREW :11/64*8.4B	511554010000	
18	TOP LID	050310060020	
19	R. H. BASE CONNECTING SHAFT :15MM DIA.	QT7@@@@@000	
19	R. H. BASE CONNECTING SHAFT :15MM DIA.	QT6@@@@@000	Triple Mix M/C
20	N-COUPPLING :N-15-15	504715010000	
21	DAMPER :ROTARY HOOK BASE[S]	050310130S10	
22	COVER :DAMPER	050310150000	
23	BUSHING :ROTARY HOOK BASE	050310160000	
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ROTARY HOOK BASE 2A

LM-4-2a

No.	Part Name	Part No.	Remark
1	BASE :FIXED KNIFE	050310050000	
2	HEXAGON SOCKET HEAD CAP SCREW :11/64*10	511954010000	
3	UNDER THREAD PRESSER	050320200000	
4	VELCRO	050320210000	
5	MOVABLE KNIFE :REVERSE MOVE 2-BLADE TYPE	050320880020	
6	THREAD SEPARATING PLATE :REVERSE MOVE 2-BLADE TYPE	050320890020	
7	SHAFT :MOVABLE KNIFE[S]	050320450S60	
8	FIXED KNIFE :REVERSE MOVE 2-BLADE TYPE	050320900030	Regular Rotary Hook
8	FIXED KNIFE :REVERSE MOVE 2-BLADE TYPE	050320900020	Jumbo Rotary Hook
9	DAMPER RING :3MM DIA. E	050320470010	
10	BRACKET :PICKER	050320230000	
11	OIL-BUSHING :NO.2 :5MM DIA.	509205010000	
12	PICKER	050320240020	
13	LEVER :MOVABLE KNIFE	050320680000	
14	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
15	CONNECTING PLATE :MOVABLE KNIFE LEVER	050320690000	
15	CONNECTING PLATE :ATH ROD CLAMP	0L0110080000	Last Head
16	CLAMP :ATH ROD	050320390010	
17	HOLDER :ATH ROD[A]	050320310A10	
18	HOLDER :ATH ROD	050320310010	
19	SPLIT COLLAR :PRESSER FOOT	090460040030	
20	COMPRESSION SPRING :0.8MM DIA.	507608040040	Last Head
21	ATH ROD :6MM DIA.	QT@@050@0000	
22	SCREW JOINT :M6	504506010010	
23	BRACKET :PICKER SOLENOID	050320250000	
24	SOLENOID :OPEN FRAME[A]	0J6600200A00	
25	STEPPED SCREW :NO.1 :9/64*5.5	512153070000	
26	SHAFT :PICKER	050320870000	
27	SPACER :FIXED KNIFE :T0.05	510100080000	Jumbo Rotary Hook
28	COUNTERSUNK HEAD SCREW :M3*8	9A1503900000	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ROTARY HOOK BASE 2B (LM HEAD)

LM-4-2b

No.	Part Name	Part No.	Remark
1	BASE :FIXED KNIFE	050310050000	
2	HEXAGON SOCKET HEAD CAP SCREW :11/64*10	511954010000	
3	UNDER THREAD PRESSER	050320200000	
4	VELCRO	050320210000	
5	MOVABLE KNIFE :REVERSE MOVE 2-BLADE TYPE	050320880020	
6	THREAD SEPARATING PLATE :REVERSE MOVE 2-BLADE TYPE	050320890020	
7	SHAFT :MOVABLE KNIFE[S]	050320450S60	
8	FIXED KNIFE :REVERSE MOVE 2-BLADE TYPE	050320900030	Regular Rotary Hook
8	FIXED KNIFE :REVERSE MOVE 2-BLADE TYPE	050320900020	Jumbo Rotary Hook
9	OIL-BUSHING :NO.2 :5MM DIA.	509205010000	
10	LEVER :MOVABLE KNIFE	050320680000	
11	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
12	CONNECTING PLATE :MOVABLE KNIFE LEVER	050320690000	
13	CLAMP :ATH ROD	050320390010	
14	HOLDER :ATH ROD[A]	050320310A10	
15	HOLDER :ATH ROD	050320310010	
16	SPLIT COLLAR :PRESSER FOOT	090460040030	
17	BRACKET :PROXIMITY SWITCH	050320370010	
18	CARD :MAGNETIC SENSOR A	0J4204400000	
19	MAGNET BLOCK[S]	050320380S10	
20	SPACER :FIXED KNIFE :T0.05	510100080000	Jumbo Rotary Hook
21	COUNTERSUNK HEAD SCREW :M3*8	9A1503900000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




COLOR CHANGE SYSTEM

LM-5

No.	Part Name	Part No.	Remark
1	CHANGE BOX :45ST	070310030000	
2	TIMING PULLEY :W6-10	501221010000	
3	STEPPED PIN :NO.2	503202050010	
4	STRAIGHT PIN :NO.2	503102190010	
5	BEARING CASE :TIMING PULLEY :A[S]	070320010S00	
6	BEARING CASE :TIMING PULLEY :B[S]	070320020S00	
7	BRACKET :PULLEY BEARING CASE	070320160000	
8	BELT CATCHER :S3M	070320050000	
9	BASE :BALL SCREW	070320140010	
10	DRIVE BLOCK :CHANGE ROD	070320130000	
11	BEARING CASE :BALL SCREW	070320080000	
12	TIGHTENING COLLAR :10MM DIA.	502210040000	
13	TIGHTENING COLLAR :12MM DIA.	502212020000	
14	BASE :NEEDLE POSITION INDICATOR	070320150000	
15	GUIDE SHAFT	07032010@000	
16	BASE ROD :CHANGE	07032017@010	
17	BALL SCREW :CHANGE	07032012@000	
18	TIMING BELT :SPTG :W6	6211900@0000	
19	LABEL :NEEDLE POSITION INDICATION :8MM DIA.	690300010010	
20	KNOB :C	08052001C010	
21	STUD :NO.4 :M4-23	505404010020	
22	BRACKET :POTENTIOMETER	0C0420020010	
23	BEARING :6200ZZNR	630300050000	
24	SLIDE BEARING :E-12	662100050000	
25	OIL-BUSHING :NO.1 :MB1010DU	638100200000	
26	PULSE MOTOR :56MM SQUARE :WITH SENSOR[A]	0J6108300A10	
27	POTENTIOMETER	640900010001	
28	MAIN NAME PLATE :TLMX	14T7@@@@@000	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)



ARM 1

LM-6-1

No.	Part Name	Part No.	Remark
1	HEAD	080110030090	
2	LINEAR WAY :NEEDLE BAR CASE	08025009@010	
3	REINFORCING PLATE	08025005@000	
4	HEAD FRONT COVER :L	080420113020	
5	HEAD FRONT COVER :R	080420133010	
6	SOLENOID :OPEN FRAME	640600121001	
7	LEVER :SOLENOID	080270010010	
8	TORSION SPRING :0.5MM DIA.	507305020020	
9	COLLAR :NO.1 :3.1MM DIA.	502505010000	
10	DRIVE LEVER[S]	080270080S10	
11	GUIDE PLATE :NEEDLE BAR CASE	080250010010	
12	GUIDE BRACKET :NEEDLE BAR CASE	080250200000	
13	HEAD SIDE COVER :FRONT	080430120110	
14	HEAD SIDE COVER :REAR	080430090000	
15	BRACKET :JUMP MOTOR	080320500000	
16	PULSE MOTOR :42MM SQUARE :DOUBLE-END[T]	0J6110700T10	
17	DAMPER RING :4MM DIA.	080320410000	
18	TORSION SPRING :0.9MM DIA.	507309040020	
19	LEVER :JUMP	080320420010	
20	WASHER :4.8*8*T0.8	S301040801KC	
21	ROLLER :4.7MM DIA.	515110010010	
22	STEPPED SCREW :NO.1 :11/64*8.2	512154010010	
23	TAKE-UP LEVER GUIDE RAIL	080280070000	
24	LEVER :SEQUIN	0L0431030010	
25	SCREW WITH PIN :NO.1 :9/64-4	513153060010	
26	BASE :CLUTCH LEVER	080320380000	
27	CLUTCH LEVER[S]	080320370S30	
28	STEPPED SCREW :NO.1 :M3*2.8	512203010010	
29	DAMPER RING :3MM DIA. E	050320470010	
30	HEAD TOP COVER	080290030020	
31	ROLLER PIN[S]	080290040S10	
32	SENSOR ARM	0C0320040010	
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ARM 2

LM-6-2



No.	Part Name	Part No.	Remark
1	NEEDLE BAR RECIPROCATOR :GN[A]	080210360A70	
2	TORSION SPRING :0.7MM DIA.	507307010010	
3	HOLDER :JUMP SPRING	080210110010	
4	NEEDLE BAR RECIPROCATOR[S]	080210270S40	
5	PLAIN WASHER :10.3*14*T0.5	519112010000	
6	RECIPROCATING SLIDE BLOCK	080210410040	
7	PLASTIC BUSHING :NO.2 :7.24MM DIA.	509472050010	
8	DAMPER BRACKET :NEEDLE BAR RECIPROCATOR	080210090000	
9	SCREW WITH PIN :NO.3 :11/64-7.9[A]	513354060A20	
10	SCREW WITH PIN :NO.3 :11/64-7.9	513354060020	
11	WICK :2.5*1*22	080240120010	
12	PLAIN WASHER :6*9.5*T0.05-0.5	51910604@020	
13	FLAT FILLISTER HEAD SCREW :9/64*4	511153010010	
14	FELT :14MM DIA.	080240060000	t1
15	FELT :14MM DIA.	080240220000	t3
16	PRESSER FOOT RECIPROCATOR :45MM ST[A]	080210430A20	
17	PRESSER FOOT RECIPROCATOR :45MM ST[S]	080210430S10	
18	DAMPER BRACKET :PRESSER FOOT RECIPROCATOR[S]	080210180S20	
19	NEEDLE BAR DRIVE SHAFT :AUTOMATIC LUBRICATION[S]	0L0210030S00	
20	NEEDLE BAR DRIVE SHAFT :AUTOMATIC LUBRICATION	0L0210030000	
21	WICK :3.5P*183	080240020010	
22	FELT :NEEDLE BAR DRIVE SHAFT :B	080240070000	
23	GUIDE :NEEDLE BAR CASE[S]	080250170S20	
24	FELT :NEEDLE BAR DRIVE SHAFT	080240130000	
25	STRAIGHT PIN :NO.1 :8MM DIA.	503101130000	
26	LEVER :TAKE-UP LEVER	080230020000	
27	STEPPED SCREW :NO.1 :M4*12.2	512104180000	
28	ROLLER :4.7*7.94*4	515121050020	
29	PLAIN WASHER :4*7.5*T0.8	519104060000	
30	ARM :TAKE-UP LEVER	080230060000	
31	SCREW WITH PIN :NO.4 :M3-12.5	513403020000	
32	ROLLER :3MM DIA.	515103010020	
33	LID :TAKE-UP LEVER BEARING CASE :13MM DIA.	080290010000	
34	BEARING BUSHING :NO.1 :8MM DIA.	509508080000	
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)



When the balancer is attached



ARM 3

LM-6-3

No.	Part Name	Part No.	Remark
1	TIGHTENING COLLAR :18MM DIA.	502218020010	
2	BEARING CASE :NO.2 :20MM DIA.[S]	508220070S10	
3	CAM :NEEDLE BAR :ROLLER TYPE NR	U8A300000010	
4	CAM :NEEDLE BAR	080220150000	
5	NEEDLE CAGE :K384188X PLASTIC	634400020000	
6	CONNECTING ROD :51.7	080220280010	
7	BASE :TAKE-UP LEVER CAM	080220310000	
8	CAM :TAKE-UP LEVER/REGULAR ROTARY HOOK	080220110020	
8	CAM :TAKE-UP LEVER	08022014J020	Jumbo Rotary Hook
9	WASHER :CAM	080220180000	
10	COLLAR :NO.1 :18MM DIA.	502518010020	
11	CAM :PRESSER FOOT[A]	080220130A10	
12	LEVER :NEEDLE BAR[S]	080230120S10	
13	STEPPED PIN :NO.4	U8X040000000	
14	STEPPED PIN :NO.4	503204020020	
15	WICK :3P*61	080240230000	
16	STOPPER COLLAR :8MM DIA.	502108020010	
17	STEPPED SCREW :NO.2 :M6*13[S]	512206010S10	
18	STEPPED SCREW :NO.2 :M6*13	512206010010	
19	WICK :3.5*1*34	080240140000	
20	SCREW WITH PIN :NO.3 :11/64-7.7[A]	513354020A10	
21	SCREW WITH PIN :NO.3 :11/64-7.7	513354020010	
22	WICK :2.5*1*22	080240120010	
23	CONNECTING ROD	080230210000	
24	LEVER :DRIVE :PRESSER FOOT :45	U8K000000100	
25	LEVER :PRESSER FOOT[S]	080230140S50	
26	SCREW WITH ROLLER PIN :NO.4 :11/64E[S]	514454020S00	
27	SCREW WITH ROLLER PIN :NO.4 :11/64E	514454020000	
28	STEPPED SCREW :NO.1 :M4*5.3	512104160020	
29	ROLLER :5*8*5	515105020010	
30	PLAIN WASHER :4*7.5*T0.8	519104060000	
31	STEPPED PIN :NO.5[A]	0803Z0010A10	
32	STEPPED PIN :NO.5	0803Z0010010	
33	PLAIN WASHER :8*15*T0.5	519108050000	
34	STOPPER COLLAR :8MM DIA.	502108050010	
35	N-COUPLING :N-15-15	504715010000	
36	MAIN SHAFT :15MM DIA.	QT7@01@@0000	
37	BALANCER	030730010000	
38	HOLDER :BALANCER	030730020000	
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ARM 1 (LM HEAD)

LM-7-1

No.	Part Name	Part No.	Remark
1	HEAD :TLMX :45ST :STANDARD/LB	08013002@000	
2	CAM :TAKE-UP LEVER	080220120000	
2	CAM :TAKE-UP LEVER	08022020J000	Jumbo Rotary Hook
3	WASHER :CAM	080220180000	
4	CAM :NEEDLE BAR :ROLLER TYPE	U8A200000010	
5	BASE :TAKE-UP LEVER CAM	080220310000	
6	CONNECTING ROD :51.7	080220280010	
7	NEEDLE CAGE :K384188X PLASTIC	634400020000	
8	CAM :NEEDLE BAR	080220300010	
9	BEARING CASE :NO.2 :20MM DIA.[S]	508220070S10	
10	TIGHTENING COLLAR :18MM DIA.	502218020010	
11	LEVER :NEEDLE BAR[S]	080230170S00	
12	STEPPED PIN :NO.4	503204060000	
13	WICK :3P*61	080240230000	
14	STEPPED PIN :NO.4[S]	503204010S00	
15	STOPPER COLLAR :8MM DIA.	502108020010	
16	STEPPED SCREW :NO.2 :M6*13	512206010010	
17	STEPPED SCREW :NO.2 :M6*13[S]	512206010S10	
18	WICK :3.5*1*34	080240140000	
19	CONNECTING ROD :NEEDLE BAR	080610030000	
20	SCREW WITH PIN :NO.3 :11/64-7.7	513354020010	
21	WICK :2.5*1*22	080240120010	
22	SCREW WITH PIN :NO.3 :11/64-7.7[A]	513354020A10	
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ARM 2 (LM HEAD)

LM-7-2

No.	Part Name	Part No.	Remark
1	FELT :19MM DIA.	080240200000	
2	NIPPLE RING	080610050000	
3	FELT :14MM DIA.	080240060000	
4	NEEDLE BAR	080610010030	
5	CONNECTING STUD :NEEDLE BAR	080690060000	
6	PRESSER :NEEDLE BAR SPRING	080610020000	
7	STOPPER :UPPER DEAD POINT	080610040000	
8	HEXAGON BOLT :9/64*7.5	511B53010000	
9	DAMPER RING	080610160000	
10	BEARING BUSHING :NO.2 :7.24MM DIA.	509672020000	
11	NEEDLE BAR DRIVE SHAFT	080210160010	
12	NEEDLE BAR DRIVE SHAFT[S]	080210160S10	
13	WICK :2.5*1*22	080240120010	
14	SLEEVE :NEEDLE BAR	080630030010	
15	BUSHING :NEEDLE BAR SLEEVE	080690030000	
16	RECIPROCATING SLIDE BLOCK	080210170020	
17	DAMPER BRACKET :NEEDLE BAR RECIPROCATOR	080210090000	
18	WICK :2.5*1*22	080240120010	
19	SCREW WITH PIN :NO.3 :11/64-7.7	513354030000	
20	SCREW WITH PIN :NO.3 :11/64-7.7[A]	513354030A00	
21	PLAIN WASHER :10.3*14*T0.5	519112010000	
22	TORSION SPRING :0.7MM DIA.	507307010000	
23	HOLDER :JUMP SPRING	080210110010	
24	NEEDLE BAR RECIPROCATOR[S]	080210330S30	
25	PLASTIC BUSHING :NO.2 :7.24MM DIA.	509472050010	
26	PLAIN WASHER :6*9.5*T0.05-0.5	51910604@020	
27	STRAIGHT PIN :NO.1 :8MM DIA.	503101130000	
28	LEVER :TAKE-UP LEVER	080230020000	
29	STEPPED SCREW :NO.1 :M4*12.2	512104180000	
30	ROLLER :4.7*7.94*4	515121050020	
31	PLAIN WASHER :4*7.5*T0.8	519104060000	
32	ARM :TAKE-UP LEVER	080230060000	
33	SCREW WITH PIN :NO.4 :M3-12.5	513403020000	
34	ROLLER :3MM DIA.	515103010020	
35	TAKE-UP LEVER[A]	090310050A40	
36	TAKE-UP LEVER[S]	090310050S40	
37	THREAD GUIDE COLLAR :2MM DIA.	516503020010	
38	BOSS :TAKE-UP LEVER	090310040010	
39	STRAIGHT PIN :NO.1 :8MM DIA.	503101210000	
40	STOPPER COLLAR :8MM DIA.	502108020010	
41	NEEDLE :DB-K5Z1 #11	616500080000	
41	NEEDLE :DB-K5Z1 #14	616500090000	
42	LID :TAKE-UP LEVER BEARING CASE :13MM DIA.	080290010000	
43	BEARING BUSHING :NO.1 :8MM DIA.	509508080000	
44	BEARING BUSHING :NO.1 :8MM DIA.	509508100010	
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ARM 3 (LM HEAD)

LM-7-3

No.	Part Name	Part No.	Remark
1	HEAD :TOP COVER	080410130000	
2	HEAD SIDE COVER	080690040040	
3	TAKE-UP LEVER COVER[A]	080660070A10	
4	TAKE-UP LEVER GUARD	080660090000	
5	TAKE-UP LEVER COVER :UPPER	080660070000	
6	TAKE-UP LEVER COVER :LOWER[S]	080660080S00	
7	ROLLER-TYPE MIDDLE THREAD GUIDE WITH TAKE-UP LEVER ADJUSTER[A]	080690130A00	
8	BASE :ROLLER-TYPE MIDDLE THREAD GUIDE :TAKE-UP LEVER ADJUSTER	080690130000	
9	FLAT FILLISTER HEAD SCREW :M3*4.3	511103010000	
10	ADJUSTING LEVER[S]	090210140S10	
11	COMPRESSION SPRING :0.7MM DIA.	507607160000	
12	STRAIGHT PIN :NO.2 :3MM DIA.	090210270010	
13	STRAIGHT PIN :NO.1 :5MM DIA.	080690090000	
14	RATCHET	090210050020	
15	TENSION COLLAR :NO.1	090210160010	
16	THREAD TAKE-UP SPRING :NO.2 :0.4MM DIA.	507204010010	
17	STOPPER COLLAR :5MM DIA.	090210180010	
18	HOLDER :STRAIGHT PIN	090210190010	
19	STRAIGHT PIN :NO.1 :3MM DIA.	503101150020	
20	ROUND COUNTERSUNK HEAD SCREW :9/64*3.5	511553010010	
21	ROLLER-TYPE MIDDLE THREAD GUIDE :TLMX	080690110000	
22	E-RING :2MM DIA.	611100050000	
23	ADJUSTER :TAKE-UP LEVER THREAD VOLUME[S]	080690140S00	
24	THREAD TENSION GUIDE	516402010010	
25	THREAD TENSION STUD	0C0210010010	
26	TENSION DISK	0C0220160010	
27	TAPER SPRING :0.6MM DIA.	507706010000	
28	SPRING HOOK	0C0220080000	
29	KNOB :THREAD TENSION :A	0C022015A000	
30	FRONT COVER :LOWER[A]	080690080A00	
31	FRONT COVER :LOWER	080690080000	
32	THREAD SUSPENDER DISK	0B0200050000	
33	COMPRESSION SPRING :0.3MM DIA.	507603020010	
34	PRESSER :THREAD SUSPENDER SPRING	0B0200060000	
35	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




NEEDLE BAR CASE 1

LM-8-1

No.	Part Name	Part No.	Remark
1	NEEDLE BAR CASE	09011025@000	
2	NEEDLE BAR	090410020010	
3	COMPRESSION SPRING :0.5MM DIA.	507605030040	
4	FELT PACKING	090430040000	
5	DAMPER RING :F	090430020010	
6	STOPPER :UPPER DEAD POINT	090420040020	
7	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
8	NEEDLE BAR CONNECTING STUD	090420060010	
9	COMPRESSION SPRING :0.9MM DIA.	507609060000	
10	PRESSER FOOT CONNECTING STUD	090420020020	
11	PRESSER FOOT[A]	090460010A00	
12	SPLIT COLLAR :PRESSER FOOT	090460040030	
13	FLAT FILLISTER HEAD SCREW :1/8*44	090470020010	
14	DAMPER RING :A	090430070040	
15	NEEDLE CLAMP[S]	090420010S70	
16	SLOTTED HEAD SET SCREW :11/64*6B	511754010010	
17	NEEDLE :DB-K5Z1 #11	616500080000	
18	TORSION SPRING :1MM DIA.	507310040010	
19	LEVER :STOPPER	090320010000	
20	SPLIT COLLAR :NO.2 :8MM DIA.	502408020010	
21	GUIDE SHAFT :TAKE UP LEVER	09033001@000	
22	TAKE-UP LEVER[A]	090310050A40	
23	TAKE-UP LEVER[S]	090310050S40	
24	THREAD GUIDE COLLAR :2MM DIA.	516503020010	
25	BOSS :TAKE-UP LEVER	090310040010	
26	SPLIT COLLAR :NO.1 :8MM DIA.	502308010010	
27	NEEDLE BAR GUIDE	0904500@@010	
28	RAIL GUIDE	09023005@010	
29	RAIL :CASE :LOWER	09044001@010	
30	PARALLEL PIN :4*16-H7	611200050000	
31	SPRING HOOK BAR	09033002@000	
32	BRACKET :CHANGE ROD :L	08026002L020	
33	BRACKET :CHANGE ROD :R	08026002R020	
34	FLAT FILLISTER HEAD SCREW :M4*10	511104010010	
35	CHANGE ROD :6MM DIA.	QT7@04@@0000	
36	SCREW JOINT :M6	504506010010	
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




NEEDLE BAR CASE 2

LM-8-2

No.	Part Name	Part No.	Remark
1	TAKE-UP LEVER COVER	09053002@000	
2	PAN HEAD SCREW :9/64*25	511353010000	
3	ROLLER-TYPE MIDDLE THREAD GUIDE[A]	09021025@A00	
4	FLAT FILLISTER HEAD SCREW :M3*4.3	511103010000	
5	BASE :ROLLER-TYPE MIDDLE THREAD GUIDE	09021025@000	
6	ADJUSTING LEVER[S]	090210140S10	
7	COMPRESSION SPRING :0.7MM DIA.	507607160000	
8	RATCHET	090210050020	
9	TENSION COLLAR :NO.1	090210160010	
10	THREAD TAKE-UP SPRING :NO.2 :0.4MM DIA.	507204010010	
11	TENSION COLLAR :NO.2	090210170010	
12	STRAIGHT PIN :5MM DIA.	09021023@000	
13	STOPPER COLLAR :5MM DIA.	090210180010	
14	ROLLER-TYPE MIDDLE THREAD GUIDE[S]	09021009@S30	
15	STRAIGHT PIN :NO.1 :3MM DIA.	503101150020	
16	THREAD GUIDE COLLAR :1.8MM DIA.	516503010010	
17	ROUND COUNTERSUNK HEAD SCREW :9/64*3.5	511553010010	
18	HOLDER :STRAIGHT PIN	090210190010	
19	STRAIGHT PIN :3MM DIA.	09021022@000	
20	E-RING :2MM DIA.	611100050000	
21	BASE :UPPER THREAD HOLDER :LH	U941@0000010	
22	BRACKET :UPPER THREAD HOLDER	0B0200230000	
23	THREAD SUSPENDER DISK	0B0200050000	
24	COMPRESSION SPRING :0.3MM DIA.	507603020010	
25	PRESSER :THREAD SUSPENDER SPRING	0B0200060000	
26	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
27	BASE :UPPER THREAD HOLDER[S]	0B020024@S00	
28	BASE :UPPER THREAD HOLDER	0B020024@000	
29	VELCRO	0B020007@000	
30	UPPER THREAD HOLDER[S]	0B020025@S00	
31	UPPER THREAD HOLDER	0B020025@000	
32	VELCRO :12*8	0B0200220000	
33	FACE COVER :NEEDLE BAR CASE	09051001@060	
34	UPPER THREAD LOCK[A]	08027009@A20	
35	BASE :UPPER THREAD LOCK	08027009@050	
36	LOCK SHAFT[S]	080270030S10	
37	COMPRESSION SPRING :0.3MM DIA.	507603040030	
38	E-RING :1.5MM DIA.	611100040000	
39	STEPPED SCREW :NO.1 :9/64*8.8	512153150000	
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




FRONT COVER

LM-9

No.	Part Name	Part No.	Remark
1	FRONT COVER :NO.1 :UPPER :L100	17185014@000	
2	FRONT COVER :NO.1 :LOWER :L100	17185002@000	
3	BRACKET :FRONT COVER :UPPER	030460210000	
3	BRACKET :FRONT COVER :UPPER :B	03046021B000	1000P or more
4	STUD :NO.1 :M8-97	505108210000	
5	FRONT COVER :NO.2 :UPPER	17181011@010	
6	FRONT COVER :NO.2 :LOWER	17181003@000	
7	COVER :NEEDLE BAR CASE :R	080290070010	
8	FRONT COVER :NO.3 :UPPER	17182022@000	
9	FRONT COVER :NO.3 :LOWER	17182003@000	
10	FRONT COVER :NO.3 :UPPER :CENTER DRIVE	17183006@000	
11	FRONT COVER :NO.3 :LOWER :CENTER DRIVE	17183003@000	
12	FRONT COVER :NO.4	17184006@000	
13	SHAFT COVER :A :LESS THAN 900P	17186001@000	
13	SHAFT COVER :B :P900 OR MORE	17186002@000	
14	BRACKET :SHAFT COVER :B	030460130010	
15	BASE :SENSOR :WITH SPACER	040360030010	
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




UPPER THREAD HOLDER

LM-10

No.	Part Name	Part No.	Remark
1	COLLAR :NO.1 :3MM DIA.	502503070010	
2	BASE :HOOK	0B0110450000	
3	COVER :UPPER THREAD HOOK BASE	0B0120020000	
4	UPPER THREAD HOOK	0B0110180000	
5	CONNECTING PLATE :UPPER THREAD HOOK	0B0110460000	
6	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
7	LEVER :UPPER THREAD HOOK	0B0120030000	
8	TORSION SPRING :0.8MM DIA.	507308150000	
9	DAMPER RING :3MM DIA. E	050320470010	
10	BASE :HOOK MOTOR	0B0110390010	
11	PULSE MOTOR :42MM SQUARE :DOUBLE-END[T]	0J6110700T10	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




M-AXIS DRIVE SYSTEM / JUMP DEVICE

LM-11

No.	Part Name	Part No.	Remark
1	BRACKET :M MOTOR	080620010000	
2	PULSE MOTOR :56MM SQUARE :WITH SENSOR[A]	0J6109500A10	
3	RULON WASHER :TW-0613	638400070000	
4	STOPPER :UPPER DEAD POINT	090420040020	
5	BEARING :6200ZZNR	630300050000	
6	SHAFT :M-AXIS	080620040000	
7	TIMING PULLEY :W10-30[S]	501225040S00	
8	TIGHTENING COLLAR :10MM DIA.	502210030010	
9	BEARING :635ZZ	631200010000	
10	FLANGE PIN :NO.2	503502040000	
11	TIMING PULLEY :M-AXIS[S]	080620020S30	
12	TIMING BELT :SPTG OIL-PROOF :W10-S3MT300/G	621200040000	
13	BRACKET :JUMP MOTOR	080320510000	
14	PULSE MOTOR :42MM SQUARE :DOUBLE-END[T]	0J6110700T10	
15	COVER :M-AXIS PULLEY	080620050000	
16	TORSION SPRING :0.9MM DIA.	507309040020	
17	LEVER :JUMP	080320420010	
18	ROLLER :4.7MM DIA.	515110010010	
19	DAMPER RING :4MM DIA.	080320410000	
20	STEPPED SCREW :NO.1 :11/64*8.2	512154010010	
21	BLOCK :SWING[S]	080610090S10	
22	BRACKET :NIPPLE JUMP	080610060020	
23	LEVER :NIPPLE JUMP	080610070000	
24	LEVER :SWING	080610080000	
25	TORSION SPRING :0.8MM DIA.	507308260000	
26	SCREW WITH PIN :NO.1 :9/64-4	513153060010	
27	WASHER :4.8*8*T0.8	S301040801KC	
28	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




TAKE-UP LEVER CLUTCH

LM-12

No.	Part Name	Part No.	Remark
1	HOLDER :SLIDE ROD[S]	080650030S00	
2	COMPRESSION SPRING :0.5MM DIA.	507605080000	
2	COMPRESSION SPRING :0.7MM DIA.	080650120000	Triple Mix M/C
3	SCREW WITH PIN :NO.1 :M3-42	513103020000	
4	BEARING BUSHING :NO.1 :6MM DIA.	509506010000	
5	SPACER NUT :M3	080650020000	
6	TAKE-UP LEVER HOLDER	080650070000	
7	SLIDE PIN :TAKE-UP LEVER CLUTCH	080650140000	
8	OIL-BUSHING :NO.1 :MB0608DU	638100100000	
9	BRACKET :TAKE-UP LEVER CLUTCH[S]	080650060S20	
10	DRIVE LEVER :TAKE-UP LEVER CLUTCH[S]	080650050S00	
11	STEPPED SCREW :NO.1 :M4*6.2	512104120000	
12	HOLDER :TAKE-UP LEVER CLUTCH LEVER	080650010000	
13	COVER :TAKE-UP LEVER CLUTCH	080650040010	
14	RACKET :TAKE-UP LEVER CLUTCH	080650130010	
15	PULSE MOTOR :42MM SQUARE :DOUBLE-END[T]	0J6110700T10	
16	COLLAR :NO.1 :3MM DIA.	080650110000	
17	LEVER :PULSE MOTOR	080630070000	
18	SCREW WITH PIN :NO.3 :M4-4	513304040000	
19	WICK :2.5*1*22	080240120010	
20	CARD :MAGNETIC SENSOR A	0J4204400000	
21	BLOCK :TAKE-UP LEVER CLUTCH[S]	080650080S00	
22	CONNECTING PLATE :TAKE-UP LEVER CLUTCH	080650100000	
23	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
24	BRACKET :SENSOR	080650090000	
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ZIGZAG SWING PULSE MOTOR DRIVE SYSTEM

LM-13

No.	Part Name	Part No.	Remark
1	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105100010	
2	BASE :ZIGZAG SWING MOTOR	080640030040	
3	CONNECTING PLATE :ROTATING RING RECIPROCATOR[S]	080640040S00	
4	RULON WASHER :TW-0613	638400070000	
5	FLANGE PIN	503501060040	
6	STEPPED SCREW :NO.1 :M4*6.2	512104120000	
7	LEVER :PULSE MOTOR	080640110010	
8	CONNECTING ROD :ZIGZAG SWING MOTOR LEVER	080640060000	
9	COVER :ZIGZAG SWING[S]	080640160S30	
10	CONNECTING ROD :ROTATING RING RECIPROCATOR	080640050000	
11	RECIPROCATOR :ROTATING RING	080640070010	
12	SCREW WITH PIN :NO.3 :M4-9	513354070000	
13	WICK :2.5*1*22	080240120010	
14	SCREW WITH PIN :NO.3 :M4-9[A]	080640090A00	
15	FELT :ROTATING RING RECIPROCATOR	080640020000	
16	COMPRESSION SPRING :0.7MM DIA.	507607010010	
17	DAMPER RING :13MM DIA.	080640260000	
18	STOPPER :UPPER DEAD POINT	090420040020	
19	COMPRESSION SPRING :0.5MM DIA.	507605090020	
20	STRAIGHT PIN :NO.2 :6.35MM DIA.	080640010000	
21	ROTATING RING	080640080000	
22	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




NIPPLE PULSE MOTOR DRIVE SYSTEM

LM-14

No.	Part Name	Part No.	Remark
1	BASE :PULSE MOTOR	080630060020	
2	PULSE MOTOR :42MM SQUARE :WITH SENSOR[A]	0J6109200A00	
3	CONNECTING ROD	080630080000	
4	STEPPED SCREW :NO.2 :M4*10	512204030000	
5	WICK :2.5*1*22	080240120010	
6	STEPPED SCREW :NO.2 :M4*10[A]	512204030A00	
7	LEVER :NIPPLE RECIPROCATOR	080630050020	
8	SCREW WITH PIN :NO.3 :M4-4	513304040000	
9	SCREW WITH PIN :NO.3 :M4-5[A]	513304020A00	
10	LEVER :PULSE MOTOR	080630070000	
11	RECIPROCATOR :NIPPLE :A	080630250000	
12	RECIPROCATOR :NIPPLE :B	080630100010	
13	SCREW WITH PIN :NO.3 :M4-5	513304030000	
14	SCREW WITH PIN :NO.3 :M4-6[A]	513304010A00	
15	COLLAR :NO.1 :6.5MM DIA.	502565010000	
16	HOLDER :NIPPLE	080630110020	
17	HEXAGON BOLT :9/64*5.8	511B53020000	
18	COMPRESSION SPRING :0.8MM DIA.	507608090000	
19	STRAIGHT PIN :NO.2 :6.35MM DIA.	503102020000	
20	FELT :NIPPLE RECIPROCATOR	080630040000	
21	RULON WASHER :TW-0613	638400070000	
22	COLLAR :NO.1 :3.6MM DIA.	502536010000	
23	BRACKET :MOTOR BASE	080630240000	
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




CAM DRIVE SYSTEM

LM-15

No.	Part Name	Part No.	Remark
1	BASE :ATH CAM[S]	0E0110110S40	
2	LEVER :ATH	0E0210840000	
3	BASE ROD :ATH	0E0210590010	
4	STRAIGHT PIN E :TENSION PULLEY	0E0210690010	
5	SCREW WITH PIN :NO.1 :M8-66.5	513110040000	
6	FLAT PULLEY :36MM DIA.[S]	501903050S10	
7	N-COUPLING :N-15-15	504715010000	
8	TIMING PULLEY :W25-20[S]	501454060S00	
9	BEARING CASE :NO.3 :15MM DIA.[S]	508315010S00	
10	NEEDLE COLLAR :15MM DIA.	502815010000	
11	TIMING PULLEY :W25-20	501454070000	
12	THRUST WASHER :AS1528	633200040000	
13	THRUST BEARING :NTB1528	633100030000	
14	NEEDLE BEARING :HMK1512	634200130000	
15	TIGHTENING COLLAR :10MM DIA.	502210030010	
16	RUBBER WASHER :10*15*3	519210040000	
17	BRACKET :ATH MOTOR	0E0210670000	
18	PULSE MOTOR :42MM SQUARE :DOUBLE-END[T]	0J6110700T10	
19	LEVER :SHAFT LEVER ROD	0E0210280010	
20	STRAIGHT PIN :NO.2 :6MM DIA.	503102010010	
21	UP/DOWN COLLAR :ATH	0E0210260010	
22	COVER :ATH CAM BOX	0E0210870000	
23	COMPRESSION SPRING :0.8MM DIA.	507608120010	
24	SHAFT :ATH CAM	0E0210210000	
25	TIMING BELT :SPTG :W25-S5M0410/G	623400290000	
26	THRUST WASHER :GS1528	633200110000	
27	SPACER :NO.4 :T0.5-2.0	51040019@000	
28	PIN :ATH BASE ROD	0E0210910000	
29	SCREW WITH PIN :NO.4 :M8-110	513408030010	
30	PLASTIC WASHER :15.5*22*T1	519216020000	
31	SCREW WITH ROLLER PIN :NO.5 :M6	514406010000	
32	ROLLER :8*14*8	515108030000	
33	FLAT FILLISTER HEAD SCREW :11/64*7	511154010030	
34	CAM :ATH	0E0120010020	
35	ROUND FILLISTER HEAD SCREW :9/32*17.5B	511252010000	
36	ROLLER :8*12*15.8	515108050000	
37	TIGHTENING COLLAR :A :20MM DIA.	502220020000	
38	TIGHTENING COLLAR :B :20MM DIA.	502220030000	
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)



X-AXIS DRIVE SYSTEM

LM-16

No.	Part Name	Part No.	Remark
1	X-DRIVE BASE :NO.1 :X630 OR MORE	16012011@000	
2	X-DRIVE BASE :NO.2 :X630 OR MORE	16022013@000	With Sensor attachment groove
3	LINEAR BASE :Y300-1200	0F016003@000	
4	STUD :NO.4 :M5-7	505405010010	
5	LINEAR WAY	660100@@0000	
6	X-AXIS FEED PLATE :NO.2 :AZ :W50[S]	0F2220030S10	
6	X-AXIS FEED PLATE :NO.2 :BZ :W50[S]	0F2220040S10	With Sensor attachment bore
7	TIMING BELT :MA5 :W50/LY	623E00@@@000	
8	JOINT PLATE :BELT	0F0130020000	
9	SENSOR PLATE :MAGNET[S]	0F0110080S00	
10	HOLDER :TENSION PULLEY	0F0120010000	
11	STRAIGHT PIN :NO.1 :12MM DIA.	503101110000	
12	STRAIGHT PIN :NO.1 :14MM DIA.	503101070010	
13	BASE :TENSION PULLEY	0F0120050000	
14	STRAIGHT PIN :NO.4 :12MM DIA.	503104040000	
15	TIMING PULLEY :W50-16[S]	501490030S10	
16	RULON WASHER :TW-1225	638400080000	
17	BEARING CASE :NO.5 :L :17MM DIA.[S]	50851706LS00	
18	BEARING CASE :NO.5 :R :17MM DIA.[S]	50851706RS00	
19	BEARING COLLAR :15MM DIA.	502715080000	
20	TIMING PULLEY :W50-16	501G90010000	
21	X SHAFT	Q001X@@@0000	
22	TIGHTENING COUPLING :15MM DIA.	504315010000	
23	BRACKET :X MOTOR	0F032004@010	
24	SPACER :NO.4 :T0.5-2	51040008@000	
25	PULSE MOTOR :106MM DIA.: WITH SENSOR[A]	0J6107600A20	M/C Total Length 5845mm or less with Y-emb. Space less than 1200mm
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6108100A10	M/C Total Length 5846mm or more with Y-emb. Space less than 1200mm or AFC spec.
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6105700A20	M/C Total Length 5845mm or less with Y-emb. Space 1200mm or more
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6105800A10	M/C Total Length 5846mm or more with Y-emb. Space 1200mm or more or AFC spec.
26	CARD :MAGNETIC SENSOR B	0J4204401000	
27	CARD :MAGNETIC SENSOR A	0J4204400000	
28	BASE :PROXIMITY SWITCH	0F0110060000	
29	KNURLED SCREW :M4*9	511D04020000	
30	NUT :M4*3.2	0F0110030000	
31	SPACER :NO.2 :T0.5-2	51020009@000	
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




Y-AXIS DRIVE SYSTEM 1

LM-17-1

No.	Part Name	Part No.	Remark
1	Y-AXIS FEED PLATE :NO.2 :AZ :W50[S]	0F2420020S10	Both Right and Left Side Use (50mm Type)
2	JOINT PLATE :BELT	0F0130020000	
3	TIMING BELT :MA5 :A :W35/LY	623D00@@@000	
3	TIMING BELT :MA5 :W50/LY	623E00@@@000	
4	NUT :M4*3.2	0F0110030000	
5	KNURLED SCREW :M4*9	511D04020000	
6	COVER :FRAME BEARING	0G0200030020	
7	HOLDER :TABLE COVER	0F0140140000	
8	BASE :SCREW WITH ROLLER PIN	0F0150010020	
9	Y-AXIS FEED PLATE :NO.1 :BZ :W50[S]	0F2410090S30	
10	Y-AXIS FEED PLATE :NO.1 :A :W35[S]	0F231005CS30	
11	Y-AXIS FEED PLATE :NO.1 :AZ :W50[S]	0F2410100S30	
12	SCREW WITH ROLLER PIN :NO.1 :M6[S]	514106290S00	
13	Y-AXIS FEED PLATE :FRONT[S]	0F3210080S00	
14	SENSOR PLATE :MAGNET[S]	0F0110070S00	
15	BASE :PROXIMITY SWITCH	0F0110060000	
16	CARD :MAGNETIC SENSOR A	0J4204400000	
17	CARD :MAGNETIC SENSOR B	0J4204401000	
18	ROLLER PIN[S]	505406010S10	
19	HOLDER BLOCK :FRAME	0F0150080010	
20	STEPPED SCREW :NO.1 :M4*8.2	512104060000	
21	Y-AXIS FEED CONNECTING PLATE :Y300-1600	0F014005@020	
22	Y-AXIS FEED CONNECTING PLATE :Y680-1600[S]	0F014005@S20	Y: 680mm or more
23	FELT :10*2*100	0F0170030000	Y: 680mm or more
23	FELT :10*2*500	0F0170130000	Y: 1200mm or more
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




Y-AXIS DRIVE SYSTEM 2

LM-17-2

No.	Part Name	Part No.	Remark
1	Y SHAFT	QT5@030@0000	
2	STRAIGHT PIN :NO.1 :12MM DIA.	503101070000	
3	STRAIGHT PIN :NO.4 :12MM DIA.	503104040000	
4	BASE :TENSION PULLEY	0F0120130000	
5	SPACER :NO.4 :T0.5-2	51040007@000	
6	HOLDER :TENSION PULLEY	0F0120010000	
7	STRAIGHT PIN :NO.1 :12MM DIA.	503101110000	
8	RULON WASHER :TW-1225	638400080000	
9	STUD :NO.4 :M5-7	505405010010	
10	BEARING CASE :NO.5 :L :17MM DIA.[S]	50851706LS00	
11	BEARING CASE :NO.5 :R :17MM DIA.[S]	50851706RS00	
12	Y-DRIVE BASE :NO.1 :Y550-800	16011007@000	
12	Y-DRIVE BASE :NO.1 :Y850-	16011008@000	
13	Y-DRIVE BASE :NO.2 :Y550-800	16021006@000	With Sensor attachment groove
13	Y-DRIVE BASE :NO.2 :Y850-	16021007@000	With Sensor attachment groove
14	ROLLER :6*15*25	515106010000	
15	STRAIGHT PIN :NO.1 :6MM DIA.	503101310010	
16	HOLDER :ROLLER	0F3290100000	
17	BASE :ROLLER HOLDER	0F3290150000	
18	TIMING PULLEY :W35-16	501G70010000	
18	TIMING PULLEY :W50-16	501G90010000	
19	WIPER :BASE RAIL[S]	0F329025@S00	
20	BEARING COLLAR :15MM DIA.	502715080000	
21	LINEAR BASE :Y300-1200	0F016003@000	
22	SPACER :NO.2 :T0.5-2	51020009@000	
23	TIMING PULLEY :W35-16[S]	501470050S10	
24	TIMING PULLEY :W50-16[S]	501490030S10	
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6105700A20	M/C Total Length 5845mm or less
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6105800A10	M/C Total Length 5846mm or more, or AFC spec.
26	BRACKET :X MOTOR	0F032003@010	
27	COLLAR :NO.1 :12MM DIA.	502512030000	
28	BASE :RAIL :A :Y680-/C4[S]	0F314001@S00	
28	BASE :RAIL :B :Y680-800/C4[S]	0F314002@S00	
28	BASE :RAIL :C :Y850-1000/C4[S]	0F314003@S00	
29	COUNTERSUNK TAPPING SCREW :3.5P*20	S550532001SD	
30	COUNTERSUNK TAPPING SCREW :3.5P*16	S550531601SD	
31	LINEAR WAY	660100@@0000	Belt side
32	LINEAR WAY	660100@@0000	
33	TIGHTENING COUPLING :15MM DIA.	504315010000	
34	SPACER :RAIL BASE	0F3240@@@010	
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




Z-SPEC. FRAME DRIVE SYSTEM

LM-18

No.	Part Name	Part No.	Remark
1	YZ SASH :R[S]	382@@@010S00	91.5mm
1	YZ SASH :R[S]	381@@@010S00	145mm
2	FELT :25*2*1000[S]	0G0240240S00	
3	RAIL PLATE :0.5*10	518102@@0000	
4	RESIN TAPE :15*30M	610400050000	
5	SPACER :Z-SPEC. FRAME SASH :B	0F0150070010	
6	COVER :Z-SPEC. FRAME SASH	0G0120040010	91.5mm
6	COVER :Z-SPEC. FRAME SASH	0G0120030000	145mm
7	YZ SASH :L[S]	392@@@010S00	91.5mm
7	YZ SASH :L[S]	391@@@010S00	145mm
8	SPACER :Z-SPEC. FRAME SASH	0G0110190000	
9	HOLDER BUSHING :M5	509905010010	
9	HOLDER BUSHING :M5	509905020000	
10	BRACKET :BEARING[S]	0G0280080S10	
11	BRACKET :BEARING	0F0150060000	
12	SCREW WITH ROLLER PIN :NO.1 :M6[S]	514106180S00	
13	PLATE NUT	0G0280060000	
14	SPACER :BEARING BRACKET :B	0G0250170000	
15	BRACKET :BEARING :UPPER[S]	0G0280140S10	
16	BEARING BASE	0G0280070000	
17	BRACKET :BEARING :LOWER[S]	0G0280100S20	
18	COVER :XZ SASH :L/R[S]	0G012009@S00	91.5mm
18	COVER :XZ SASH :L/R[S]	0G012008@S00	145mm
19	XZ SASH :Y300-1600[S]	36110124@S00	2pcs. X-axis Drive System
19	XZ SASH :Y450-1600[S]	36110125@S00	3pcs. X-axis Drive System
19	XZ SASH :Y450-[S]	36110119@S00	Y-axis drive system between 1st and 2nd shafts 1800mm or more
19	XZ SASH[S]	361201@@@S00	145mm
20	FELT :Z-SPEC. FRAME SASH :20*3*80	0G0140100000	91.5mm
20	FELT :Z-SPEC. FRAME SASH :20*3*135	0G0140090000	145mm
20	FELT :Z-SPEC. FRAME SASH	0G0140050000	t6
21	SPACER :Z-SPEC. FRAME SASH :B	0G0110200000	
22	HEXAGON SOCKET HEAD FLANGE SCREW :M5*12	S123051201TD	
23	HEXAGON SOCKET HEAD FLANGE SCREW :M4*6	S123040601TD	
24	BRACKET :BEARING :UPPER[S]	0G0280200S00	
25	BRACKET :BEARING :LOWER[S]	0G0280210S00	
26	COVER :XZ SASH :UPPER	0G012010@000	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




EMBROIDERY FRAME

LM-19

No.	Part Name	Part No.	Remark
1	BORDER FRAME[T]	30C@@@@@T00	
2	CORNER :BORDER FRAME :FRONT R	0G0220460000	
3	CORNER :BORDER FRAME :FRONT L	0G0220200000	
4	CORNER :BORDER FRAME :REAR R	0G0220470000	
5	CORNER :BORDER FRAME :REAR L	0G0220220000	
6	RAIL PLATE :0.5*10	518102@@0000	
7	SCREW BUSHING :STRAIGHT KNURL :M4*0.75	0G0260040000	
8	FELT :15*1.3*1000[S]	0G0240200S00	
9	FELT :22*4.5*980	0G0240140000	
10	FIXING PLATE :BEARING BRACKET	0G0280190000	Y: 1500mm or more
11	POINTER :EMBROIDERY FRAME	0G0270020000	
12	CORNER	0G0220060000	
13	SPACER :22*6*1000	0G0240150000	
14	SPACER :23*9*1000	0G0240160000	
15	E-RING :3MM DIA.	611100060000	
16	FELT :18*4.5*980	0G0240170000	
17	BRACKET :MIDDLE SASH CLAMP	0G0320030000	
18	CLAMP :MIDDLE SASH :A :L	0G032013L000	
19	CLAMP :MIDDLE SASH :B	0G0320140000	
20	CORK	0G0230130100	
21	CLAMP :MIDDLE SASH :A :R	0G032013R000	
22	HEXAGON SOCKET HEAD CAP SCREW :STOPPER :M4*20L	511904020000	
23	BORDER FRAME[A]	301@@@@@A30	
24	BORDER FRAME LENGTHWISE SASH :R :Y450-	0G111007@010	
25	BORDER FRAME LENGTHWISE SASH :L :Y450-	0G113007@010	
26	BORDER FRAME SASH :FRONT	0G1210050010	
27	BORDER FRAME SASH :REAR	0G1220050000	
28	BASE :CORK[S]	0G0230130S00	
29	CORK :T13.5[S]	0G0230020S20	
30	CORK :CORNER :T10.3[S]	0G0230120S00	
31	MISALIGNMENT-PREVENTIVE PLATE :0.5*10*30	518103020000	
32	BORDER FRAME CLIP :BFF8 :L100-300[S]	0G052021@S00	
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




TENSION BASE

LM-20

No.	Part Name	Part No.	Remark
1	TENSION BASE :ROTARY :TFMX :GUARD B	UC29@0000140	
2	TENSION BASE :ROTARY[S]	0C012002@S60	
3	ROTARY TENSION DISK	0C0230120010	
4	SHAFT :ROTARY TENSION DISK	0C0230130030	
5	BASE :ROTARY TENSION DISK[S]	0C0230190S20	
6	SLIT PLATE :ROTARY DISK :50	0J4203800000	
7	KNOB :THREAD TENSION :A	0C0220150000	
8	SPRING HOOK	0C0220080000	
9	TAPER SPRING :0.6MM DIA.	507706010000	
10	TENSION DISK	0C0210060000	
11	THREAD TENSION STUD :WITH GROOVE	0C0210040000	
12	SCREW BUSHING :NO.2 :M4	509804050000	
13	BASE :THREAD PRESSER :U :06-NEEDLE	0C0220316000	
13	BASE :THREAD PRESSER :U :09-NEEDLE	0C0220339000	
13	BASE :THREAD PRESSER :U :12-NEEDLE	0C022035Y000	
14	BASE :THREAD PRESSER :D :06-NEEDLE	0C0220326000	
14	BASE :THREAD PRESSER :D :09-NEEDLE	0C0220349000	
14	BASE :THREAD PRESSER :D :12-NEEDLE	0C022036Y000	
15	COUNTERSUNK TAPPING SCREW :3P*10	S550031001SD	
16	TRUSS HEAD SCREW :STEPPED :M3*4*2	S132030401TD	
17	COMPRESSION SPRING :0.2MM DIA.	507602010000	
18	THREAD PRESSER	0C0220400000	
19	UPPER THREAD GUIDE :TENSION BASE	0C022017@020	
20	COUNTERSUNK TAPPING SCREW :3P*8	S550030801SD	
21	LAMP COVER :TENSION BASE	0C0250050000	
22	CARD :TENSION BASE	0J2601900030	
23	PLATE SPRING :T0.3	507803050000	
24	COVER :TENSION BASE	0C015002@000	
25	RAIL :THREAD BREAKAGE SENSOR	0C023014@000	
26	TC SENSOR[A]	0J2602300A20	
27	BRACKET :TC SENSOR CARD	0C0230220010	
28	CARD :TC SENSOR	0J2602100010	
29	TRUSS HEAD TAPPING SCREW :3P*6	S530030601SD	
30	DISK GUARD :A	0C023020@010	
31	DISK GUARD :B	0C023016@000	
32	COATED CLIP :5	644500150000	
33	GROMMET	0C0250090000	
34	BRACKET :TENSION BASE :L[S]	0C024003LS00	
35	BRACKET :TENSION BASE :R[S]	0C024003RS00	
36	BUSHING :HARNESS	0J1501100010	
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




TENSION BASE(LM HEAD)

LM-21

No.	Part Name	Part No.	Remark
1	TENSION BASE :LMX :MIX	UCB000000020	
2	TENSION BASE :TLMX[S]	0C0340010S10	
3	COVER :TENSION BASE	0C0340020000	
4	PLATE :CONTACT POINT	0C0250010000	
5	THREAD TAKE-UP SPRING :NO.1 :0.5MM DIA.	0C0220060060	
6	THREAD PRESSER	0C0220030010	
7	TAPER SPRING :0.2MM DIA.	507702010000	
8	BASE :THREAD PRESSER :UPPER	0C0340080010	
9	BASE :THREAD PRESSER :LOWER	0C0340070000	
10	UPPER THREAD GUIDE :TENSION BASE	0C0340030000	
11	TENSION STUD	0C0220020000	
12	SPRING HOOK	0C0220080000	
13	TAPER SPRING :0.7MM DIA.	507707030020	
14	83 DISK PRESSER	616100010000	
15	FELT PACKING	0C0220040000	
16	TENSION DISK	0C0220120000	
17	INSULATION DISK	0C0220090000	
18	KNOB :THREAD TENSION :A	0C0220150000	
19	THREAD TENSION STUD	0C0210010010	
20	TAPER SPRING :0.6MM DIA.	507706010000	
21	TENSION DISK	0C0210020000	
22	BASE :ROTARY TENSION DISK[S]	0C0230190S20	
23	SHAFT :ROTARY TENSION DISK	0C0230130030	
24	ROTARY TENSION DISK	0C0230120010	
25	SLIT PLATE :ROTARY DISK :50	0J4203800000	
26	BRACKET :SENSOR	0C0340040000	
27	PLATE SPRING :T0.3	507803050000	
28	GUIDE :TENSION BASE :CORE THREAD	0L1330050000	
29	TRUSS HEAD SCREW :STEPPED :M3*4*2	S132030401TD	
30	COUNTERSUNK TAPPING SCREW :3P*10	S550031001SD	
31	LAMP COVER :TENSION BASE	0C0250050000	
32	CARD :TENSION BASE	0J2601900030	
33	CARD :TC SENSOR	0J2602100010	
34	TAPER SPRING :1.0MM DIA.	507710020000	
35	TENSION DISK	0C0220160010	
36	THREAD TENSION STUD	0C0210050000	
37	TENSION SPRING :TENSION BASE	0L1330060000	
38	JOINT :SPIRAL TUBE	0D0210130000	
39	BRACKET :TENSION BASE :L[S]	0C024003LS00	
40	BRACKET :TENSION BASE :R :TLMX	0C0340100000	
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




THREAD STAND

LM-22

No.	Part Name	Part No.	Remark
1	THREAD STAND PLATE[A]	1D@@@010A00	
2	FELT :21*15*50	0D0110080020	
3	COLLAR :NO.2 :7MM DIA.	502607010000	
4	THREAD COURSE SUPPORT BAR :L345	0D0210313010	
5	THREAD COURSE[A]	1EG@@@@00A00	
6	THREAD GUIDE COLLAR :4.5MM DIA.	516501010010	
7	THREAD STAND STUD	0D0110410000	
8	BASE :THREAD STAND STUD	0D0110420000	
9	THREAD STAND BLADE	0D0110010010	
10	THREAD STAND RING :T10	0D0110022010	
11	COLLAR :NO.1 :5MM DIA.	0D0210140010	
12	JOINT :SPIRAL TUBE	0D0210130000	
13	SPIRAL TUBE[A]	0D021005@A00	
14	THREAD TENSION :TUBE :B	UD1100000200	
15	KNOB :THREAD TENSION :A	0C0220150000	
16	SPRING HOOK	0C0220080000	
17	TAPER SPRING :0.6MM DIA.	507706010000	
18	TENSION DISK	0C0220160010	
19	THREAD TENSION STUD :WITH GROOVE	0C0210040000	
20	THREAD TENSION GUIDE :TUBE	0D0210150030	
21	THREAD TENSION GUIDE	0D0210390000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)



BAR SWITCH BOX

LM-23




No.	Part Name	Part No.	Remark
1	BOX :BAR SWITCH[S]	030240090S10	
2	TRUSS HEAD TAPPING SCREW :4P*25	S530042501SD	
2	PAN HEAD WOOD SCREW :4.5P*25	S560510252TP	
3	SWITCH :START/STOP :BAR SWITCH[A]	0J0520200A10	
4	SENSOR PLATE :NO.1	030240110010	
5	TRUSS HEAD TAPPING SCREW :4P*16	S530041601SD	
6	COMPRESSION SPRING :1.8MM DIA.	507618010000	
7	COVER :BAR SWITCH BOX	030240100000	
8	HOLDER :SWITCH BAR	030240060010	
9	SWITCH BAR	030240010000	
10	SIDE COVER	030240030000	
11	BRACKET :BAR SWITCH BOX	030240150010	Table Cut
12	HOLDER :SWITCH BAR	030240060010	Table Cut
13	HOLDER :SWITCH BAR	030240080000	Table Cut
14	BAR JOINT	030240040010	
15	SWITCH BOX :START/STOP/OFFSET[A]	0J0601400A30	
16	SWITCH :TABLE OFFSET[A]	0J0603200A00	
17	SWITCH :START/STOP[A]	0J0603100A00	
18	SWITCH BOX :START/STOP/OFFSET	030240180000	
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)

This exploded view diagram illustrates the assembly of a mechanical device. The components are labeled as follows:

- 1**: Main base plate.
- 2**: Small rectangular plate.
- 3**: Small rectangular plate.
- 7**: Cylindrical component with a flange.
- 8**: Small circular component.
- 10**: Large rectangular plate.
- 11**: Motor or actuator.
- 12**: Small cylindrical component.
- 13**: Small cylindrical component.
- 15**: Small rectangular plate.
- B106**: Nut.
- B32**: Nut.
- B69**: Nut.
- B107**: Nut.
- B30**: Nut.
- R34**: Washer.
- R55**: Washer.
- R15**: Washer.
- R48**: Washer.
- R23**: Washer.
- R49**: Washer.
- R75**: Washer.
- P26**: Pin.
- L33**: Pin.
- L37**: Pin.
- E66**: Pin.




MAIN SHAFT MOTOR

LM-24

No.	Part Name	Part No.	Remark
1	BRACKET :MAIN MOTOR	04021062@010	
1	BASE :MOTOR BASE	040210690020	1.5kW Motor
2	PLATE :MAIN SHAFT TENSION	040220670010	
2	PLATE :MAIN SHAFT TENSION :1.5KW	040210670000	1.5kW Motor
3	GUIDE :MOTOR BASE	040220680010	
4	COVER :MAIN MOTOR[S]	04021063@S10	
4	COVER :MOTOR BRACKET[S]	04021068@S10	1.5kW Motor
5	BASE :MOTOR :A	04022074A000	
6	BASE :MOTOR :B[S]	04022074BS00	
7	BASE :MAIN SHAFT MOTOR :1.5KW[S]	040210700S00	
8	BEARING :60/22ZZ	630200040000	
9	BASE :DRIVER	040220710000	
10	PLATE :RADIATING	040210710000	
11	TIMING PULLEY :W35-20	501472010020	
11	TIMING PULLEY :W35-20	501472050000	1.5kW Motor
12	BEARING COLLAR :15MM DIA.	502715050010	
12	BEARING COLLAR :18MM DIA.	502718010010	1.5kW Motor
13	SERVO MOTOR :750W	0J6300600010	
13	SERVO MOTOR :1.5KW	0J6300700000	
14	BRACKET :COVER	040210450000	
15	COVER :TIMING BELT	04021064@010	
16	BRACKET :SENSOR	040360020010	
17	CARD :PHOTO-INTERRUPTER	0J4204500000	
18	ROTATING DETECTING PLATE[S]	040360090S10	
19	N-COUPLING :N-15-15	504715010000	
20	MAIN SHAFT :15MM DIA.	QT@@01@@0000	
21	TIMING BELT :SPTG :W35-S5M0900/G	623500050000	
21	TIMING BELT :SPTG :W35-S5M1085/G	623500110000	
21	TIMING BELT :SPTG :W35-S5M1295/G	623500780000	1.5kW Motor
22	TIMING PULLEY :W35-60	501474060000	
23	STAR LOCK :STL21F15*32	504815010000	
24	BEARING CASE :NO.1 :20MM DIA.[S]	50812006@S00	
25	BEARING COLLAR :15MM DIA.	502715040010	
26	MAIN SHAFT DRIVER :X13-D :1.5K[A]	0J0303700A00	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




ELECTRICAL PARTS

LM-25

No.	Part Name	Part No.	Remark
1	BASE :CARD	0J19424@0010	
2	DC POWER SUPPLY :24V	645300191011	2 or less Head, or 1 or less paired Head M/C
2	DC POWER SUPPLY :24V :240W	645300220011	3 or more Head, or 2 or more paired Head M/C
3	DC POWER SUPPLY :5V +/-12V	645300030000	
4	CARD :POWER SUPPLY :3-PHASE	0J2101600030	Mix M/C: 4 paired Head or less, Triple Mix M/C: 2 paired Head or less
4	CARD :POWER SUPPLY :3-PHASE :A	0J2102200030	Mix M/C: 5 paired Head or more, Triple Mix M/C: 3 paired Head or more
5	TERMINAL BASE :9P	643400080011	
6	NOISE FILTER :3-PHASE	641400200000	
7	SPACER :HEXAGON	644500310000	
8	BRACKET :BREAKER	0J1106700000	
9	COVER :BREAKER	0J1106802000	
10	NO FUSE BREAKER :3-PHASE 15A[T]	0J0605800T00	
11	BOX :Y DRIVER	03019025@000	
12	XY-AXIS DRIVER :X13-C[A]	0J0303500A10	
13	COVER :Y DRIVER	03019026@000	
14	TRANSFORMER :SEPARATE :X15[A]	0J0902400A00	5 or less paired Head M/C
14	TRANSFORMER :SEPARATE :X16[A]	0J0902500A00	Mix M/C: 6 to 12 paired Head, Triple Mix M/C: 6 to 10 paired Head
14	TRANSFORMER :SEPARATE :X17[A]	0J0902600A00	Mix M/C: 13 paired Head or more, Triple Mix M/C: 11 paired Head or more
15	SWITCH BOX :EMERGENCY STOP[A]	0J0604000A00	
16	SWITCH BOX :EMERGENCY STOP	030230250000	
17	SWITCH :EMERGENCY STOP[A]	0J0603900A00	
18	PAN HEAD WOOD SCREW :4.5P*25	S560510252TP	
19	BRACKET :HEAD CARD	0J1941800000	
20	TRUSS HEAD TAPPING SCREW :3P*8	S530030801SD	
21	CARD :MACHINE :P3	0J2503400020	
22	BRACKET :MACHINE CARD	0J1942200000	
23	COUNTER :ELECTRO-MAGNETIC	0J4500200010	
24	CARD :HEAD :S5C	0J2703400040	
25	COVER :POWER SUPPLY BOX	0J01038@@000	
26	CARD :HEAD :S5B	0J2703300030	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




OPERATION PANEL

LM-26

No.	Part Name	Part No.	Remark
1	CONTROLLER :X20-J[A]	0J0204900A00	Japanese
1	CONTROLLER :X20-E[A]	0J0204901A00	English
2	CASE :CONTROLLER :FRONT[S]	0J1409800S00	
3	CASE :CONTROLLER :REAR	0J1409900000	
4	BRACKET :17-INCH DISPLAY	0J1414500000	
5	COVER :DISPLAY HARNESS :L	0J141460L000	
6	COVER :DISPLAY HARNESS :R	0J141460R000	
7	BASE :CARD[S]	0J1410200S00	
8	SUPPORT :CARD BASE :L[S]	0J14103L0S00	
9	SUPPORT :CARD BASE :R[S]	0J14103R0S00	
10	SUPPORT :CONTROLLER	0J1410400000	
11	BRACKET :I/F CONNECTOR CARD	0J1410500000	
12	BASE :USB CONNECTOR CARD	0J1410600000	
13	COVER :USB[S]	0J1410700S00	
14	SHUTTER :USB	0J1410800000	
15	PLATE SPRING :USB SHUTTER	0J1410900000	
16	SUPPORT :15-INCH DISPLAY	0J1411000000	
17	BRACKET :CONTROLLER	0J1411100000	
18	BASE :CONTROLLER	0J1411200000	
19	OPERATION BUTTON	0J1404500000	
20	COVER :LAMP	0J1404700000	
21	CARD :CAPACITOR	0J3502600010	
22	CARD :CPU-J :R2[A]	0J2305500A00	Japanese
22	CARD :CPU-E :R2[A]	0J2305501A00	English
23	COMPACT FLASH MEMORY :JAPANESE :17-INCH	0J2401800000	
23	COMPACT FLASH MEMORY :ENGLISH :17-INCH	0J2401801000	
24	CARD :USB CONNECTOR	0J3200800000	
25	CARD :I/F CONNECTOR	0J3200700010	
26	CARD :SWITCH	0J3502000010	
27	CARD :CPU SET :R2[A]	0J2305600A00	
28	LOGO :TAJIMA	0J5100001000	
29	ROLLER :GUIDE :B	0L0461370000	
30	DISPLAY :17-INCH	641200270000	
31	SPACER :HEXAGON	644500300000	
32	DUST CAP :LAN	644501460000	
33	DUST CAP :USB	644500490000	
34	SPACER :HEXAGON :L27M3	644501160000	
35	BUSHING :TEFLON	644501170000	
36	WASHER :TEFLON	644501180000	
37	LABEL :TAJIMA NAME	0P4220210000	
38	JOG REMOTE-CONTROLLER[A]	0J4200100A00	
39	JOG REMOTE-CONTROLLER POCKET[A]	0J5102100A00	
40			
41			
42			
43			
44			
45			
46			
47			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




SMALL COILING UNIT

LM-27

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	GUIDE :LH :D	080670020000	
3	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
4	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
5	CORD GUIDE :ZIGZAG SWING :1MM DIA. TO 2MM DIA.	08067017@000	
6	BOBBIN :SMALL COILING	0L1310050000	
7	COILING UNIT[A]	0L1330090A00	
8	HOLDER :CORD GUIDE	080640150000	
9	CONNECTING BLOCK :CORD GUIDE	080680040000	
10	BASE :CORD GUIDE HOLDER[S]	080640250S20	
11	COMPRESSION SPRING :0.8MM DIA.	507608100000	
12	STEPPED SCREW :NO.1 :M4*11.5	512104110000	
13	ARM :COILING THREAD TENSION	0L1330040000	
14	KNOB :THREAD TENSION :A	0C0220150000	
15	SPRING HOOK	0C0220080000	
16	TAPER SPRING :0.6MM DIA.	507706010000	
17	TENSION DISK	0C0220160010	
18	THREAD TENSION STUD	0C0210010010	
19	BASE :COILING THREAD TENSION	0L1330030000	
20	TENSION SPRING :COILING THREAD	0L1330010000	
21	THREAD GUIDE :NO.2	516202020000	
22	BASE :BOBBIN SHAFT HOLDER	0L1320120000	
23	THREAD COURSE :COILING THREAD	0L1320110000	
24	BASE :BOBBIN SHAFT	0L1310020000	
25	PLATE SPRING :BOBBIN PRESSER :T0.2	0L1330110000	
26	FRICTION PLATE :COILING BOBBIN	0L1330020000	
27	SCREW WITH PIN :NO.5 :M4-56	0L1330100000	
28	HOLDER :BOBBIN SHAFT	0L1310010000	
29	PLATE SPRING :BOBBIN HOLDER :T0.5	507805090000	
30	PLATE SPRING :BOBBIN HOLDER :T0.3	507803060000	
31	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
32	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)



W BOBBIN UNIT

LM-28

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	GUIDE :A	080670010000	
3	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
4	TAPE GUIDE :TL1-15[S]	08067014@S00	
5	HOLDER :CORD	080670200000	
6	FLAT FILLISTER HEAD SCREW :1/8*5	511150030000	
7	HOLDER :CONNECTING ARM	080620060000	
8	CORD GUIDE :ZIGZAG SWING :1MM DIA. TO 2MM DIA.	08067017@000	
9	BOBBIN[S]	080680130S00	
10	W BOBBIN UNIT[A]	08068009@A10	
11	BRACKET :W BOBBIN HOLDER[S]	080680090S10	
12	BRACKET :BOBBIN HOLDER :B	080680060000	
13	BASE :CORD GUIDE HOLDER[S]	080640250S20	
14	HOLDER :CORD GUIDE	080640150000	
15	CONNECTING ARM[S]	080640120S00	
16	STEPPED SCREW :NO.1 :M5*8	512105080000	
17	COMPRESSION SPRING :0.8MM DIA.	507608100000	
18	STEPPED SCREW :NO.1 :M4*11.5	512104110000	
19	KNURLED NUT :11/64	080680110000	
20	TAPER SPRING :0.4MM DIA.	507704010000	
21	TENSION DISK	080680120000	
22	TENSION STUD	0L1310040000	
23	BASE :BOBBIN SHAFT HOLDER	080680030010	
23	BASE :BOBBIN SHAFT HOLDER	0L1310090010	Large Bobbin
24	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
24	SCREW WITH PIN :NO.5 :M4-104	513504020010	Large Bobbin
25	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
26	BRACKET :BOBBIN :R	08068010R000	
27	PLATE SPRING :T0.3	507803040030	
28	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
29	COMPRESSION SPRING :0.7MM DIA.	507607140010	
30	PLATE SPRING	507803110010	
31	PLATE SPRING :T0.5	507805010030	
32	BRACKET :BOBBIN :L	08068010L000	
33	STOPPER :W BOBBIN	080680080000	
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)


ZIGZAG SWING UNIT (OPTION)

LM-29

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	GUIDE :A	080670010000	
3	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
4	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
5	CONNECTING BLOCK :GUIDE NIPPLE	080630120020	
6	HOLDER :CONNECTING ARM	080620060000	
7	BOBBIN[S]	080680130S00	
7	BOBBIN :LARGE	0L1310070000	Large Bobbin
8	CORD GUIDE :ZIGZAG SWING :1MM DIA. TO 2MM DIA.	08067017@000	
9	ZIGZAG SWING UNIT[A]	08064014@A00	
10	BRACKET :BOBBIN HOLDER[S]	080640140S00	
11	BRACKET :BOBBIN HOLDER :B	080680060000	
12	BASE :CORD GUIDE HOLDER[S]	080640250S20	
13	HOLDER :CORD GUIDE	080640150000	
14	CONNECTING ARM[S]	080640120S00	
15	STEPPED SCREW :NO.1 :M5*8	512105080000	
16	COMPRESSION SPRING :0.8MM DIA.	507608100000	
17	STEPPED SCREW :NO.1 :M4*11.5	512104110000	
18	KNURLED NUT :11/64	080680110000	
19	TAPER SPRING :0.4MM DIA.	507704010000	
20	TENSION DISK	080680120000	
21	TENSION STUD	0L1310040000	
22	BASE :BOBBIN SHAFT HOLDER	080680030010	
22	BASE :BOBBIN SHAFT HOLDER	0L1310090010	Large Bobbin
23	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
23	SCREW WITH PIN :NO.5 :M4-104	513504020010	Large Bobbin
24	PLATE SPRING	507803110010	
25	PLATE SPRING :T0.5	507805010030	
26	BRACKET :BOBBIN :L	08068010L000	
27	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
28	BRACKET :BOBBIN :R	08068010R000	
29	PLATE SPRING :T0.3	507803040030	
30	KNOBLED SCREW :K-UN2006 M4*8	S181040801SD	
31	COMPRESSION SPRING :0.7MM DIA.	507607140010	
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




TAPING UNIT (OPTION)

LM-30

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	GUIDE :A	080670010000	
3	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
4	TAPE GUIDE :TL1-15[S]	08067014@S00	Various Types for Taping (TL-100001 to TL-150001)
5	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
6	PRESSER :CORD	080670040000	Thin Tape, Cording
7	CONNECTING BLOCK :GUIDE NIPPLE	080630120020	
8	BOBBIN[S]	080680130S00	
8	BOBBIN :LARGE	0L1310070000	Large Bobbin
9	BRACKET :BOBBIN :LH	U8D000000200	
9	BOBBIN BRACKET :LH :TAPE	ULA200000100	Large Bobbin
10	BRACKET :BOBBIN HOLDER[S]	080680020S00	
11	BASE :BOBBIN SHAFT HOLDER	080680030010	
11	BASE :BOBBIN SHAFT HOLDER	0L1310090010	Large Bobbin
12	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
12	SCREW WITH PIN :NO.5 :M4-104	513504020010	Large Bobbin
13	BRACKET :BOBBIN :L	08068010L000	
14	PLATE SPRING :T0.5	507805010030	
15	PLATE SPRING	507803110010	
16	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
17	PLATE SPRING :T0.3	507803040030	
18	BRACKET :BOBBIN :R	08068010R000	
19	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
20	COMPRESSION SPRING :0.7MM DIA.	507607140010	
21	TAPE GUIDE	0L1310080000	Large Bobbin
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




WIDE TAPING UNIT (OPTION)

LM-31

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	GUIDE :A	080670010000	
3	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
4	TAPE GUIDE :ADJUSTING TYPE :STRAIGHT :UPPER :25MM WIDE	080670210000	
4	TAPE GUIDE :ADJUSTING TYPE :STRAIGHT :UPPER :50MM WIDE	080670230000	
5	FLAT FILLISTER HEAD SCREW :1/8*5	511150030000	
6	BLOCK :POSITIONING	080670280000	
7	SPACER :TAPE GUIDE :T1.0	080670270000	
8	TAPE GUIDE :ADJUSTING TYPE :STRAIGHT :A :LOWER :25MM WIDE[S]	08067022AS00	Frill Embroidery
8	TAPE GUIDE :ADJUSTING TYPE :STRAIGHT :A :LOWER :50MM WIDE[S]	08067024AS00	Frill Embroidery
9	TAPE GUIDE :ADJUSTING TYPE :STRAIGHT :B :LOWER :25MM WIDE[S]	08067022BS00	
9	TAPE GUIDE :ADJUSTING TYPE :STRAIGHT :B :LOWER :50MM WIDE[S]	08067024BS00	
10	TAPE GUIDE :ADJUSTING TYPE :BEND :UPPER :50MM WIDE	080670250000	
11	TAPE GUIDE :ADJUSTING TYPE :BEND :LOWER :50MM WIDE[S]	080670260S00	
12	BAR :TAPE GUIDE :1MM DIA./BEND	080670300000	
13	BAR :TAPE GUIDE :2MM DIA.	080670290000	
14	CONNECTING BLOCK :GUIDE NIPPLE	080630120020	
15	BOBBIN[S]	080680130S00	
15	BOBBIN :LARGE	0L1310070000	Large Bobbin
16	BRACKET :BOBBIN :LH	U8D000000200	
17	BRACKET :BOBBIN HOLDER[S]	080680020S00	
18	BASE :BOBBIN SHAFT HOLDER	080680030010	
18	BASE :BOBBIN SHAFT HOLDER	0L1310090010	Large Bobbin
19	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
19	SCREW WITH PIN :NO.5 :M4-104	513504020010	Large Bobbin
20	BRACKET :BOBBIN :L	08068010L000	
21	PLATE SPRING :T0.5	507805010030	
22	PLATE SPRING	507803110010	
23	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
24	PLATE SPRING :T0.3	507803040030	
25	BRACKET :BOBBIN :R	08068010R000	
26	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
27	COMPRESSION SPRING :0.7MM DIA.	507607140010	
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)




FEATHER EMBROIDERY UNIT / BLIND EMBROIDERY UNIT (OPTION) LM-32

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	GUIDE :LH :B	08067005@000	Feather Embroidery
3	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
4	PRESSER :CORD	080670040000	
5	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
6	GUIDE :LH :C	08067006@000	Blind Embroidery
7	BLIND EMBROIDERY CORD GUIDE	0L1100010000	
8	CONNECTING BLOCK :GUIDE NIPPLE	080630120020	
9	BOBBIN[S]	080680130S00	
10	BRACKET :BOBBIN :LH	U8D000000200	
11	BRACKET :BOBBIN HOLDER[S]	080680020S00	Taping
12	BASE :BOBBIN SHAFT HOLDER	080680030010	
13	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
14	BRACKET :BOBBIN :L	08068010L000	
15	PLATE SPRING :T0.5	507805010030	
16	PLATE SPRING	507803110010	
17	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
18	PLATE SPRING :T0.3	507803040030	
19	BRACKET :BOBBIN :R	08068010R000	
20	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
21	COMPRESSION SPRING :0.7MM DIA.	507607140010	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)



TUCK EMBROIDERY UNIT (OPTION)

LM-33

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	GUIDE :A	080670010000	
3	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
4	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
5	HOLDER :CONNECTING ARM	080620060000	
6	BOBBIN[S]	080680130S00	
7	BRACKET :BOBBIN :LH :TUCK EMBROIDERY	U8D000000400	
8	BRACKET :BOBBIN HOLDER[S]	080640140S00	
9	BASE :BOBBIN SHAFT HOLDER	080680030010	
10	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
11	BRACKET :BOBBIN :L	08068010L000	
12	PLATE SPRING :T0.5	507805010030	
13	PLATE SPRING	507803110010	
14	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
15	PLATE SPRING :T0.3	507803040030	
16	BRACKET :BOBBIN :R	08068010R000	
17	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
18	COMPRESSION SPRING :0.7MM DIA.	507607140010	
19	CONNECTING ARM[S]	080640120S00	
20	STEPPED SCREW :NO.1 :M5*8	512105080000	
21	BASE :TAPE FEED LEVER	0806A0060000	
22	LEVER :TAPE FEED	0806A0050000	
23	STUD :NO.2 :M4-2	505204020000	
24	SCREW WITH PIN :NO.1 :9/64-6	513153030000	
25	STOPPER :RETRACTING LEVER	0806A0030000	
26	PLAIN WASHER :M6*11*T0.8	S301061101SD	
27	FLAT FILLISTER HEAD SCREW :9/64*4	511153010010	
28	TAPE FEED PIN	0806A0090000	
29	TORSION SPRING :0.9MM DIA.	507309100000	
30	BLOCK :TAPE FEED[S]	0806A0070S00	
31	TAPE FEED PLATE	0806A0080000	
32	E-RING :3MM DIA.	611100060000	
33	PARTS FOR LH :TUCK EMBROIDERY	U8G000000400	
34	BASE :TAPE FEED GUIDE	0806A0010000	
35	GUIDE :TAPE FEED	0806A0020000	
36	HEXAGON SOCKET HEAD CAP SCREW :M3*4	S120030402TD	
37	GUIDE :TAPE :R	0806A004R000	
38	GUIDE :TAPE :L	0806A004L000	
39	HEXAGON CAP NUT :M3	S217030001SD	
40	SCREW WITH PIN :NO.4 :M3-2	513403050000	
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(TP05)

A. B

No.	Part No.	Remark	No.	Part No.	Remark
A	Flat Fillister Head Screw		<i>B15</i>	S120031203TD	M3*12
<i>A1</i>	SA41730351CN	1/8*44*3.5	<i>B16</i>	S120031201TN	M3*12
<i>A2</i>	SA41730501CN	1/8*44*5	<i>B17</i>	S120031502TD	M3*15
<i>A3</i>	SA41730551CN	1/8*44*5.5	<i>B18</i>	S120031501TN	M3*15
<i>A4</i>	SA41730601CN	1/8*44*6	<i>B19</i>	S120031601TN	M3*16
<i>A5</i>	SA41740301CN	9/64*40*3	<i>B20</i>	S120031801TN	M3*18
<i>A6</i>	SA41740402CN	9/64*40*4	<i>B21</i>	S120032003TD	M3*20
<i>A7</i>	SA41740401SA	9/64*40*4	<i>B22</i>	S120032001TN	M3*20
<i>A8</i>	SA41740403CL	9/64*40*4	<i>B23</i>	S120032501TN	M3*25
<i>A9</i>	SA41740404CN	9/64*40*4	<i>B24</i>	S120033001TN	M3*30 Half Threads
<i>A10</i>	SA41740501CN	9/64*40*5	<i>B25</i>	S120040501TD	M4*5
<i>A11</i>	SA41740601CN	9/64*40*6	<i>B26</i>	S120040502TN	M4*5
<i>A12</i>	SA41740602CN	9/64*40*6	<i>B27</i>	S120040602TD	M4*6
<i>A13</i>	SA41740701CN	9/64*40*7	<i>B28</i>	S120040601TN	M4*6
<i>A14</i>	SA41740801CN	9/64*40*8	<i>B29</i>	S120040801TD	M4*8
<i>A15</i>	SA41740802CN	9/64*40*8	<i>B30</i>	S120040802TN	M4*8
<i>A16</i>	SA41740803CN	9/64*40*8	<i>B31</i>	S120041001TD	M4*10
<i>A17</i>	SA41741001CN	9/64*40*10	<i>B32</i>	S120041002TN	M4*10
<i>A18</i>	SA41741202CN	9/64*40*12	<i>B33</i>	S120041201TD	M4*12
<i>A19</i>	SA41741501CN	9/64*40*15	<i>B34</i>	S120041202TN	M4*12
<i>A20</i>	SA41750431TN	11/64*40*4.3	<i>B35</i>	S120041401TN	M4*14
<i>A21</i>	SA41750701CN	11/64*40*7	<i>B36</i>	S120041502TD	M4*15
<i>A22</i>	SA41750751CN	11/64*40*7.5	<i>B37</i>	S120041501TN	M4*15
<i>A23</i>	SA41750901SH	11/64*40*9	<i>B38</i>	S120041601TN	M4*16
<i>A24</i>	SA41751151CN	11/64*40*11.5	<i>B39</i>	S120041801TN	M4*18
<i>A25</i>	SA41751201CN	11/64*40*12	<i>B40</i>	S120042002TD	M4*20
<i>A26</i>	S141030801SC	M3*8	<i>B41</i>	S120042001TN	M4*20
<i>A27</i>	S141030802SD	M3*8	<i>B42</i>	S120042502TD	M4*25
<i>A28</i>	S141031001CC	M3*10	<i>B43</i>	S120042501TN	M4*25
<i>A29</i>	S141041001SC	M4*10	<i>B44</i>	S120042504TN	M4*25 Half Threads
<i>A30</i>	SA41740653TB	9/64*40*6.5	<i>B45</i>	S120043001TN	M4*30
			<i>B46</i>	S120043502TD	M4*35
			<i>B47</i>	S120043501TN	M4*35
			<i>B48</i>	S120044001TN	M4*40
			<i>B49</i>	S120044501TN	M4*45
B	Hexagon Socket Head Cap Screw		<i>B50</i>	S120050601TN	M5*6
<i>B1</i>	S120020801TD	M2*8	<i>B51</i>	S120050801TD	M5*8
<i>B2</i>	S120021001TD	M2*10	<i>B52</i>	S120050802TN	M5*8
<i>B3</i>	S120480501TN	M2.6*5	<i>B53</i>	S120051001TD	M5*10
<i>B4</i>	S120030301TN	M3*3	<i>B54</i>	S120051002TN	M5*10
<i>B5</i>	S120030401TN	M3*4	<i>B55</i>	S120051004TP	M5*10
<i>B6</i>	S120030502TD	M3*5	<i>B56</i>	S120051201TD	M5*12
<i>B7</i>	S120030501TN	M3*5	<i>B57</i>	S120051202TN	M5*12
<i>B8</i>	S120030601TD	M3*6	<i>B58</i>	S120051401TN	M5*14
<i>B9</i>	S120030602TN	M3*6	<i>B59</i>	S120051501MZ	M5*15
<i>B10</i>	S120030804MZ	M3*8	<i>B60</i>	S120051502TD	M5*15
<i>B11</i>	S120030801TD	M3*8	<i>B61</i>	S120051503TN	M5*15
<i>B12</i>	S120030802TN	M3*8	<i>B62</i>	S120051601TN	M5*16
<i>B13</i>	S120031001TD	M3*10	<i>B63</i>	S120051801TN	M5*18
<i>B14</i>	S120031002TN	M3*10	<i>B64</i>	S120052001TD	M5*20

B. C

No.	Part No.	Remark	No.	Part No.	Remark
B	Hexagon Socket Head Cap Screw		B114	S120086001TN	M8*60
B65	S120052002TN	M5*20	B115	S120087001TN	M8*70
B66	S120052201TN	M5*22	B116	S120102002TD	M10*20
B67	S120052301TN	M5*23	B117	S120102001TN	M10*20
B68	S120052501TN	M5*25	B118	S120102501TN	M10*25
B69	S120053001TN	M5*30	B119	S120103001TN	M10*30
B70	S120053503TD	M5*35	B120	S120103501TN	M10*35
B71	S120053501TN	M5*35	B121	S120104001TN	M10*40
B72	S120053502TN	M5*35 Half Threads	B122	S120123001TN	M12*30
B73	S120054001TN	M5*40	B123	S120123501TN	M12*35
B74	S120054501TN	M5*45	B124	S120081801TN	M8*18
B75	S120055001TN	M5*50	B125	S120470501TN	M2.5*5
B76	S120055002TN	M5*50 Half Threads	B126	S120052502TD	M5*25
B77	S120055501TN	M5*55	B127	S120030302TD	M3*3
B78	S120056001TN	M5*60	B128	S120051504TN	M5*15 Low Head
B79	S120056003TN	M5*60 Half Threads	B129	S120031801TD	M3*18
B80	S120060801TN	M6*8	B130	S120052801TN	M5*28
B81	S120060901TN	M6*9	B131	S120044502TN	M4*45 Half Threads
B82	S120061001TN	M6*10	B132	S120081501TD	M8*15
B83	S120061202TD	M6*12	B133	S120051802TD	M5*18
B84	S120061201TN	M6*12	B134	S120470401TN	M2.5*4
B85	S120061501TD	M6*15	B135	S120033003SD	M3*30
B86	S120061502TN	M6*15	B136	S120030402TD	M3*4
B87	S120061801TD	M6*18	B137	S120033002TN	M3*30
B88	S120061802TN	M6*18	B138	S120067502TN	M6*75
B89	S120062001TN	M6*20	B139	S120050501TN	M5*5
B90	S120062501TN	M6*25	B140	S120082001TD	M8*20
B91	S120063001TN	M6*30	B141	S120086002TD	M8*60
B92	S120063501TN	M6*35	B142	S120062002TD	M6*20
B93	S120064001TN	M6*40	B143	S120043503TD	M4*35 Half Threads
B94	S120064501TN	M6*45	B144	S120044003TN	M4*40 Half Threads
B95	S120064502TN	M6*45 Half Threads	B145	S120030605TD	M3*6 Low Head
B96	S120065001TN	M6*50 Half Threads	B146	S120042202TD	M4*22
B97	S120066501TN	M6*65	B147	S120062502TD	M6*25
B98	S120067501TN	M6*75 Half Threads	B148	S120045501TN	M4*55 Half Threads
B99	S120068001TN	M6*80 Half Threads	B149	S120123001TD	M12*30
B100	S12006A001TN	M6*100	B150	S120034001TN	M3*40
B101	S120081201TN	M8*12	B151	S120035001TN	M3*50
B102	S120081502TN	M8*15	B152	S120470502TD	M2.5*5
B103	S120081503TP	M8*15	C Hexagon Bolt		
B104	S120081601TN	M8*16	C1	S121030601SD	M3*6
B105	S120082001TN	M8*20	C2	S121040801SD	M4*8
B106	S120082502TN	M8*25	C3	S121042501SD	M4*25
B107	S120083001TN	M8*30	C4	S121051001SD	M5*10
B108	S120083501TN	M8*35	C5	S121051502SC	M5*15
B109	S120084001TN	M8*40	C6	S121051501SD	M5*15
B110	S120084002TN	M8*40 Half Threads	C7	S121052001SD	M5*20
B111	S120084501TN	M8*45	C8	S121061501SC	M6*15
B112	S120084502TN	M8*45 Half Threads	C9	S121062501TN	M6*25
B113	S120085001TN	M8*50	C10	S121064501SD	M6*45

C. D. E

No.	Part No.	Remark	No.	Part No.	Remark
C Hexagon Bolt			E3	S160020301MZ	M2*3
C11	S121065001SC	M6*50	E4	S160020401MZ	M2*4
C12	S121065002SD	M6*50	E5	S160020801MZ	M2*8
C13	S121065501SD	M6*55	E6	S160470301MZ	M2.5*3
C14	S121066501SD	M6*65	E7	S160470402MZ	M2.5*4
C15	S121067501SC	M6*75	E8	S160470501MZ	M2.5*5
C16	S121081501TN	M8*15	E9	S160470801MZ	M2.5*8
C17	S121081801TN	M8*18	E10	S160471301MZ	M2.5*13
C18	S121103001TN	M10*30	E11	S160471302SD	M2.5*13
C19	S121103502SC	M10*35	E12	S160480601SD	M2.6*6
C20	S121103501TN	M10*35	E13	S160030301MZ	M3*3
C21	S121104001SC	M10*40	E14	S160030302SD	M3*3
C22	S121125001TN	M12*50	E15	S160030403CD	M3*4
C23	S12112B001TN	M12*110	E16	S160030401MZ	M3*4
C24	S121082501TN	M8*25	E17	S160030402SD	M3*4
C25	S121102501TN	M10*25	E18	S160030501MZ	M3*5
C26	S121082202TN	M8*22	E19	S160030502SD	M3*5
C27	S121041001SD	M4*10	E20	S160030601MZ	M3*6
C28	S121040601SD	M4*6	E21	S160030603SA	M3*6
C29	S121061503SD	M6*15	E22	S160030602SD	M3*6
			E23	S160030801MZ	M3*8
			E24	S160030803SA	M3*8
D Round Fillister Head Screw			E25	S160030802SD	M3*8
D1	SA43740401CL	9/64*40*4	E26	S160031001MZ	M3*10
D2	SA43740501CL	9/64*40*5	E27	S160031003SC	M3*10 Half Threads
D3	SA43740502CN	9/64*40*5	E28	S160031002SD	M3*10
D4	SA43740503CN	9/64*40*5	E29	S160031101SC	M3*11 Half Threads
D5	SA43740504CN	9/64*40*5	E30	S160031201MZ	M3*12
D6	SA43740601CL	9/64*40*6	E31	S160031202SD	M3*12
D7	SA43740602CN	9/64*40*6	E32	S160031401SA	M3*14
D8	SA43740603CL	9/64*40*6	E33	S160031402SD	M3*14
D9	SA43740604CN	9/64*40*6	E34	S160031501SD	M3*15
D10	SA43740682CN	9/64*40*6.8	E35	S160031601SD	M3*16
D11	SA43740801CL	9/64*40*8	E36	S160031801SD	M3*18
D12	SA43740802CN	9/64*40*8	E37	S160032001SD	M3*20
D13	SA43741001CN	9/64*40*10	E38	S160033001SD	M3*30
D14	SA43741201CN	9/64*40*12	E39	S160034002SD	M3*40
D15	SA43750601CN	11/64*40*6	E40	S160035001SD	M3*50 Half Threads
D16	SA43750652CN	11/64*40*6.5	E41	S160040401SD	M4*4
D17	SA43751051CN	11/64*40*10.5	E42	S160040501SD	M4*5
D18	SA43751201CN	11/64*40*12	E43	S160040601MZ	M4*6
D19	SA43751501CN	11/64*40*15	E44	S160040602SD	M4*6
D20	SA43812451CN	9/32*28*24.5	E45	S160040801SD	M4*8
D21	S143030501SD	M3*5	E46	S160041001SD	M4*10
			E47	S160041201SD	M4*12
			E48	S160041501SD	M4*15
			E49	S160041801SD	M4*18
E Pan Head Screw			E50	S160043001SD	M4*30
E1	S160410141MZ	M1.4*1.4	E51	S160045001SD	M4*50
E2	S160020202MZ	M2*2	E52	S160046001SD	M4*60

E. F. G. H

No.	Part No.	Remark	No.	Part No.	Remark
E Pan Head Screw			F24	S150040602MZ	M4*6
E53	S160050601SD	M5*6	F25	S150040601SD	M4*6
E54	S160050701SD	M5*7	F26	S150040801MZ	M4*8
E55	S160050801SD	M5*8	F27	S150040802SD	M4*8
E56	S160051002MZ	M5*10	F28	S150041001MZ	M4*10
E57	S160051001SD	M5*10	F29	S150041002SD	M4*10
E58	S160051201SD	M5*12	F30	S150041201SD	M4*12
E59	S160053001SD	M5*12	F31	S150041401SD	M4*14
E60	S160051501SD	M5*15	F32	S150041501SD	M4*15
E61	S160054501SD	M5*45	F33	S150042001SD	M4*20
E62	S160055001SD	M5*50	F34	S150042201SD	M4*22
E63	S160056001SD	M5*60	F35	S150042501SD	M4*25
E64	S160047001SD	M4*70	F36	S150050601SD	M5*6
E65	S160480801SD	M2.6*8	F37	S150050801SD	M5*8
E66	S160030504SC	M3*5	F38	S150051001MZ	M5*10
E67	S160480602MZ	M2.6*6	F39	S150051002SD	M5*10
E68	S160031403MZ	M3*14	F40	S150051201SD	M5*12
E69	S160042001SD	M4*20	F41	S150051501SD	M5*15
E70	S160044501SD	M4*45	F42	S150053001SD	M5*30
E71	S160020203SD	M2*2	F43	S150053501SD	M5*35
E72	S160470502SD	M2.5*5	F44	S150054001SD	M5*40
E73	SA60740551TN	9/64*40*5.5	F45	S150061502SC	M6*15
E74	S160431001MZ	M1.7*10	F46	S150061503SD	M6*15
			F47	S150063501SD	M6*35
			F48	S150081201SD	M8*12
			F49	S150087001TN	M8*70
F Countersunk Head Screw			F50	S150061801SD	M6*18
F1	SA51741001CN	9/64*40*10	F51	S150052501SD	M5*25
F2	SA50750801CN	11/64*40*8			
F3	S150020601SD	M2*6			
F4	S150030401MZ	M3*4	G Round Countersunk Head Screw		
F5	S150030402SD	M3*4	G1	SA53730601CL	1/8*44*6
F6	S150030501MZ	M3*5	G2	SA53740301CL	9/64*40*3
F7	S150030502SD	M3*5	G3	SA53740351CL	9/64*40*3.5
F8	S151030601SD	M3*6	G4	SA53740401CL	9/64*40*4
F9	S150030601MZ	M3*6	G5	SA53740601CL	9/64*40*6
F10	S150030602SD	M3*6	G6	SA53740701CL	9/64*40*7
F11	S150030701SD	M3*7	G7	SA53740951CL	9/64*40*9.5
F12	S151030801SD	M3*8	G8	SA53741201CL	9/64*40*12
F13	S150030801MZ	M3*8	G9	SA53740681CL	9/64*40*6.8
F14	S150030804SC	M3*8			
F15	S150030802SD	M3*8			
F16	S150030803SN	M3*8			
F17	S150031002MZ	M3*10	H Truss Head Screw		
F18	S150031001SD	M3*10	H1	SA30730701CL	1/8*44*7
F19	S150031201MZ	M3*12	H2	SA30740301CL	9/64*40*3.5
F20	S150031202SD	M3*12	H3	SA30740401CL	9/64*40*4
F21	S150031501MZ	M3*15	H4	SA31740401CM	9/64*40*4
F22	S150031601SD	M3*16	H5	SA30740601CL	9/64*40*6
F23	S150040501SD	M4*5	H6	SA30740801CL	9/64*40*8

H. J. K

No.	Part No.	Remark	No.	Part No.	Remark
H	Truss Head Screw		<i>H56</i>	S130060801SD	M6*8
<i>H7</i>	S130470301MZ	M2.5*3	<i>H57</i>	S130061001SD	M6*10
<i>H8</i>	S130470302SD	M2.5*3	<i>H58</i>	S130062201SD	M6*22
<i>H9</i>	S130470401MZ	M2.5*4	<i>H59</i>	S130062501SD	M6*25
<i>H10</i>	S130470402SA	M2.5*4	<i>H60</i>	S130063501SD	M6*35
<i>H11</i>	S130470403SD	M2.5*4	<i>H61</i>	S130064001SD	M6*40
<i>H12</i>	S130030301MZ	M3*3	<i>H62</i>	S130031501SD	M3*15
<i>H13</i>	S130030302SD	M3*3	<i>H63</i>	S130043501SD	M4*35
<i>H14</i>	S130030402SD	M3*4	<i>H64</i>	S130020201SD	M2*2
<i>H15</i>	S130030501MZ	M3*5	<i>H65</i>	S130470501SD	M2.5*5
<i>H16</i>	S130030502SD	M3*5	<i>H66</i>	S130052002MZ	M5*20
<i>H17</i>	S130030601MZ	M3*6	<i>H67</i>	S130054501SE	M5*45
<i>H18</i>	S130030602SD	M3*6	<i>H68</i>	S130050502MZ	M5*5
<i>H19</i>	S130030603SA	M3*6	<i>H69</i>	S130054001SD	M5*40
<i>H20</i>	S130030802SD	M3*8	<i>H70</i>	S130055001SD	M5*50
<i>H21</i>	S130030803SA	M3*8	<i>H71</i>	S130030801MZ	M3*8
<i>H22</i>	S130031001MZ	M3*10	<i>H72</i>	S130052201SD	M5*22
<i>H23</i>	S130031002SD	M3*10	<i>H73</i>	S130041802MZ	M4*18
<i>H24</i>	S130032001SD	M3*20	<i>H74</i>	S130055501SD	M5*55
<i>H25</i>	S130040401MZ	M4*4			
<i>H26</i>	S130040402SD	M4*4	J	Round Head Screw	
<i>H27</i>	S130040501MZ	M4*5	<i>J1</i>	S162020301MZ	M2*3
<i>H28</i>	S130040502SD	M4*5	<i>J2</i>	S162030801SD	M3*8
<i>H29</i>	S130040601MZ	M4*6	<i>J3</i>	S162030802SE	M3*8
<i>H30</i>	S130040602SD	M4*6	<i>J4</i>	S162031001MZ	M3*10
<i>H31</i>	S130040651SD	M4*6.5			
<i>H32</i>	S130040801MZ	M4*8			
<i>H33</i>	S130040802SD	M4*8			
<i>H34</i>	S130040803MZ	M4*8 JIS			
<i>H35</i>	S130041002MZ	M4*10			
<i>H36</i>	S130041001SD	M4*10	K	Slotted Set Screw	
<i>H37</i>	S130041201SD	M4*12	<i>K1</i>	SA71730351CN	1/8*44*3.5
<i>H38</i>	S130041502SD	M4*15	<i>K2</i>	SA71740601CN	9/64*40*6
<i>H39</i>	S130042001SD	M4*20	<i>K3</i>	SA71750251CN	11/64*40*2.5
<i>H40</i>	S130050501SD	M5*5	<i>K4</i>	SA71750351CN	11/64*40*3.5
<i>H41</i>	S130050602MZ	M5*6	<i>K5</i>	SA71750401CN	11/64*40*4
<i>H42</i>	S130050601SD	M5*6	<i>K6</i>	SA71750501CN	11/64*40*5
<i>H43</i>	S130050651SD	M5*6.5	<i>K7</i>	SA71790501CN	15/64*28*5
<i>H44</i>	S130050701SD	M5*7	<i>K8</i>	SA71791001CN	15/64*28*10
<i>H45</i>	S130050801MZ	M5*8	<i>K9</i>	SA71791501CN	15/64*28*15
<i>H46</i>	S130050802SD	M5*8	<i>K10</i>	SA71791701CN	15/64*28*17
<i>H47</i>	S130051002MZ	M5*10	<i>K11</i>	SA71800401CN	1/4*40*4
<i>H48</i>	S130051001SD	M5*10	<i>K12</i>	SA71800451CN	1/4*40*4.5
<i>H49</i>	S130051201MZ	M5*12	<i>K13</i>	SA71800501CN	1/4*40*5
<i>H50</i>	S130051202SD	M5*12	<i>K14</i>	SA71800601CN	1/4*40*6
<i>H51</i>	S130051501SD	M5*15	<i>K15</i>	SA71800801CN	1/4*40*8
<i>H52</i>	S130052001SD	M5*20	<i>K16</i>	SA71811201CN	9/32*28*12
<i>H53</i>	S130052502SD	M5*25	<i>K17</i>	S171050601TN	M5*6
<i>H54</i>	S130053001SD	M5*30	<i>K18</i>	S171030601SD	M3*6
<i>H55</i>	S130053501SD	M5*35			

L. M. N

No.	Part No.	Remark	No.	Part No.	Remark
L Hexagon Socket Head Set Screw			M Hexagon Socket Head Button Screw		
L1	SA70730251CN	1/8*44*2.5	M1	S124030401SC	M3*4
L2	SA70730301CN	1/8*44*3	M2	S124040601SC	M4*6
L3	SA70750901CN	11/64*28*9	M3	S124040802SC	M4*8
L4	SA70750401CN	11/64*40*4	M4	S124040803SD	M4*8
L5	SA70750601CN	11/64*40*6	M5	S124051001SC	M5*10
L6	SA70750801CN	11/64*40*8	M6	S124051002SD	M5*10
L7	SA70790401CN	15/64*28*4	M7	S124051501SD	M5*15
L8	SA70790901CN	15/64*28*9	M8	S124081201SC	M8*12
L9	S170470301TN	M2.5*3	M9	S124081202SD	M8*12
L10	S170030201TN	M3*2	M10	S124081501SD	M8*15
L11	S170030301TN	M3*3	M11	S124030501SC	M3*5
L12	S170030401TN	M3*4	M12	S124030801SC	M3*8
L13	S170030501TN	M3*5	M13	S124030502TC	M3*5
L14	S170030601TN	M3*6	M14	S124030402SD	M3*4
L15	S170030801TN	M3*8	M15	S124030601SD	M3*6
L16	S170040301TN	M4*3	M16	S124040401SD	M4*4
L17	S170040401TN	M4*4	M17	S124030602SC	M3*6
L18	S170040501TN	M4*5	M18	S124030503SD	M3*5
L19	S170040601TN	M4*6	M19	S124031001MZ	M3*10
L20	S170040602TN	M4*6 Half Threads	M20	S124041001SD	M4*10
L21	S170040801TN	M4*8	M21	S124051201SD	M5*12
L22	S170041001TN	M4*10			
L23	S170041201TN	M4*12			
L24	S170050401TN	M5*4	N Screw with Washer		
L25	S170050501TN	M5*5	N1	S660480601SE	M2.6*6
L26	S170050601TN	M5*6	N2	S660030601SE	M3*6
L27	S170050801TN	M5*8	N3	S660030801SE	M3*8
L28	S170051001TN	M5*10	N4	S660031001SE	M3*10
L29	S170051201TN	M5*12	N5	S660031501SE	M3*15
L30	S170051501TN	M5*15	N6	S660031601SE	M3*16
L31	S170060501TN	M6*5	N7	S660031801SE	M3*18
L32	S170060601TN	M6*6	N8	S660040601SE	M4*6
L33	S170060801TN	M6*8	N9	S660040801SE	M4*8
L34	S170061001TN	M6*10	N10	S660041001SE	M4*10
L35	S170061801TN	M6*18	N11	S660041201SE	M4*12
L36	S170080801TN	M8*8	N12	S660045501SE	M4*55
L37	S170081001TN	M8*10	N13	S660051001SE	M5*10
L38	S170081501TN	M8*15	N14	S660051201SE	M5*12
L39	S170031001TN	M3*10	N15	S660051401SE	M5*14
L40	S170031201TN	M3*12	N16	S660051801SE	M5*18
L41	S170053001TN	M5*30	N17	S660030801MZ	M3*8
L42	S170061201TN	M6*12	N18	S660030502MZ	M3*5
L43	S174060601TN	M6*6B	N19	S660031502MZ	M3*15
L44	S170050802TN	M5*8 Narrow Treading	N20	S660030603S1	M3*6 (P-4)
L45	S170050602TN	M5*6 Narrow Treading	N21	S660030802S1	M3*8 (P-3)
			N22	S660030604S1	M3*6 (P-3)
			N23	S660031802S1	M3*18 (P-3)
			N24	S660040602S1	M4*6 (P-3)
			N25	S660040802S1	M4*8 (P-3)

N. P. R

No.	Part No.	Remark	No.	Part No.	Remark
N	Screw with Washer		<i>P33</i>	S210060003SD	M6 Type 1
<i>N26</i>	S660041002S1	M4*10 (P-3)	<i>P34</i>	S210060004SD	M6 Type 1 (Left)
<i>N27</i>	S660043001S1	M4*30 (P-3)	<i>P35</i>	S212060001SC	M6 Type 3
<i>N28</i>	S660051002S1	M5*10 (P-3)	<i>P36</i>	S210080001SC	M8 Type 1
<i>N29</i>	S660031803S1	M3*18 (P-4)	<i>P37</i>	S210080002SD	M8 Type 1
<i>N30</i>	S660030505S1	M3*5 (P-4)	<i>P38</i>	S212080001SC	M8 Type 3
<i>N31</i>	S660031504S1	M3*15 (P-4)	<i>P39</i>	S212080002SD	M8 Type 3
<i>N32</i>	S660031002S1	M3*10 (P-4)	<i>P40</i>	S210100001SC	M10 Type 1
<i>N33</i>	S660040803S1	M4*8 (P-4)	<i>P41</i>	S213100002SD	M10 With Flange
<i>N34</i>	S660030504S1	M3*5 (P-3)	<i>P42</i>	S213100003SD	M10 With Disk Spring
<i>N35</i>	S660020401S1	M2*4 (P-4)	<i>P43</i>	S210120001SC	M12 Type 1
<i>N36</i>	S660031505S1	M3*15 (P-3)	<i>P44</i>	S212120001SC	M12 Type 3
<i>N37</i>	S660041202S1	M4*12 (P-3)	<i>P45</i>	S212120002SD	M12 Type 3
			<i>P46</i>	S210160001SD	M16 Type 1
			<i>P47</i>	S212160002SC	M16 Type 1
			<i>P48</i>	S212160001SD	M16 Type 3
			<i>P49</i>	S210200001SC	M20 Type 1
P	Nut		<i>P50</i>	S212470001SC	M2.5 Type 3
<i>P1</i>	SB10730601CN	1/8*44*6*3	<i>P51</i>	SB12750701SC	11/64*7*2.2 Type 3
<i>P2</i>	SB10740601CL	9/64*40*6*2	<i>P52</i>	S211040001SD	M4 Type 2
<i>P3</i>	SB10740602CN	9/64*40*6*3	<i>P53</i>	SB12740601MZ	9/64*6*2 Type 3
<i>P4</i>	SB10750602CN	11/64*40*6*2	<i>P54</i>	SB10750601CN	11/64*6*2.2
<i>P5</i>	SB10750603CN	11/64*40*6*3	<i>P55</i>	S212030003SD	M3 Type 3
<i>P6</i>	SB10750701CN	11/64*40*7*3	<i>P56</i>	S217060001SD	M6 Cap
<i>P7</i>	SB11750701CN	11/64*40*7*3	<i>P57</i>	S217030001SD	M3 Cap
<i>P8</i>	S210420001XA	M1.6 Type 1	<i>P58</i>	S212200001SC	M20 Type 3
<i>P9</i>	S210020001SD	M2 Type 1	<i>P59</i>	S212160002SC	M16 Type 3
<i>P10</i>	S212020002SD	M2 Type 3	<i>P60</i>	SB10750702CN	11/64*7*2.2
<i>P11</i>	S210460002SD	M2.3 Type 1	<i>P61</i>	SB10740605CN	9/64*40*6*1.5
<i>P12</i>	S210470001MZ	M2.5 Type 1			
<i>P13</i>	S212480001SD	M2.6 Type 3			
<i>P14</i>	S210030001MZ	M3 Type 1			
<i>P15</i>	S210030002SC	M3 Type 1			
<i>P16</i>	S210030003SD	M3 Type 1			
<i>P17</i>	S215030001SD	M3 Thumbscrew Type 2	R	Washer	
<i>P18</i>	S212030001SC	M3 Type 3	<i>R1</i>	S301410301MZ	Plain M1.4*3*t0.3
<i>P19</i>	S212030002SD	M3 Type 3	<i>R2</i>	S301020351XZ	Plain M2*3.5*t0.5
<i>P20</i>	S212530001SC	M3.5 Type 3	<i>R3</i>	S301020431SD	Plain M2*4.3*t0.3
<i>P21</i>	S210040001SC	M4 Type 1	<i>R4</i>	S301480501XB	Plain M2.6*5*t0.5
<i>P22</i>	S210040002SD	M4 Type 1	<i>R5</i>	S301480751XB	Plain M2.6*7.5*t0.5
<i>P23</i>	S212040001SC	M4 Type 3	<i>R6</i>	S301030602XZ	Plain M3*6*t0.3
<i>P24</i>	S212040002SD	M4 Type 3	<i>R7</i>	S301030603SC	Plain M3*6*t0.5
<i>P25</i>	S217040001SD	M4 Cap	<i>R8</i>	S301030601SD	Plain M3*6*t0.5
<i>P26</i>	S210050001SC	M5 Type 1	<i>R9</i>	S301030701SD	Plain M3*7*t0.5
<i>P27</i>	S210050002SD	M5 Type 1	<i>R10</i>	S301030804SD	Plain M3*8*t0.3
<i>P28</i>	S212050001SC	M5 Type 3	<i>R11</i>	S301030805MZ	Plain M3*8*t0.5
<i>P29</i>	S212050002SD	M5 Type 3	<i>R12</i>	S301030801SC	Plain M3*8*t0.5
<i>P30</i>	S217050001SD	M5 Cap	<i>R13</i>	S301030802SD	Plain M3*8*t0.5
<i>P31</i>	S210060001SC	M6 Type 1	<i>R14</i>	S301030803SD	Plain M3*8*t1
<i>P32</i>	S210060002SC	M6 Type 1 (Left)	<i>R15</i>	S301040805SC	Plain M4*8*t0.5

R

No.	Part No.	Remark	No.	Part No.	Remark
R	Washer		R65	S306080001SC	Slant M8
R16	S301040802SD	Plain M4*8*t0.5	R66	S303040801SC	Disk Spring M4
R17	S301040804SC	Plain M4*8*t0.8	R67	S301041005EZ	Plain M4*10*t0.8
R18	S301040803SD	Plain M4*8*t0.8	R68	S301470252MZ	Plain M2.5*5*t0.5
R19	S301041004MZ	Plain M4*10*t0.8	R69	S301030605SD	Plain M3*6*t1.0
R20	S301041002SC	Plain M4*10*t0.8	R70	S301030604MZ	Plain M3*6*T0.5
R21	S301041003SD	Plain M4*10*t0.8	R71	S305051101TN	Wave M5
R22	S301041201SC	Plain M4*12*t1	R72	S301470253SD	Plain M2.5*5*t0.5
R23	S301051002SC	Plain M5*10*t0.8	R73	S301470251SC	Plain M2.5*5*t0.5
R24	S301051003SD	Plain M5*10*t0.8	R74	S305101451TN	Wave M10
R25	S301051204MZ	Plain M5*12*t0.8	R75	S304080001TP	With teeth M8
R26	S301051202SC	Plain M5*12*t0.8	R76	S301061152SD	Plain M6*11.5*t0.8
R27	S301051203SD	Plain M5*12*t0.8	R77	S301122601SC	Plain M12*26*t2.3
R28	S301061102SC	Plain M6*11*t1.6	R78	S304060002SD	With teeth M6
R29	S301061151SC	Plain M6*11.5*t0.8	R79	S304040852TP	With teeth M4 Outward
R30	S301061301SC	Plain M6*13*t1.0	R80	S301041202SD	Plain M4*12*t1.0
R31	S301061302SD	Plain M6*13*t1.0	R81	S301040901EZ	Plain M4*9*t0.3
R32	S301061601SC	Plain M6*16*t1.0	R82	S301051207EZ	Plain M5*12*t1.0
R33	S301081601SD	Plain M8*16*t1.2	R83	S301122601SD	Plain M12*26*t2.3
R34	S301081801SC	Plain M8*18*t1.6	R84	S402120002KD	Spring M12
R35	S301081802SD	Plain M8*18*t1.6			
R36	S301081803SC	Plain M8*18*t3.2			
R37	S301082201SC	Plain M8*22*t3.2			
R38	S301102201SC	Plain M10*22*t1.6			
R39	S301102601SC	Plain M10*26*t3.2			
R40	S301102602SD	Plain M10*26*t3.2			
R41	S301122051SC	Plain M12*20.5*t2			
R42	S301163201SD	Plain M16*32*t2.5			
R43	S402020001KD	Spring M2			
R44	S402480001KC	Spring M2.6			
R45	S402030001KC	Spring M3			
R46	S402030002KD	Spring M3			
R47	S402530001KC	Spring M3.5			
R48	S402040001KC	Spring M4			
R49	S402040002KD	Spring M4			
R50	S402050001KC	Spring M5			
R51	S402050002KD	Spring M5			
R52	S402050003MZ	Spring M5			
R53	S402060001KC	Spring M6			
R54	S402060002KD	Spring M6			
R55	S402080001KC	Spring M8			
R56	S402080002KD	Spring M8			
R57	S402100001KC	Spring M10			
R58	S402100002KD	Spring M10			
R59	S402120001KC	Spring M12			
R60	S305041101TP	Wave M4			
R61	S305051001TN	Wave M5			
R62	S305061051TN	Wave M6			
R63	S304040851TP	With teeth M4			
R64	S304051001TP	With teeth M5			

1st Edition December, 2007

9th Edition May, 2016

■ **Manufactured by:**
Tokai Industrial Sewing Machine Co., Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, Japan
Telephone:568-33-1161 Fax:568-33-1191

■ **Distributed by:**
Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan
Telephone:52-932-3444 Fax:52-932-2457

●Copy, reprint, or reform of a part or whole of this manual without permission is prohibited.

THE TAJIMA GROUP

<http://www.tajima.com>

Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, JAPAN
TEL.81-52-932-3811 FAX.81-52-932-3815

Tokai Industrial Sewing Machine Co.,Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, JAPAN
TEL.81-568-33-1161 FAX.81-568-33-1191