

PARTS LIST

TLMX-100,T00

Table of Contents

● GENERAL VIEW	
● FRAMING.....	LMS-1
● TABLE.....	LMS-2
● ROTARY HOOK SHAFT TRANSMISSION BOX.....	LMS-3
● ROTARY HOOK BASE 1.....	LMS-4-1
● ROTARY HOOK BASE 2.....	LMS-4-2
● ARM 1.....	LMS-5-1
● ARM 2.....	LMS-5-2
● ARM 3.....	LMS-5-3
● FRONT COVER.....	LMS-6
● M-AXIS DRIVE SYSTEM/JUMP DEVICE.....	LMS-7
● MOTOR TYPE TAKE-UP LEVER CLUTCH.....	LMS-8
● ZIGZAG SWING PULSE MOTOR DRIVE SYSTEM.....	LMS-9
● NIPPLE PULSE MOTOR DRIVE SYSTEM.....	LMS-10
● CAM DRIVE SYSTEM.....	LMS-11
● X-AXIS DRIVE SYSTEM.....	LMS-12
● Y-AXIS DRIVE SYSTEM 1.....	LMS-13-1
● Y-AXIS DRIVE SYSTEM 2.....	LMS-13-2
● Z-SPEC. FRAME DRIVE SYSTEM.....	LMS-14
● EMBROIDERY FRAME.....	LMS-15
● TENSION BASE.....	LMS-16
● THREAD STAND.....	LMS-17
● BAR SWITCH BOX.....	LMS-18
● MAIN SHAFT MOTOR.....	LMS-19
● ELECTRICAL PARTS.....	LMS-20
● OPERATION PANEL.....	LMS-21
● SMALL COILING UNIT.....	LMS-22
● W BOBBIN UNIT.....	LMS-23
● ZIGZAG SWING UNIT (OPTION).....	LMS-24
● LARGE BOBBIN ZIGZAG SWING UNIT (OPTION).....	LMS-25
● TAPING UNIT (OPTION).....	LMS-26
● LARGE BOBBIN TAPING UNIT (OPTION).....	LMS-27
● FEATHER EMBROIDERY UNIT/BLIND EMBROIDERY UNIT (OPTION).....	LMS-28
● TUCK EMBROIDERY UNIT (OPTION).....	LMS-29


*Part Nos. of screws, nuts, washers etc. are listed at the end of volume.


*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.

*When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.




Ex.	TLMX-T08	(680 x 550/230)S	No.01235
	[Model]	[Emb. Space]	[Mfg. No.]

GENERAL VIEW






EY-850 or more



Option



FRAMING

LMS-1

No.	Part Name	Part No.	Remark
1	STAND	MT5@@@@@A00	
2	WIRING COVER :R	1B430101@000	
3	WIRING COVER	1B410001@000	
4	WIRING COVER	1B410016@000	
4	WIRING COVER	1B410019@000	
5	WIRING COVER :L	1B420101@000	
6	STUD :NO.1 :M8-110.3	505108170010	
7	CENTER SUPPORT :H-INTEGRAL :Y450-/PAINT (6-1004)	03055001@000	
8	LEVELING BOLT :M20*70	030530010000	
9	VIBRATION-PREVENTIVE BASE [S]	030520080S00	
10	TAJIMA BRAND NAME PLATE	030710060010	
11	BASE :X DRIVE SYSTEM	11021@@@@000	Y: 1200mm or more
12	COVER :SQUARE PIPE	03042@@@@000	
13	FLUORESCENT LAMP :1-LAMP 40W :200V50/60HZ[A]	0J0715000A00	Single-phase/3-phase 200V, 240V
13	FLUORESCENT LAMP :1-LAMP 40W 220V :DIRECT MOUNTING[A]	0J0714300A10	Single-phase/3-phase 220V, 350 to 440V
14	BRACKET :FLUORESCENT LAMP	0J1701200010	
15	TABLE SUPPORT :34MM DIA./W180[A]	03054013@A00	
16	TABLE SUPPORT :34MM DIA./W300[A]	03054014@A00	
17	LEVELING BOLT :M20*60	030530020000	
18	COVER :STAND LOWER	030410010010	
19	ANTI-VIBRATION STAND :BU-1000TMA	614100150001	
19	ANTI-VIBRATION STAND :BU-1250TMA	614100160001	
19	ANTI-VIBRATION STAND :BU-2000TMA	614100200001	
20	MAIN NAME PLATE :TLMX	14T70@@@0000	
21	SWITCH :EMERGENCY STOP[A]	0J0603900A00	
22	PIPE :CONTROLLER :C[S]	03021028CS10	
23	BASE :EMERGENCY STOP SWITCH[S]	030230170S10	
24	RESIN HANDLE :MALE SCREW :TYPE-1198	613200070000	
25	JOINT :PANEL	030220920000	
26	HOLDER :JOINT PANEL	9A0303510000	
27	BASE :EMERGENCY STOP SWITCH	030230130000	
28	GROMMET WITH FILM :26A	644500210000	
29	PIPE :CONTROLLER	030210430000	
30	STAND :CONTROLLER PIPE	030210440000	
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)



TABLE


LMS-2

No.	Part Name	Part No.	Remark
1	TABLE	2T5@@@@@010	
2	TABLE SUPPORT :NO.1 :L	15012020@070	
3	TABLE SUPPORT :NO.8	150840@@@070	
4	JOINT PLATE :TABLE SUPPORT	152150@@0000	
5	TABLE SUPPORT :NO.5 :L1869	15054009@070	
6	TABLE SUPPORT :NO.5 :L1869	15054008@070	
7	TABLE SUPPORT :NO.6	1506@00@@060	
8	TABLE SUPPORT :NO.4	15044014@070	
9	TABLE SUPPORT :NO.3	15031013@060	
10	TABLE SUPPORT :NO.4	15044021@010	
11	TABLE SUPPORT :NO.3	15031003@050	
12	TABLE SUPPORT :NO.1 :R	15013014@060	
13	TABLE SUPPORT :NO.4	15044011@070	
14	TABLE SUPPORT :NO.1 :R	15014008@070	
15	CAP :TABLE SUPPORT :47	152150100000	
16	TABLE SUPPORT :NO.2 :R	15023003@050	
17	TABLE SUPPORT :NO.2 :L	15023002@050	
18	TABLE SUPPORT :NO.3 :R	15031005@050	
19	TABLE SUPPORT :NO.3	15031010@050	
20	TABLE SUPPORT :NO.3	15031009@070	
21	BRACKET :TABLE SUPPORT	15215006@010	
22	TABLE SUPPORT :NO.3	15031008@050	
23	STUD :NO.1 :M10-50	505110010010	
24	GUIDE :FABRIC :A :R	03063006A000	
25	GUIDE :FABRIC :B :L	03063006B000	
26	JOINT :TABLE :E	15214001E000	
27	BASE :TABLE JOINT :E	15214002E000	
28	SPACER :NO.2 :T0.5	510200450000	
28	SPACER :NO.2 :T0.3	510200451000	
29	TABLE COVER :NO.31 :7M- :Y680-1000	13315010@000	
30	TABLE COVER :NO.31 :Y450-1500	13316001@010	
31	TABLE COVER :NO.1 :C :X630-	13010001@000	
32	TABLE COVER :NO.4 :A :X305-1730	13040001@000	
33	TABLE COVER :NO.16 :Y680-1500/C4	13161003@010	
34	GUIDE : Y SHAFT	0F0170050010	
35	COVER :BELT	0E0150010010	
36	COUNTERSUNK TAPPING SCREW :3P*12	S550031201MZ	
36	COUNTERSUNK TAPPING SCREW :3P*16	S550031601MZ	
37	COLLAR :TABLE SUPPORT	152150050000	
38	TRUSS HEAD TAPPING SCREW :5P*20	S530052001SD	
38	TRUSS HEAD TAPPING SCREW :5P*25	S530052501SD	
38	TRUSS HEAD TAPPING SCREW :5P*30	S530053001SD	
39	BASE :HINGE	152110180000	
40	HINGE :FLAT TYPE	615300020000	
41	TABLE ALIGNING PLATE	152110338000	
42	TOGGLE CLAMP :GY1001	615500030001	
43	TRUSS HEAD TAPPING SCREW :4P*20	S530042001SD	
44			
45			
46			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)


ROTARY HOOK SHAFT TRANSMISSION BOX



ROTARY HOOK SHAFT TRANSMISSION BOX *LMS-3*

No.	Part Name	Part No.	Remark
1	TRANSMISSION BOX	04011021@000	
2	SHIELD RUBBER :GROOVE SECTION	040120660000	
3	BRACKET :TRANSMISSION BOX	040120650000	
4	SCREW WITH PIN :NO.1 :M4-93	513104040000	
5	CLEAR PLATE	040120630000	
6	COVER :HANDLE	04012058@050	
7	LID :HANDLE	040120550030	
8	BASE SHAFT :MAIN :A	040120690000	
9	BEARING :6004ZZ	630200090000	
10	COVER :TRANSMISSION BOX	04012034@000	
11	BEARING COLLAR :15MM DIA.	502715050010	
12	TIMING PULLEY :W25-32	501459020040	
13	BASE :ANGLE INDICATOR	040420210010	
14	ANGLE INDICATOR	040420230010	
15	POINTER	040120350000	
16	BASE SHAFT :ROTARY HOOK	040120570010	
17	TIMING PULLEY :W25-32	501459030040	
18	TIMING BELT :SPTG :W25-S5M0590/G	623400280000	
19	SCREW WITH PIN :NO.1 :M8-74.5	513110030010	
20	STRAIGHT PIN E :TENSION PULLEY	040120640010	
21	FLAT PULLEY :40MM DIA.[S]	501903040S20	
22	SPECIAL SCREW :UNBRAKO :KCP :M8*8	690200010000	
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

ROTARY HOOK BASE 1



ROTARY HOOK BASE 1


LMS-4-1

No.	Part Name	Part No.	Remark
1	ROTARY HOOK BASE :REGULAR ROTARY HOOK :DAMPER/LB	050110200000	
1	ROTARY HOOK BASE :JUMBO ROTARY HOOK :DAMPER/LB	05011020J000	
2	STRAIGHT BOLT :M10*60	511G10010010	
3	BEARING :6003ZZ	630200080000	
4	BEARING COLLAR :15MM DIA.	502715080000	
5	SPIRAL BEVEL GEAR :NO.1 :28T	506528030000	
6	SPIRAL BEVEL GEAR :NO.1 :14T	506514030000	
7	PLAIN WASHER :7.94*19*T0.8	519108030000	
8	OIL-BUSHING :NO.1 :7.94MM DIA.	509179010000	
8	OIL-BUSHING :NO.1 :7.94MM DIA.	509179030010	Jumbo Rotary Hook
9	SHAFT :ROTARY HOOK	050310090010	
10	STOPPER COLLAR :7.94MM DIA.	502107010020	
11	ROTARY HOOK :REGULAR ROTARY HOOK KHS12-RYPOET2	050210190010	
11	ROTARY HOOK :JUMBO ROTARY HOOK KHS20-RYPNT2	05022010J000	Jumbo Rotary Hook
12	ROTARY HOOK SET SCREW	050290010000	
13	BOBBIN CASE :REGULAR ROTARY HOOK :STANDARD	050240150000	
13	BOBBIN CASE :JUMBO ROTARY HOOK :STANDARD	05025001J000	
14	BOBBIN :REGULAR ROTARY HOOK	050260010020	
14	BOBBIN :HSM ALUMINUM FULL HARD ALUMITE	05027002J000	Jumbo Rotary Hook
15	ROTARY HOOK SUPPORT :REGULAR ROTARY HOOK	050310100000	
15	ROTARY HOOK SUPPORT :JUMBO ROTARY HOOK	05031018J000	
16	NEEDLE PLATE :2MM DIA.	050340090020	
16	NEEDLE PLATE :2.5MM DIA.	050340091010	
17	ROUND COUNTERSUNK HEAD SCREW :11/64*8.4B	511554010000	
18	TOP LID	050310060020	
19	R. H. BASE CONNECTING SHAFT :15MM DIA.	QT5@02@@0000	
20	N-COUPPLING :N-15-15	504715010000	
21	DAMPER :ROTARY HOOK BASE[S]	050310130S10	
22	COVER :DAMPER	050310150000	
23	BUSHING :ROTARY HOOK BASE	050310160000	
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

ROTARY HOOK BASE 2




ROTARY HOOK BASE 2

LMS-4-2

No.	Part Name	Part No.	Remark
1	BASE :FIXED KNIFE	050310050000	
2	SPACER :FIXED KNIFE :T0.05-0.1	51010008@000	
3	UNDER THREAD PRESSER	050320200000	
4	VELCRO	050320210000	
5	MOVABLE KNIFE :REVERSE MOVE 2-BLADE TYPE	050320880010	
6	THREAD SEPARATING PLATE :REVERSE MOVE 2-BLADE TYPE	050320890010	
7	SHAFT :MOVABLE KNIFE[S]	050320450S60	
8	FIXED KNIFE :REVERSE MOVE 2-BLADE TYPE	050320900020	
9	SPACER :NO.2 :T0.2	510200110000	
10	OIL-BUSHING :NO.2 :5MM DIA.	509205010000	
11	LEVER :MOVABLE KNIFE	050320680000	
12	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
13	CONNECTING PLATE :MOVABLE KNIFE LEVER	050320690000	
14	CLAMP :ATH ROD	050320390010	
15	HOLDER :ATH ROD	050320310010	
16	SPLIT COLLAR :PRESSER FOOT	090460040030	
17	BRACKET :PROXIMITY SWITCH	050320370010	
18	CARD :MAGNETIC SENSOR A	0J4200800010	
19	MAGNET BLOCK[S]	050320380S10	
20	HEXAGON SOCKET HEAD CAP SCREW :11/64*10	511954010000	
21	COMPRESSION SPRING :0.8MM DIA.	507608040040	
22	ATH ROD :6MM DIA.	QR7@050@0000	
23	SCREW JOINT :M6	504506010010	
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(NV09)



ARM 1

LMS-5-1

No.	Part Name	Part No.	Remark
1	CAM :TAKE-UP LEVER	080220120000	
1	CAM :TAKE-UP LEVER	08022020J000	Jumbo Rotary Hook
2	WASHER :CAM	080220180000	
3	CAM :NEEDLE BAR :ROLLER TYPE	08A200000010	
4	BASE :TAKE-UP LEVER CAM	080220310000	
5	CONNECTING ROD :51.7	080220280010	
6	NEEDLE CAGE :K384188X PLASTIC	634400020000	
7	CAM :NEEDLE BAR	080220300010	
8	BEARING CASE :NO.2 :20MM DIA.[S]	508220070S10	
9	TIGHTENING COLLAR :18MM DIA.	502218020010	
10	LEVER :NEEDLE BAR[S]	080230170S00	
11	STEPPED PIN :NO.4	503204060000	
12	WICK :3.5P*48	080240050000	
13	STEPPED PIN :NO.4[S]	503204010S00	
14	STOPPER COLLAR :8MM DIA.	502108020010	
15	STEPPED SCREW :NO.2 :M6*13	512206010010	
16	STEPPED SCREW :NO.2 :M6*13[S]	512206010S10	
17	WICK :3.5*1*34	080240140000	
18	CONNECTING ROD :NEEDLE BAR	080610030000	
19	SCREW WITH PIN :NO.3 :11/64-7.7	513354020010	
20	WICK :2.5*1*22	080240120010	
21	SCREW WITH PIN :NO.3 :11/64-7.7[A]	513354020A10	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			




ARM 2

LMS-5-2

No.	Part Name	Part No.	Remark
1	FELT :19MM DIA.	080240200000	
2	NIPPLE RING	080610050000	
3	FELT :14MM DIA.	080240060000	
4	NEEDLE BAR	080610010030	
5	CONNECTING STUD :NEEDLE BAR	080690060000	
6	PRESSER :NEEDLE BAR SPRING	080610020000	
7	STOPPER :UPPER DEAD POINT	080610040000	
8	HEXAGON BOLT :9/64*7.5	511B53010000	
9	DAMPER RING	080610160000	
10	BEARING CASE BUSHING :NO.2 :7.24MM DIA.	509672020000	
11	NEEDLE BAR DRIVE SHAFT	080210160000	
12	NEEDLE BAR DRIVE SHAFT[S]	080210160S00	
13	WICK :2.5*1*22	080240120010	
14	SLEEVE :NEEDLE BAR	080630030010	
15	BUSHING :NEEDLE BAR SLEEVE	080690030000	
16	RECIPROCATING SLIDE BLOCK	080210170020	
17	WICK :2.5*1*22	080240120010	
18	DAMPER BRACKET :NEEDLE BAR RECIPROCATOR	080210090000	
19	SCREW WITH PIN :NO.3 :11/64-8	513354060000	
20	SCREW WITH PIN :NO.3 :11/64-8[A]	513354060A00	
21	PLAIN WASHER :10.3*14*T0.5	519112010000	
22	TORSION SPRING :0.7MM DIA.	507307010000	
23	HOLDER :JUMP SPRING	080210110010	
24	NEEDLE BAR RECIPROCATOR[S]	080210330S30	
25	PLASTIC BUSHING :NO.2 :7.24MM DIA.	509472050010	
26	PLAIN WASHER :6*9.5*T0.3-0.5	51910604@010	
27	LEVER :TAKE-UP LEVER	080230020000	
28	STRAIGHT PIN :NO.1 :8MM DIA.	503101130000	
29	SCREW WITH ROLLER PIN :NO.7 :M4[S]	514704010S10	
30	TAKE-UP LEVER[A]	090310050A20	
31	RULON WASHER :TW-0815	638400050000	
32	ARM :TAKE-UP LEVER	080230060000	
33	SCREW WITH PIN :NO.4 :M3-12.5	513403020000	
34	ROLLER :3MM DIA.	515103010020	
35	STOPPER COLLAR :8MM DIA.	502108020010	
36	THREAD GUIDE COLLAR :1.8MM DIA.	516503010010	
37	TAKE-UP LEVER[S]	090310050S20	
38	BOSS :TAKE-UP LEVER	090310040010	
39	STRAIGHT PIN :NO.1 :8MM DIA.	503101210000	
40	NEEDLE :DB-K5Z1 #11	616500080000	
40	NEEDLE :DB-K5Z1 #14	616500090000	
41	LID :TAKE-UP LEVER BEARING CASE :13MM DIA.	080290010000	
42	BEARING CASE BUSHING :NO.1 :8MM DIA.	509508080000	
43	BEARING CASE BUSHING :NO.1 :8MM DIA.	509508100010	
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)



ARM 3


LMS-5-3

No.	Part Name	Part No.	Remark
1	HEAD :LH: STANDARD/LB	08013001@010	
2	HEAD :TOP COVER	080410130000	
3	HEAD SIDE COVER	080690040040	
4	TAKE-UP LEVER GUARD	080660090000	
5	TAKE-UP LEVER COVER :UPPER	080660070000	
6	TAKE-UP LEVER COVER[A]	080660070A10	
7	TAKE-UP LEVER COVER :LOWER[S]	080660080S00	
8	BASE :ROLLER-TYPE MIDDLE THREAD GUIDE	080690100000	
9	FLAT FILLISTER HEAD SCREW :M3*4.3	511103010000	
10	ADJUSTING LEVER[S]	090210140S10	
11	COMPRESSION SPRING :0.7MM DIA.	507607160000	
12	STRAIGHT PIN :NO.2 :3MM DIA.	090210270010	
13	STRAIGHT PIN :NO.1 :5MM DIA.	080690090000	
14	RATCHET	090210050020	
15	TENSION COLLAR :NO.1	090210160010	
16	THREAD TAKE-UP SPRING :NO.2 :0.4MM DIA.	507204010010	
17	STOPPER COLLAR :5MM DIA.	090210180010	
18	HOLDER :STRAIGHT PIN	090210190010	
19	STRAIGHT PIN :NO.1 :3MM DIA.	503101150020	
20	ROUND COUNTERSUNK HEAD SCREW :9/64*3.5	511553010010	
21	ROLLER-TYPE MIDDLE THREAD GUIDE :TLMX	080690110000	
22	E-RING :2MM DIA.	611100050000	
23	BASE :ROLLER-TYPE MIDDLE THREAD GUIDE[A]	080690100A10	
24	FRONT COVER :LOWER	080690080000	
25	THREAD SUSPENDER DISK	0B0200050000	
26	COMPRESSION SPRING :0.3MM DIA.	507603020010	
27	PRESSER :THREAD SUSPENDER SPRING	0B0200060000	
28	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
29	FRONT COVER :LOWER[A]	080690080A00	
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

FRONT COVER



FRONT COVER


LMS-6

No.	Part Name	Part No.	Remark
1	FRONT COVER :No.1 :L95	17185004@000	
1	FRONT COVER :No.1 :L95/NTR	17185006@000	
2	FRONT COVER :NO.3 :UPPER	17182010@000	
2	FRONT COVER :No.3 :UPPER :NTR	17182013@000	
3	FRONT COVER :NO.3 :LOWER[S]	17182008@S00	
4	FRONT COVER :NO.3 :CENTER DRIVE :LOWER[S]	17182009@S00	
5	FRONT COVER :NO.4 :01-NEEDLE[S]	17184030@S00	
6	SHAFT COVER :A :LESS THAN 900P	17186001@000	
6	SHAFT COVER :B/P900 OR MORE	17186002@000	
7	STUD :NO.1 :M5-122	505105210000	
8	BRACKET :NO.1 COVER	030460010000	
9	BRACKET :SHAFT COVER :B	030460130010	
10	BASE :SENSOR :WITH SPACER	040360030010	
11	FRONT COVER :BETWEEN LM HEAD :T UPPER	171880010000	
12	FRONT COVER :BETWEEN LM HEAD :T UNDER[S]	171880020S00	
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

M-AXIS DRIVE SYSTEM/JUMP DEVICE



M-AXIS DRIVE SYSTEM/JUMP DEVICE


LMS-7

No.	Part Name	Part No.	Remark
1	BRACKET :M MOTOR	080620010000	
2	PULSE MOTOR :56MM SQUARE :WITH SENSOR[A]	0J6109500A10	
3	RULON WASHER :TW-0613	638400070000	
4	STOPPER :UPPER DEAD POINT	090420040020	
5	BEARING :6200ZZNR	630300050000	
6	SHAFT :M-AXIS	080620040000	
7	TIMING PULLEY :W10-30[S]	501225040S00	
8	TIGHTENING COLLAR :10MM DIA.	502210030010	
9	BEARING :635ZZ	631200010000	
10	FLANGE PIN :NO.2	503502040000	
11	TIMING PULLEY :M-AXIS[S]	080620020S20	
12	TIMING BELT :SPTG OIL-PROOF :W10-S3MT300/G	621200040000	
13	BRACKET :JUMP MOTOR	080320510000	
14	PULSE MOTOR :42MM SQUARE :DOUBLE-END :WITH SCREW BASE	0J6107902000	
15	COVER :M-AXIS PULLEY	080620050000	
16	TORSION SPRING :0.9MM DIA.	507309040020	
17	LEVER :JUMP	080320420010	
18	ROLLER :4.7MM DIA.	515110010010	
19	DAMPER RING :4MM DIA.	080320410000	
20	STEPPED SCREW :NO.1 :11/64*8.2	512154010010	
21	BLOCK :SWING[S]	080610090S10	
22	BRACKET :NIPPLE JUMP	080610060020	
23	LEVER :NIPPLE JUMP	080610070000	
24	LEVER :SWING	080610080000	
25	TORSION SPRING :0.7MM DIA.	507307020000	
26	SCREW WITH PIN :NO.1 :9/64-4	513153060010	
27	WASHER :4.8*8*T0.8	S301040801KC	
28	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

MOTOR TYPE TAKE-UP LEVER CLUTCH




MOTOR TYPE TAKE-UP LEVER CLUTCH

LMS-8

No.	Part Name	Part No.	Remark
1	HOLDER :SLIDE ROD[S]	080650030S00	
2	COMPRESSION SPRING :0.7MM DIA.	080650120000	
3	SCREW WITH PIN :NO.1 :M3-42	513103020000	
4	PIN :NO.99 :10MM DIA.	509506010000	
5	STOPPER COLLAR :8MM DIA.	502108020010	
6	SPACER NUT :M3	080650020000	
7	TAKE-UP LEVER HOLDER	080650070000	
8	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
9	CONNECTING PLATE :TAKE-UP LEVER CLUTCH	080650100000	
10	RACKET :TAKE-UP LEVER CLUTCH	080650130010	
11	BLOCK :TAKE-UP LEVER CLUTCH[S]	080650080S00	
12	COLLAR :NO.1 :3MM DIA.	080650110000	
13	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6107802000	
14	LEVER :PULSE MOTOR	080630070000	
15	CARD :MAGNETIC SENSOR A	0J4200800010	
16	SCREW WITH PIN :NO.3 :M4-4	513304040000	
17	BRACKET :SENSOR	080650090000	
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			


ZIGZAG SWING PULSE MOTOR DRIVE SYSTEM



ZIGZAG SWING PULSE MOTOR DRIVE SYSTEM

LMS-9


No.	Part Name	Part No.	Remark
1	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105100010	
2	BASE :ZIGZAG SWING MOTOR	080640030010	
3	CONNECTING PLATE :ROTATING RING RECIPROCATOR[S]	080640040S00	
4	RULON WASHER :TW-0613	638400070000	
5	FLANGE PIN	503501060040	
6	STEPPED SCREW :NO.1 :M4*6.2	512104120000	
7	LEVER :PULSE MOTOR	080640110010	
8	CONNECTING ROD :ZIGZAG SWING MOTOR LEVER	080640060000	
9	COVER :ZIGZAG SWING[S]	080640160S30	
10	CONNECTING ROD :ROTATING RING RECIPROCATOR	080640050000	
11	RECIPROCATOR :ROTATING RING	080640070010	
12	SCREW WITH PIN :NO.3 :11/64-9	513354070000	
13	WICK :2.5*1*22	080240120010	
14	SCREW WITH PIN :NO.1 :M4-9[A]	080640090A00	
15	FELT :ROTATING RING RECIPROCATOR	080640020000	
16	COMPRESSION SPRING :0.7MM DIA.	507607010010	
17	DAMPER RING :13MM DIA.	080640260000	
18	STOPPER :UPPER DEAD POINT	090420040020	
19	COMPRESSION SPRING :0.5MM DIA.	507605090020	
20	STRAIGHT PIN :NO.2 :6.35MM DIA.	080640010000	
21	ROTATING RING	080640080000	
22	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			



NIPPLE PULSE MOTOR DRIVE SYSTEM

LMS-10

No.	Part Name	Part No.	Remark
1	BASE :PULSE MOTOR	080630060020	
2	PULSE MOTOR :42MM SQUARE :WITH SENSOR[A]	0J6109200A00	
3	CONNECTING ROD	080630080000	
4	STEPPED SCREW :NO.2 :M4*10	512204030000	
5	WICK :2.5*1*22	080240120010	
6	STEPPED SCREW :NO.2 :M4*10[A]	512204030A00	
7	LEVER :NIPPLE RECIPROCATOR	080630050020	
8	SCREW WITH PIN :NO.3 :M4-4	513304040000	
9	SCREW WITH PIN :NO.3 :M4-5[A]	513304020A00	
10	LEVER :PULSE MOTOR	080630070000	
11	RECIPROCATOR :NIPPLE :A[S]	080630090S10	
12	RECIPROCATOR :NIPPLE :B	080630100010	
13	SCREW WITH PIN :NO.3 :M4-5	513304030000	
14	SCREW WITH PIN :NO.3 :M4-6[A]	513304010A00	
15	COLLAR :NO.1 :6.5MM DIA.	502565010000	
16	HOLDER :NIPPLE	080630110010	
17	HEXAGON BOLT :9/64*5.8	511B53020000	
18	COMPRESSION SPRING :0.8MM DIA.	507608090000	
19	STRAIGHT PIN :NO.2 :6.35MM DIA.	503102020000	
20	FELT :NIPPLE RECIPROCATOR	080630040000	
21	RULON WASHER :TW-0613	638400070000	
22	COLLAR :NO.1 :3.6MM DIA.	502536010000	
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			




CAM DRIVE SYSTEM

LMS-11

No.	Part Name	Part No.	Remark
1	BASE :ATH CAM[S]	0E0110110S40	
2	LEVER :ATH	0E0210840000	
3	BASE ROD :ATH	0E0210590010	
4	STRAIGHT PIN E :TENSION PULLEY	0E0210690010	
5	SCREW WITH PIN :NO.1 :M8-66.5	513110040000	
6	FLAT PULLEY :36MM DIA.[S]	501903050S10	
7	N-COUPLING :N-15-15	504715010000	
8	TIMING PULLEY :W25-20[S]	501454060S00	
9	BEARING CASE :NO.3 :15MM DIA.[S]	508315010S00	
10	NEEDLE COLLAR :15MM DIA.	502815010000	
11	TIMING PULLEY :W25-20	501454070000	
12	THRUST WASHER :AS1528	633200040000	
13	THRUST BEARING :NTB1528	633100030000	
14	NEEDLE BEARING :HMK1512	634200130000	
15	TIGHTENING COLLAR :10MM DIA.	502210030010	
16	RUBBER WASHER :10*15*3	519210040000	
17	BRACKET :ATH MOTOR	0E0210670000	
18	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6107802000	
19	LEVER :SHAFT LEVER ROD	0E0210280000	
20	STRAIGHT PIN :NO.2 :6MM DIA.	503102010010	
21	UP/DOWN COLLAR :ATH	0E0210260010	
22	COVER :ATH CAM BOX	0E0210870000	
23	COMPRESSION SPRING :0.8MM DIA.	507608120010	
24	SHAFT :ATH CAM	0E0210210000	
25	COVER :BELT	0E0150010010	
26	TIMING BELT :SPTG :W25-S5M0410/G	623400290000	
27	SPACER :NO.4 :T0.5-2.0	51040019@000	
28	PIN :ATH BASE ROD	0E0210910000	
29	SCREW WITH PIN :NO.4 :M8-110	513408030010	
30	PLASTIC WASHER :15.5*22*T1	519216020000	
31	SCREW WITH ROLLER PIN :NO.5 :M6	514406010000	
32	ROLLER :8*14*8	515108030000	
33	FLAT FILLISTER HEAD SCREW :11/64*7	511154010030	
34	CAM :ATH	0E0120010020	
35	ROUND FILLISTER HEAD SCREW :9/32*17.5B	511252010000	
36	COUNTERSUNK TAPPING SCREW :3P*12	S550031201MZ	
36	COUNTERSUNK TAPPING SCREW :3P*16	S550031601MZ	
37	THRUST WASHER :GS1528	633200110000	
38	TIGHTENING COLLAR :A :20MM DIA.	502220020000	
39	TIGHTENING COLLAR :B :20MM DIA.	502220030000	
40	ROLLER :8*12*15.8	515108050000	
41	SPACER :NO.2 :T3.2	510200420000	
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)





X-AXIS DRIVE SYSTEM

LMS-12

No.	Part Name	Part No.	Remark
1	X-DRIVE BASE :NO.1 :X580 OR LESS	16012027@000	
1	X-DRIVE BASE :NO.1 :X630 OR MORE	16012011@000	
2	X-DRIVE BASE :NO.2 :X580 OR LESS	16022027@000	With Sensor
2	X-DRIVE BASE :NO.2 :X680 OR MORE	16022013@000	With Sensor
3	LINEAR BASE :Y300-1200	0F016003@000	
4	STUD :NO.4 :M5-7	505405010010	
5	LINEAR WAY	660100@@0000	
6	X-AXIS FEED PLATE :NO.2 :AZ :W50[S]	0F2220030S10	
6	X-AXIS FEED PLATE :NO.2 :BZ :W50[S]	0F2220040S10	With Sensor
7	TIMING BELT :MA5 :W50/LY	623E00@@@000	
8	JOINT PLATE :BELT	0F0130020000	
9	SENSOR PLATE :MAGNET[S]	0F0110070S00	EX: 580mm or less
9	SENSOR PLATE :MAGNET[S]	0F0110080S00	EX: 630mm or more
10	HOLDER :TENSION PULLEY	0F0120010000	
11	STRAIGHT PIN :NO.1 :12MM DIA.	503101110000	
12	STRAIGHT PIN :NO.1 :12MM DIA.	503101070000	
13	BASE :TENSION PULLEY	0F0120130000	EX: 580mm or less
13	BASE :TENSION PULLEY	0F0120050000	EX: 630mm or more
14	STRAIGHT PIN :NO.4 :12MM DIA.	503104040000	
15	TIMING PULLEY :W50-16[S]	501490030S10	
16	RULON WASHER :TW-1225	638400080000	
17	BEARING CASE :NO.5 :L :17MM DIA.[S]	50851706LS00	
18	BEARING CASE :NO.5 :R :17MM DIA.[S]	50851706RS00	
19	BEARING COLLAR :15MM DIA.	502715080000	
20	TIMING PULLEY :W50-16	501G90010000	
21	X SHAFT	Q001X1@@0000	X 2-shaft Type
21	X SHAFT	Q001X2@@0000	X 3-shaft Type
22	TIGHTENING COUPLING :15MM DIA.	504315010000	
23	BRACKET :X MOTOR	0F032003@010	EX: 580mm or less
23	BRACKET :X MOTOR	0F032004@010	EX: 630mm or more
24	SPACER :NO.4 :T0.5-2	51040007@000	EX: 580mm or less
24	SPACER :NO.4 :T0.5-2	51040008@000	EX: 630mm or more
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6107600A10	M/C Total Length 5845mm or less with Y-emb. Space less than 1200mm.
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6108100A10	M/C Total Length 5846mm or more with Y-emb. Space less than 1200mm or AFC spec.
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6105700A20	M/C Total Length 5845mm or less with Y-emb. Space 1200mm or more
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6105800A10	M/C Total Length 5846mm or more with Y-emb. Space 1200mm or more or AFC spec.
26	CARD :MAGNETIC SENSOR B	0J4200801020	
27	CARD :MAGNETIC SENSOR A	0J4200800010	
28	BASE :PROXIMITY SWITCH	0F0110060000	
29	KNURLED SCREW :M4*9	511D04020000	
30	NUT :M4*3.2	0F0110030000	
31	SPACER :NO.2 :T0.5-2	51020009@000	
32			
33			
34			
35			
36			
37			
38			
39			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)



Y-AXIS DRIVE SYSTEM 1


LMS-13-1

No.	Part Name	Part No.	Remark
1	Y-AXIS FEED PLATE :NO.2 :AZ :W50[S]	0F2420020S10	Both Right and Left Side Use (50mm Wide Type)
2	JOINT PLATE :BELT	0F0130020000	
3	TIMING BELT :MA5 :A :W35/LY	623D00@@@000	
3	TIMING BELT :MA5 :W50/LY	623E00@@@000	
4	NUT :M4*3.2	0F0110030000	
5	KNURLED SCREW :M4*9	511D04020000	
6	COVER :FRAME BEARING	0G0200030010	
7	HOLDER :TABLE COVER	0F0140140000	
8	Y-AXIS FEED CONNECTING PLATE[S]	0F014005@S20	
9	Y-AXIS FEED PLATE :NO.1 :BZ :W50[S]	0F2410090S30	
10	Y-AXIS FEED PLATE :NO.1 :A :W35[S]	0F231005CS30	
11	Y-AXIS FEED PLATE :NO.1 :AZ :W50[S]	0F2410100S30	
12	SCREW WITH ROLLER PIN :NO.1 :M6[S]	514106290S00	
13	Y-AXIS FEED PLATE :FRONT[S]	0F3210080S00	
14	SENSOR PLATE :MAGNET[S]	0F0110070S00	
15	BASE :PROXIMITY SWITCH	0F0110060000	
16	CARD :MAGNETIC SENSOR A	0J4204400000	
17	CARD :MAGNETIC SENSOR B	0J4204401000	
18	ROLLER PIN[S]	505406010S10	
19	HOLDER BLOCK :FRAME	0F0150080010	
20	STEPPED SCREW :NO.1 :M4*8.2	512104060000	
21	BASE :SCREW WITH ROLLER PIN	0F0150010020	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

Y-AXIS DRIVE SYSTEM 2




Y-AXIS DRIVE SYSTEM 2

LMS-13-2

No.	Part Name	Part No.	Remark
1	Y SHAFT	QT5@030@0000	
2	STRAIGHT PIN :NO.1 :12MM DIA.	503101070000	
3	STRAIGHT PIN :NO.4 :12MM DIA.	503104040000	
4	BASE :TENSION PULLEY	0F0120130000	
5	SPACER :NO.4 :T0.5-2	51040007@000	
6	HOLDER :TENSION PULLEY	0F0120010000	
7	STRAIGHT PIN :NO.1 :12MM DIA.	503101110000	
8	RULON WASHER :TW-1225	638400080000	
9	STUD :NO.4 :M5-7	505405010010	
10	BEARING CASE :NO.5 :L :17MM DIA.[S]	50851706LS00	
11	BEARING CASE :NO.5 :R :17MM DIA.[S]	50851706RS00	
12	Y-DRIVE BASE :NO.1 :Y550-800	16011007@000	
12	Y-DRIVE BASE :NO.1 :Y850-	16011008@000	
13	Y-DRIVE BASE :NO.2 :Y550-800	16021006@000	With Sensor
13	Y-DRIVE BASE :NO.2 :Y850-	16021007@000	With Sensor
14	ROLLER :6*15*25	515106010000	
15	STRAIGHT PIN :NO.1 :6MM DIA.	503101310010	
16	HOLDER :ROLLER	0F3290100000	
17	BASE :ROLLER HOLDER	0F3290150000	
18	TIMING PULLEY :W35-16	501G70010000	
18	TIMING PULLEY :W50-16	501G90010000	
19	WIPER :BASE RAIL[S]	0F329025@S00	
20	BEARING COLLAR :15MM DIA.	502715080000	
21	LINEAR BASE :Y300-1200	0F016003@000	
22	SPACER :NO.2 :T0.5-2	51020009@000	
23	TIMING PULLEY :W35-16[S]	501470050S10	
24	TIMING PULLEY :W50-16[S]	501490030S10	
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6105700A20	M/C Total Length 5845mm or less
25	PULSE MOTOR :106MM DIA. :WITH SENSOR[A]	0J6105800A10	M/C Total Length 5846mm or more, or AFC spec.
26	BRACKET :X MOTOR	0F032003@010	
27	COLLAR :NO.1 :12MM DIA.	502512030000	
28	BASE :RAIL :A :Y680-/C4[S]	0F314001@S00	
28	BASE :RAIL :B :Y680-800/C4[S]	0F314002@S00	
28	BASE :RAIL :C :Y850-1000/C4[S]	0F314003@S00	
29	COUNTERSUNK TAPPING SCREW :3.5P*20	S550042001SD	
30	LINEAR WAY	660100@@0000	Belt side
31	LINEAR WAY	660100@@0000	
32	TIGHTENING COUPLING :15MM DIA.	504315010000	
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)




Z-SPEC. FRAME DRIVE SYSTEM

LMS-14

No.	Part Name	Part No.	Remark
1	YZ SASH :R[S]	382@@@010S00	M/C Total Length 5845mm or less
1	YZ SASH :R[S]	381@@@010S00	
2	FELT :25*5*1000	0G0240190S00	
3	RAIL PLATE :0.5*10	518102@@0000	
4	RESIN TAPE :15*30M	610400050000	
5	SPACER :Z-SPEC. FRAME SASH :B	0F0150070000	
6	COVER :Z-SPEC. FRAME SASH	0G0120040010	
6	COVER :Z-SPEC. FRAME SASH	0G0120030000	145mm Wide
7	YZ SASH :L[S]	392@@@010S00	M/C Total Length 5845mm or less
7	YZ SASH :L[S]	391@@@010S00	
8	SPACER :Z-SPEC. FRAME SASH	0G0110190000	
9	HOLDER BUSHING :M5	509905010010	
10	BRACKET :BEARING[S]	0G0280080S00	
11	BRACKET :BEARING	0F0150060000	
12	SCREW WITH ROLLER PIN :NO.1 :M6[S]	514106180S00	
13	PLATE NUT	0G0280060000	
14	PLATE NUT	0F0150050000	
15	SPACER :BEARING BRACKET :B	0G0250170000	
16	BEARING BASE	0G0280070000	
17	BRACKET :BEARING :UPPER[S]	0G0280140S10	
18	BRACKET :BEARING :LOWER[S]	0G0280100S20	
19	XZ SASH :Y450-1600[S]	36110101@S10	
19	XZ SASH :Y850-1600[S]	36110203@S10	
20	FELT :Z-SPEC. FRAME SASH :20*3*80	0G0140100000	
20	FELT :Z-SPEC. FRAME SASH :20*3*135	0G0140090000	145mm Wide
21	SPACER :Z-SPEC. FRAME SASH :B	0G0110200000	
22	HEXAGON SOCKET HEAD FLANGE SCREW :M5*12	S123051201TD	
23	HEXAGON SOCKET HEAD FLANGE SCREW :M4*6	S123040601TD	
24	BRACKET :BEARING :UPPER[S]	0G0280200S00	
25	BRACKET :BEARING :LOWER[S]	0G0280210S00	
26	FIXING PLATE :BEARING BRACKET	0G0280190000	
27	COVER :XZ FRAME SASH :UPPER	0G012010@000	
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)



EMBROIDERY FRAME


LMS-15

No.	Part Name	Part No.	Remark
1	BORDER FRAME[T]	30C@@@@@@T00	
2	CORNER :BORDER FRAME :FRONT R	0G0220460000	
3	CORNER :BORDER FRAME :FRONT L	0G0220200000	
4	CORNER :BORDER FRAME :REAR R	0G0220470000	
5	CORNER :BORDER FRAME :REAR L	0G0220220000	
6	RAIL PLATE :0.5*10	518102@@0000	
7	SCREW BUSHING :NO.2 :M4	0G0260020000	
8	FELT :15*1.3*1000[S]	0G0240200S00	
9	FELT :23*4.5*980	0G0240140000	
10	FIXING PLATE :BEARING BRACKET	0G0280190000	
11	POINTER :EMBROIDERY FRAME	0G0270020000	
12	CORNER	0G0220060000	
13	SPACER :23*6*1000	0G0240150000	
14	SPACER :23*9*1000	0G0240160000	
15	E-RING :3MM DIA.	611100060000	
16	FELT :18*4.5*980	0G0240170000	
17	BRACKET :MIDDLE SASH CLAMP	0G0320030000	
18	CLAMP :MIDDLE SASH :A :L	0G032013L000	
19	CLAMP :MIDDLE SASH :B	0G0320140000	
20	SPACER :18*3*1000	0G0240180000	
21	CLAMP :MIDDLE SASH :A :R	0G032013R000	
22	HEXAGON SOCKET HEAD CAP SCREW :STOPPER :M4*20L	511904020000	
23	BORDER FRAME[A]	30I@@@@@@A30	
24	BORDER FRAME LENGTHWISE SASH :R	0G111007@000	
25	BORDER FRAME LENGTHWISE SASH :L	0G113007@000	
26	BORDER FRAME SASH :FRONT	0G1210050000	
27	BORDER FRAME SASH :REAR	0G1220050000	
28	BASE :CORK[S]	0G0230130S00	
29	CORK :T13.5[S]	0G0230020S20	
30	CORK :CORNER :T10.3[S]	0G0230120S00	
31	MISALIGNMENT-PREVENTIVE PLATE	9A1706400000	
32	BORDER FRAME CLIP :BFF4 :L100-300	0G052015@020	
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

INDIVIDUAL TENSION BASE




TENSION BASE

LMS-16

No.	Part Name	Part No.	Remark
1	TENSION BASE :LMX :100	UCB100000010	
2	TENSION BASE :TLMX[S]	0C0340010S10	
3	COVER :TENSION BASE	0C0340110000	
4	PLATE :CONTACT POINT	0C0250010000	
5	THREAD TAKE-UP SPRING :NO.1 :0.5MM DIA.	0C0220060060	
6	THREAD PRESSER	0C0220030010	
7	TAPER SPRING :0.2MM DIA.	507702010000	
8	BASE :THREAD PRESSER :UPPER	0C0340080010	
9	BASE :THREAD PRESSER :LOWER	0C0340070000	
10	UPPER THREAD GUIDE :TENSION BASE	0C0340030000	
11	TENSION STUD	0C0310010000	
12	TENSION STUD	0C0220020000	
13	TAPER SPRING :0.7MM DIA.	507707030020	
14	83 DISK PRESSER	616100010000	
15	FELT PACKING	0C0220040000	
16	TENSION DISK	0C0220120000	
17	INSULATION DISK	0C0220090000	
18	KNOB :THREAD TENSION :A	0C0220150000	
19	THREAD TENSION STUD	0C0210010010	
20	TAPER SPRING :0.6MM DIA.	507706010000	
21	TENSION DISK	0C0210020000	
22	BASE :ROTARY TENSION DISK[S]	0C0230190S20	
23	SHAFT :ROTARY TENSION DISK	0C0230130030	
24	ROTARY TENSION DISK	0C0230120010	
25	SLIT PLATE :ROTARY DISK :50	0J4203800000	
26	BRACKET :SENSOR	0C0340040000	
27	PLATE SPRING :T0.3	507803050000	
28	SPRING HOOK	0C0220080000	
29	TRUSS HEAD SCREW :STEPPED :M3*4*2	S132030401TD	
30	COUNTERSUNK TAPPING SCREW :3P*10	S550031001SD	
31	LAMP COVER :TENSION BASE	0C0250050000	
32	CARD :TENSION BASE	0J2601900010	
33	CARD :TC SENSOR	0J2602100010	
34	TENSION RELEASE PIN :L37.5-47[S]	0C022010@S00	
35	CAM :TENSION RELEASE	0C0310040000	
36	STEPPED SCREW :NO.1 :9/64*5	512153090010	
37	BASE :TENSION RELEASE MOTOR	0C0330020000	
38	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6107802000	
39	TAPER SPRING :1.0MM DIA.	507710020000	
40	TENSION DISK	0C0220160010	
41	THREAD TENSION STUD	0C0210050000	
42	TENSION SPRING :TENSION BASE	0L1330060000	
43	JOINT :SPIRAL TUBE	0D0210130000	
44	GUIDE :TENSION BASE :CORE THREAD	0L1330050000	
45	BRACKET :TENSION BASE :L[S]	0C024003LS00	
46	BRACKET :TENSION BASE :R :TLMX	0C0340100000	
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)




THREAD STAND

LMS-17

No.	Part Name	Part No.	Remark
1	THREAD STAND PLATE[A]	1DG@@@@@0A00	
2	FELT :21*15*50	0D0110080020	
3	COLLAR :NO.2 :7MM DIA.	502607010000	
4	THREAD COURSE SUPPORT BAR :L345	0D0210313010	
5	THREAD STAND STUD	0D0110410000	
6	BASE :THREAD STAND STUD	0D0110420000	
7	THREAD STAND BLADE	0D0110010010	
8	FELT :THREAD STAND PLATE :T10	0D0110022000	
9	THREAD COURSE[A]	1EG@@@@@0A00	
10	THREAD GUIDE COLLAR :BLACK :4MM DIA.	516501012000	
10	THREAD GUIDE COLLAR :RED :4MM DIA.	516501011000	
11	SPIRAL TUBE :L300[A]	0D0210054A00	
12	JOINT :SPIRAL TUBE	0D0210130000	
13	COLLAR :NO.1 :5MM DIA.	0D0210140010	
14	THREAD TENSION :TUBE	UD1100000000	
15	KNOB :THREAD TENSION :A	0C0220150000	
16	SPRING HOOK	0C0220080000	
17	TAPER SPRING :0.6MM DIA.	507706010000	
18	TENSION DISK	0C0220160010	
19	THREAD TENSION STUD	0C0210010010	
20	THREAD TENSION GUIDE :TUBE	0D0210150020	
21	THREAD TENSION GUIDE	516402010010	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

BAR SWITCH BOX



BAR SWITCH BOX

LMS-18

No.	Part Name	Part No.	Remark
1	BOX :BAR SWITCH	030240090000	
2	PAN HEAD WOOD SCREW :4.5P*25	S560510251TN	
3	SWITCH :START/STOP :BAR SWITCH[A]	0J0520200010	
4	SENSOR PLATE :NO.1	030240110000	
5	TRUSS HEAD TAPPING SCREW :4P*16	S530041601SD	
6	COMPRESSION SPRING :1.8MM DIA.	507618010000	
7	COVER :BAR SWITCH BOX	030240100000	
8	HOLDER :SWITCH BAR	030240050020	
9	SWITCH BAR	030240010000	
10	SIDE COVER	030240030000	
11	BRACKET :BAR SWITCH BOX	030240150010	Table Cut (Excluding C-1, C-7)
12	HOLDER :SWITCH BAR	030240060010	Table Cut (Excluding C-1, C-7)
13	HOLDER :SWITCH BAR	030240080000	C-4 Right Side
14	SWITCH BOX :START/STOP[A]	0J0601300A10	
15	LABEL :START/STOP SWITCH	0P0600040000	
16	SWITCH :START/STOP[A]	0J0603100A00	
17	SWITCH BOX :START/STOP	030240120010	
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			


MAIN SHAFT MOTOR

LMS-19

No.	Part Name	Part No.	Remark
1	BRACKET :MAIN MOTOR	04021062@000	
1	BASE :MOTOR BASE	040210690010	1.5kW Motor
2	PLATE :MAIN SHAFT TENSION	040220670010	
2	PLATE :MAIN SHAFT TENSION :1.5KW	040210670000	1.5kW Motor
3	GUIDE :MOTOR BASE	040220680010	
4	COVER :MAIN MOTOR[S]	04021063@S00	
4	COVER :MOTOR BRACKET[S]	04021068@S10	1.5kW Motor
5	BASE :MOTOR :A	04022074A000	
6	BASE :MOTOR :B[S]	04022074BS00	
7	BASE :MAIN SHAFT MOTOR :1.5KW[S]	040210700S00	1.5kW Motor
8	BEARING :60/22ZZ	630200040000	
9	BASE :DRIVER	040220710000	
10	PLATE :RADIATING	040210710000	1.5kW Motor
11	TIMING PULLEY :W35-20	501472010020	
11	TIMING PULLEY :W35-20	501472050000	1.5kW Motor
12	BEARING COLLAR :15MM DIA.	502715050010	
12	BEARING COLLAR :18MM DIA.	502718010010	1.5kW Motor
13	SERVO MOTOR :750W	0J6300600010	
13	SERVO MOTOR :1.5KW	0J6300700000	
14	BRACKET :COVER	040210450000	
15	COVER :TIMING BELT	04021064@010	
16	BRACKET :SENSOR	040360020010	
17	CARD :PHOTO-INTERRUPTER	0J4201600020	
18	ROTATING DETECTING PLATE[S]	040360090S10	
19	N-COUPLING :N-15-15	504715010000	
20	MAIN SHAFT :15MM DIA.	QT7@01@@0000	
21	TIMING BELT :SPTG :W35-S5M1085/G	623500110000	
21	TIMING BELT :SPTG :W35-S5M1105/G	623500840000	1.5kW Motor
22	TIMING PULLEY :W35-60	501474060000	
23	STAR LOCK :STL21F15*32	504815010000	
24	BEARING CASE :NO.1 :20MM DIA.[S]	50812006@S00	
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)




ELECTRICAL PARTS

LMS-20

No.	Part Name	Part No.	Remark
1	BASE :CARD :C	0J19424C0000	
2	DC POWER SUPPLY :24V :240W	645300220011	
3	DC POWER SUPPLY :5V +/-12V	645300030000	
4	CARD :POWER SUPPLY :3-PHASE :A	0J2102200020	
5	TERMINAL BASE :9P	643400080011	
6	NOISE FILTER :3-PHASE	641400100000	
7	BRACKET :BREAKER	0J1106700000	
8	COVER :BREAKER	0J1106802000	
9	NO FUSE BREAKER :3-PHASE[T]	646100150T10	
10	COVER :POWER SUPPLY BOX	0J0103800000	
11	CARD :HEAD :S5C	0J2703400020	
12	BRACKET :HEAD CARD	0J1941800000	
13	DRIVER :X12-L[A]	0J0302900A20	X/Y-axis
14	DRIVER :X12-M[A]	0J0303000A00	Main Shaft of 16 or less Head M/C
14	DRIVER :X12-P[A]	0J0303100A00	Main Shaft of 17 or more Head M/C
15	CARD :MACHINE :P3	0J2503400010	
16	CARD :EXTENSION MACHINE	0J2502400020	
17	BRACKET :MACHINE CARD	0J1942200000	
18	BASE :MACHINE EXTENSION CARD	0J1942300000	
19	COUNTER :ELECTRO-MAGNETIC	0J4500200010	
20	TRANSFORMER :SEPARATE :X15[A]	0J0902400A00	8 or less Head M/C
20	TRANSFORMER :SEPARATE :X16[A]	0J0902500A00	9 to 12 Head M/C
20	TRANSFORMER :SEPARATE :X17[A]	0J0902600A00	13 to 16 Head M/C
20	TRANSFORMER :SEPARATE :X18[A]	0J0903000A00	17 to 32 Head M/C
21	COVER :Y DRIVER	03019026@000	
22	BOX :Y DRIVER	030190252000	
23	TRUSS HEAD TAPPING SCREW :3P*8	S530030801SD	
24	SPACER :HEXAGON	644500310000	
25	SWITCH BOX :EMERGENCY STOP[A]	0J0604000A00	
26	SWITCH BOX :EMERGENCY STOP	030230250000	
27	SWITCH :EMERGENCY STOP[A]	0J0603900A00	
28	CARD :BRACKET	0J1106900000	See *1 below.
28	CARD :BRACKET :B	0J11069B0000	See *2 below.
29	BASE :CARD :D	0J19424D0000	See *3 below.
30	COVER :POWER SUPPLY BOX	0J0103800000	See *4 below.
31	SPACER :HEXAGON :BSB-360E	644500850000	See *5 below.
32	PAN HEAD WOOD SCREW :4.5P*25	S560510251TN	
33			
34			
35			
36			
37			
38			
39			
40			
*1 M/C of 17 or more Heads, or 9 or more Head pairs with Y-emb. Space less than 1500mm, M/C of 13 to 16 Heads, or 7 to 8 Head pairs with Y-emb. Space 1500mm or more			
*2 M/C of 17 or more Heads, or 9 or more Head pairs with Y-emb. Space 1500mm or more			
*3 M/C of 21 or more Heads, or 11 or more Head pairs with Y-emb. Space less than 1500mm, M/C of 17 or more Heads, or 9 or more Head pairs with Y-emb. Space 1500mm or more			
*4 M/C of 21 or more Heads, or 11 or more Head pairs with Y-emb. Space less than 1500mm, M/C of 17 or more Heads, or 9 or more Head pairs with Y-emb. Space 1500mm or more			
*5 M/C of 25 or more Heads, or 13 or more Head pairs with Y-emb. Space 1500mm or more			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)




OPERATION PANEL

LMS-21

No.	Part Name	Part No.	Remark
1	CONTROLLER :X18-J[A]	0J0204200A00	Japanese
1	CONTROLLER :X18-E[A]	0J0204201A00	English
2	CASE :CONTROLLER :FRONT[S]	0J1409800S00	
3	CASE :CONTROLLER :REAR	0J1409900000	
4	BRACKET :17-INCH DISPLAY	0J1411800000	
5	COVER :DISPLAY HARNESS :L/R	0J14119@0000	
6	BASE :CARD[S]	0J1410200S00	
7	SUPPORT :CARD BASE :L[S]	0J14103L0S00	
8	SUPPORT :CARD BASE :R[S]	0J14103R0S00	
9	SUPPORT :CONTROLLER	0J1410400000	
10	BRACKET :I/F CONNECTOR CARD	0J1410500000	
11	BASE :USB CONNECTOR CARD	0J1410600000	
12	COVER :USB[S]	0J1410700S00	
13	SHUTTER :USB	0J1410800000	
14	PLATE SPRING :USB SHUTTER	0J1410900000	
15	SUPPORT :15-INCH DISPLAY	0J1411000000	
16	BRACKET :CONTROLLER	0J1411100000	
17	BASE :CONTROLLER	0J1411200000	
18	LABEL :TAJIMA NAME	0P4220210000	
19	OPERATION BUTTON	0J1404500000	
20	COVER :LAMP	0J1404700000	
21	CARD :CAPACITOR	0J3502600010	
22	CARD :CPU-J :R2[A]	0J2305500A00	Japanese
22	CARD :CPU-E :R2[A]	0J2305501A00	English
23	COMPACT FLASH MEMORY :JAPANESE :17-INCH	0J2401800000	
23	COMPACT FLASH MEMORY :ENGLISH :17-INCH	0J2401801000	
24	CARD :USB CONNECTOR	0J3200800000	
25	CARD :I/F CONNECTOR	0J3200700010	
26	CARD :SWITCH	0J3502000010	
27	CARD :CPU SET :R2[A]	0J2305600A00	
28	LOGO :TAJIMA	0J5100001000	
29	COLLAR :NO.2 :7MM DIA.	502607010000	
30	DISPLAY :17-INCH	641200190000	
31	SPACER :HEXAGON	644500300000	
32	DUST CAP :USB	644500490000	
33	DUST CAP :LAN	644501340000	
34	SPACER :HEXAGON :L27M3	644501160000	
35	BUSHING :TEFLON	644501170000	
36	WASHER :TEFLON	644501180000	
37	SCREW WITH WASHER :M3*6 (SMALL WASHER SPEC.)	S660030602SE	
38	SCREW WITH WASHER :M3*5 (SMALL WASHER SPEC.)	S660030503SE	
39	SCREW WITH WASHER :M3*15 (SMALL WASHER SPEC.)	S660031503SE	
40	JOG REMOTE-CONTROLLER[A]	0J4200100A00	
41	CARD :JOG REMOTE-CONTROLLER	0J3101100000	
42	JOG REMOTE-CONTROLLER POCKET[A]	0J5102100A00	
43			
44			
45			
46			
47			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)




SMALL COILING UNIT

LMS-22

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	GUIDE :LH :D	080670020000	
3	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
4	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
5	CORD GUIDE :ZIGZAG SWING :1MM DIA. TO 2MM DIA.	080670170000	
6	BOBBIN :SMALL COILING	0L1310050000	
7	BRACEKT :BOBBIN :LH	08D000000500	
8	HOLDER :CORD GUIDE	080640150000	
9	CONNECTING BLOCK :CORD GUIDE	080680040000	
10	BASE :CORD GUIDE HOLDER[S]	080640250S20	
11	COMPRESSION SPRING :0.8MM DIA.	507608100000	
12	STEPPED SCREW :NO.1 :M4*11.5	512104110000	
13	ARM :COILING THREAD TENSION	0L1330040000	
14	KNOB :THREAD TENSION :A	0C0220150000	
15	SPRING HOOK	0C0220080000	
16	TAPER SPRING :0.6MM DIA.	507706010000	
17	TENSION DISK	0C0220160010	
18	THREAD TENSION STUD	0C0210010010	
19	BASE :COILING THREAD TENSION	0L1330030000	
20	TENSION SPRING :COILING THREAD	0L1330010000	
21	THREAD GUIDE :NO.2	516202020000	
22	BASE :BOBBIN SHAFT HOLDER	0L1320120000	
23	THREAD COURSE :COILING THREAD	0L1320110000	
24	BASE :BOBBIN SHAFT	0L1310020000	
25	PLATE SPRING :BOBBIN PRESSER :T0.2	0L1330110000	
26	FRICTION PLATE :COILING BOBBIN	0L1330020000	
27	SCREW WITH PIN :NO.5 :M4-56	0L1330100000	
28	HOLDER :BOBBIN SHAFT	0L1310010000	
29	PLATE SPRING :BOBBIN HOLDER :T0.5	507805090000	
30	PLATE SPRING :BOBBIN HOLDER :T0.3	507803060000	
31	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
32	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)



W BOBBIN UNIT


LMS-23

No.	Part Name	Part No.	Remark
1	TAPE GUIDE :TL1-15[S]	08067014@S00	
2	HOLDER :CONNECTING ARM	080620060000	
3	BASE :CORD GUIDE HOLDER[S]	080640250S20	
4	HOLDER :CORD GUIDE	080640150000	
5	CORD GUIDE :ZIGZAG SWING :1MM DIA. TO 2MM DIA.	08067017@000	
6	STEPPED SCREW :NO.1 :M4*11.5	512104110000	
7	KNURLED NUT :11/64	080680110000	
8	TAPER SPRING :0.4MM DIA.	507704010000	
9	TENSION DISK	080680120000	
10	TENSION STUD	0L1310040000	
11	CONNECTING ARM[S]	080640120S00	
12	COMPRESSION SPRING :0.8MM DIA.	507608100000	
13	STEPPED SCREW :NO.1 :M5*8	512105080000	
14	BRACKET :W BOBBIN HOLDER	080680090000	
15	GUIDE NIPPLE	080630020010	
16	GUIDE :A	080670010000	
17	FLAT FILLISTER HEAD SCREW :1/8*5	511150030000	
18	BASE :BOBBIN SHAFT HOLDER	080680030010	
19	GUIDE	0L1310030000	
20	PLATE SPRING	507803110010	
21	PLATE SPRING :T0.5	507805010030	
22	BRACKET :BOBBIN :L	08068010L000	
23	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
24	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
25	BOBBIN[S]	080680130S00	
26	BRACKET :BOBBIN :R	08068010R000	
27	PLATE SPRING :T0.3	507803040030	
28	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
29	COMPRESSION SPRING :0.7MM DIA.	507607140010	
30	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
31	BRACKET :BOBBIN :LH :W	U8D0000001000	
32	BRACKET :BOBBIN HOLDER :B	080680060000	
33	HOLDER :CORD	080670200000	
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

ZIGZAG SWING UNIT (OPTION)



ZIGZAG SWING UNIT (OPTION)


LMS-24

No.	Part Name	Part No.	Remark
1	CONNECTING BLOCK :GUIDE NIPPLE	080630120010	
2	HOLDER :CONNECTING ARM	080620060000	
3	BASE :CORD GUIDE HOLDER[S]	080640250S20	
4	HOLDER :CORD GUIDE	080640150000	
5	CORD GUIDE :ZIGZAG SWING :1MM DIA. TO 2MM DIA.	08067017@000	
6	STEPPED SCREW :NO.1 :M4*11.5	512104110000	
7	KNURLED NUT :11/64	080680110000	
8	TAPER SPRING :0.4MM DIA.	507704010000	
9	TENSION DISK	080680120000	
10	TENSION STUD	0L1310040000	
11	CONNECTING ARM[S]	080640120S00	
12	COMPRESSION SPRING :0.8MM DIA.	507608100000	
13	STEPPED SCREW :NO.1 :M5*8	512105080000	
14	BRACKET :BOBBIN HOLDER[S]	080640140S00	
15	GUIDE NIPPLE	080630020010	
16	GUIDE :A	080670010000	
17	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
18	BASE :BOBBIN SHAFT HOLDER	080680030010	
19	GUIDE	0L1310030000	
20	PLATE SPRING	507803110010	
21	PLATE SPRING :T0.5	507805010030	
22	BRACKET :BOBBIN :L	08068010L000	
23	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
24	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
25	BOBBIN[S]	080680130S00	
26	BRACKET :BOBBIN :R	08068010R000	
27	PLATE SPRING :T0.3	507803040030	
28	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
29	COMPRESSION SPRING :0.7MM DIA.	507607140010	
30	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
31	BRACKET :BOBBIN :LH	U8D000000300	
32	BRACKET :BOBBIN HOLDER :B	080680060000	
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

LARGE BOBBIN ZIGZAG SWING UNIT (OPTION)




LARGE BOBBIN ZIGZAG SWING UNIT (OPTION) LMS-25

No.	Part Name	Part No.	Remark
1	CONNECTING BLOCK :GUIDE NIPPLE	080630120010	
2	HOLDER :CONNECTING ARM	080620060000	
3	BASE :CORD GUIDE HOLDER[S]	080640250S20	
4	HOLDER :CORD GUIDE	080640150000	
5	CORD GUIDE :ZIGZAG SWING :1MM DIA. TO 2MM DIA.	08067017@000	
6	STEPPED SCREW :NO.1 :M4*11.5	512104110000	
7	KNURLED NUT :11/64	080680110000	
8	TAPER SPRING :0.4MM DIA.	507704010000	
9	TENSION DISK	080680120000	
10	TENSION STUD	0L1310040000	
11	CONNECTING ARM[S]	080640120S00	
12	COMPRESSION SPRING :0.8MM DIA.	507608100000	
13	STEPPED SCREW :NO.1 :M5*8	512105080000	
14	BRACKET :BOBBIN HOLDER[S]	080640140S00	
15	GUIDE NIPPLE	080630020010	
16	GUIDE :A	080670010000	
17	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
18	SHAFT :LARGE BOBBIN	0L1220070000	
19	GUIDE	0L1310030000	
20	PLATE SPRING	507803110010	
21	PLATE SPRING :T0.5	507805010030	
22	BRACKET :BOBBIN :L	08068010L000	
23	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
24	SCREW WITH PIN :NO.5 :M4-104	513504020010	
25	BOBBIN :LARGE	0L1310070000	
26	BRACKET :BOBBIN :R	08068010R000	
27	PLATE SPRING :T0.3	507803040030	
28	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
29	COMPRESSION SPRING :0.7MM DIA.	507607140010	
30	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
31	BRACKET :BOBBIN :LH :LARGE TYPE	U8D000001300	
32	BRACKET :BOBBIN HOLDER :B	080680060000	
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)



TAPING UNIT (OPTION)


LMS-26

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	CONNECTING BLOCK :GUIDE NIPPLE	080630120010	
3	BRACKET :BOBBIN HOLDER[S]	080680020S00	
4	GUIDE :A	080670010000	
5	PRESSER :CORD	080670040000	Thin Tape, Cording
6	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
7	BASE :BOBBIN SHAFT HOLDER	080680030010	
8	BRACKET :BOBBIN :R	08068010R000	
9	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
10	COMPRESSION SPRING :0.7MM DIA.	507607140010	
11	PLATE SPRING :T0.3	507803040030	
12	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
13	BRACKET :BOBBIN :L	08068010L000	
14	PLATE SPRING :T0.5	507805010030	
15	PLATE SPRING	507803110010	
16	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
17	BOBBIN[S]	080680130S00	
18	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
19	BRACKET :BOBBIN :LH	U8D000000200	
20	TAPE GUIDE :TL1-15[S]	08067014@S00	Various Types for Taping (TL-100001 to TL-150001)
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

LARGE BOBBIN TAPING UNIT (OPTION)



LARGE BOBBIN TAPING UNIT (OPTION)


LMS-27

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	CONNECTING BLOCK :GUIDE NIPPLE	080630120010	
3	BRACKET :BOBBIN HOLDER[S]	080680020S00	
4	GUIDE :A	080670010000	
5	PRESSER :CORD	080670040000	Thin Tape, Cording
6	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
7	SHAFT :LARGE BOBBIN	0L1220070000	
8	BRACKET :BOBBIN :R	08068010R000	
9	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
10	COMPRESSION SPRING :0.7MM DIA.	507607140010	
11	PLATE SPRING :T0.3	507803040030	
12	SCREW WITH PIN :NO.5 :M4-104	513504020010	
13	BRACKET :BOBBIN :L	08068010L000	
14	PLATE SPRING :T0.5	507805010030	
15	PLATE SPRING	507803110010	
16	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
17	BOBBIN :LARGE	0L1310070000	
18	TAPE GUIDE	0L1310080000	
19	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
20	BRACKET :BOBBIN :LH :LARGE TYPE	U8D000001200	
21	TAPE GUIDE :TL1-15[S]	08067014@S00	Various Types for Taping (TL-100001 to TL-150001)
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

FEATHER EMBROIDERY UNIT/BLIND EMBROIDERY UNIT (OPTION)



FEATHER EMBROIDERY UNIT/BLIND EMBROIDERY UNIT (OPTION) LMS-28

No.	Part Name	Part No.	Remark
1	GUIDE NIPPLE	080630020010	
2	CONNECTING BLOCK :GUIDE NIPPLE	080630120010	
3	BRACKET :BOBBIN HOLDER[S]	080680020S00	Taping
4	GUIDE :LH :B	08067005@000	Feather Embroidery
5	GUIDE :LH :C	08067006@000	Blind Embroidery
6	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
7	BASE :BOBBIN SHAFT HOLDER	080680030010	
8	BRACKET :BOBBIN :R	08068010R000	
9	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
10	COMPRESSION SPRING :0.7MM DIA.	507607140010	
11	PLATE SPRING :T0.3	507803040030	
12	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
13	BRACKET :BOBBIN :L	08068010L000	
14	PLATE SPRING :T0.5	507805010030	
15	PLATE SPRING	507803110010	
16	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
17	BOBBIN[S]	080680130S00	
18	BRACKET :BOBBIN :LH	U8D000000200	
19	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
20	PRESSER :CORD	080670040000	
21	BLIND EMBROIDERY CORD GUIDE	0L1100010000	
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

TUCK EMBROIDERY UNIT (OPTION)

LMS-29

No.	Part Name	Part No.	Remark
1	BASE :TAPE FEED GUIDE	0806A0010000	
2	GUIDE :TAPE FEED	0806A0020000	
3	STOPPER :RETRACTING LEVER	0806A0030000	
4	GUIDE :TAPE :R	0806A004R000	
5	GUIDE :TAPE :L	0806A004L000	
6	LEVER :TAPE FEED	0806A0050000	
7	BASE :TAPE FEED LEVER	0806A0060000	
8	BLOCK :TAPE FEED[S]	0806A0070S00	
9	TAPE FEED PLATE	0806A0080000	
10	TAPE FEED PIN	0806A0090000	
11	STUD :NO.2 :M4-2	505204020000	
12	TORSION SPRING :0.9MM DIA.	507309100000	
13	SCREW WITH PIN :NO.4 :M3-2	513403050000	
14	FLAT FILLISTER HEAD SCREW :9/64*4	511153010010	
15	SCREW WITH PIN :NO.1 :9/64-6	513153030000	
16	E-RING :3MM DIA.	611100060000	
17	PARTS FOR LH :TUCK EMBROIDERY	U8G000000400	
18	HEXAGON CAP NUT :M3	S217030001SD	
19	CONNECTING ARM[S]	080640120S00	
20	BRACKET :BOBBIN HOLDER[S]	080640140S00	
21	BASE :BOBBIN SHAFT HOLDER	080680030010	
22	BRACKET :BOBBIN :L	08068010L000	
23	BRACKET :BOBBIN :R	08068010R000	
24	BOBBIN[S]	080680130S00	
25	COMPRESSION SPRING :0.7MM DIA.	507607140010	
26	PLATE SPRING :T0.3	507803040030	
27	PLATE SPRING	507803110010	
28	PLATE SPRING :T0.5	507805010030	
29	STEPPED SCREW :NO.1 :M4*11.4	512104030000	
30	STEPPED SCREW :NO.1 :M5*8	512105080000	
31	SCREW WITH PIN :NO.5 :M4-73.5	513504030000	
32	KNOBBED SCREW :K-UN2006 M4*8	S181040801SD	
33	BRACKET :BOBBIN :LH :TUCK EMBROIDERY	U8D000000400	
34	PLAIN WASHER :M6*11*T0.8	S301061101SD	
35	HEXAGON SOCKET HEAD CAP SCREW :M3*4	S120030402TD	
36	GUIDE NIPPLE	080630020010	
37	GUIDE :A	080670010000	
38	FLAT FILLISTER HEAD SCREW :1/8*4	511150020000	
39	FLAT FILLISTER HEAD SCREW :1/8*3	511150010000	
40	HOLDER :CONNECTING ARM	080620060000	
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(NV09)

No.	Part No.	Remark	No.	Part No.	Remark
<i>A</i>	Flat Fillister Head Screw		<i>B15</i>	S120031203TD	M3*12
<i>A1</i>	SA41730351CN	1/8*44*3.5	<i>B16</i>	S120031201TN	M3*12
<i>A2</i>	SA41730501CN	1/8*44*5	<i>B17</i>	S120031502TD	M3*15
<i>A3</i>	SA41730551CN	1/8*44*5.5	<i>B18</i>	S120031501TN	M3*15
<i>A4</i>	SA41730601CN	1/8*44*6	<i>B19</i>	S120031601TN	M3*16
<i>A5</i>	SA41740301CN	9/64*40*3	<i>B20</i>	S120031801TN	M3*18
<i>A6</i>	SA41740402CN	9/64*40*4	<i>B21</i>	S120032003TD	M3*20
<i>A7</i>	SA41740401SA	9/64*40*4	<i>B22</i>	S120032001TN	M3*20
<i>A8</i>	SA41740403CL	9/64*40*4	<i>B23</i>	S120032501TN	M3*25
<i>A9</i>	SA41740404CN	9/64*40*4	<i>B24</i>	S120033001TN	M3*30 Half Threads
<i>A10</i>	SA41740501CN	9/64*40*5	<i>B25</i>	S120040501TD	M4*5
<i>A11</i>	SA41740601CN	9/64*40*6	<i>B26</i>	S120040502TN	M4*5
<i>A12</i>	SA41740602CN	9/64*40*6	<i>B27</i>	S120040602TD	M4*6
<i>A13</i>	SA41740701CN	9/64*40*7	<i>B28</i>	S120040601TN	M4*6
<i>A14</i>	SA41740801CN	9/64*40*8	<i>B29</i>	S120040801TD	M4*8
<i>A15</i>	SA41740802CN	9/64*40*8	<i>B30</i>	S120040802TN	M4*8
<i>A16</i>	SA41740803CN	9/64*40*8	<i>B31</i>	S120041001TD	M4*10
<i>A17</i>	SA41741001CN	9/64*40*10	<i>B32</i>	S120041002TN	M4*10
<i>A18</i>	SA41741202CN	9/64*40*12	<i>B33</i>	S120041201TD	M4*12
<i>A19</i>	SA41741501CN	9/64*40*15	<i>B34</i>	S120041202TN	M4*12
<i>A20</i>	SA41750431TN	11/64*40*4.3	<i>B35</i>	S120041401TN	M4*14
<i>A21</i>	SA41750701CN	11/64*40*7	<i>B36</i>	S120041502TD	M4*15
<i>A22</i>	SA41750751CN	11/64*40*7.5	<i>B37</i>	S120041501TN	M4*15
<i>A23</i>	SA41750901SH	11/64*40*9	<i>B38</i>	S120041601TN	M4*16
<i>A24</i>	SA41751151CN	11/64*40*11.5	<i>B39</i>	S120041801TN	M4*18
<i>A25</i>	SA41751201CN	11/64*40*12	<i>B40</i>	S120042002TD	M4*20
<i>A26</i>	S141030801SC	M3*8	<i>B41</i>	S120042001TN	M4*20
<i>A27</i>	S141030802SD	M3*8	<i>B42</i>	S120042502TD	M4*25
<i>A28</i>	S141031001CC	M3*10	<i>B43</i>	S120042501TN	M4*25
<i>A29</i>	S141041001SC	M4*10	<i>B44</i>	S120042504TN	M4*25 Half Threads
			<i>B45</i>	S120043001TN	M4*30
			<i>B46</i>	S120043502TD	M4*35
			<i>B47</i>	S120043501TN	M4*35
			<i>B48</i>	S120044001TN	M4*40
			<i>B49</i>	S120044501TN	M4*45
<i>B</i>	Hexagon Socket Head Cap Screw		<i>B50</i>	S120050601TN	M5*6
<i>B1</i>	S120020801TD	M2*8	<i>B51</i>	S120050801TD	M5*8
<i>B2</i>	S120021001TD	M2*10	<i>B52</i>	S120050802TN	M5*8
<i>B3</i>	S120480501TN	M2.6*5	<i>B53</i>	S120051001TD	M5*10
<i>B4</i>	S120030301TN	M3*3	<i>B54</i>	S120051002TN	M5*10
<i>B5</i>	S120030401TN	M3*4	<i>B55</i>	S120051004TP	M5*10
<i>B6</i>	S120030502TD	M3*5	<i>B56</i>	S120051201TD	M5*12
<i>B7</i>	S120030501TN	M3*5	<i>B57</i>	S120051202TN	M5*12
<i>B8</i>	S120030601TD	M3*6	<i>B58</i>	S120051401TN	M5*14
<i>B9</i>	S120030602TN	M3*6	<i>B59</i>	S120051501MZ	M5*15
<i>B10</i>	S120030804MZ	M3*8	<i>B60</i>	S120051502TD	M5*15
<i>B11</i>	S120030801TD	M3*8	<i>B61</i>	S120051503TN	M5*15
<i>B12</i>	S120030802TN	M3*8	<i>B62</i>	S120051601TN	M5*16
<i>B13</i>	S120031001TD	M3*10	<i>B63</i>	S120051801TN	M5*18
<i>B14</i>	S120031002TN	M3*10	<i>B64</i>	S120052001TD	M5*20

B.C

No.	Part No.	Remark	No.	Part No.	Remark
B	Hexagon Socket Head	Cap Screw	B114	S120086001TN	M8*60
B65	S120052002TN	M5*20	B115	S120087001TN	M8*70
B66	S120052201TN	M5*22	B116	S120102002TD	M10*20
B67	S120052301TN	M5*23	B117	S120102001TN	M10*20
B68	S120052501TN	M5*25	B118	S120102501TN	M10*25
B69	S120053001TN	M5*30	B119	S120103001TN	M10*30
B70	S120053503TD	M5*35	B120	S120103501TN	M10*35
B71	S120053501TN	M5*35	B121	S120104001TN	M10*40
B72	S120053502TN	M5*35 Half Threads	B122	S120123001TN	M12*30
B73	S120054001TN	M5*40	B123	S120123501TN	M12*35
B74	S120054501TN	M5*45	B124	S120081801TN	M8*18
B75	S120055001TN	M5*50	B125	S120470501TN	M2.5*5
B76	S120055002TN	M5*50 Half Threads	B126	S120052502TD	M5*25
B77	S120055501TN	M5*55	B127	S120030302TD	M3*3
B78	S120056001TN	M5*60	B128	S120051504TN	M5*15 Low Head
B79	S120056003TN	M5*60 Half Threads	B129	S120031801TD	M3*18
B80	S120060801TN	M6*8	B130	S120052801TN	M5*28
B81	S120060901TN	M6*9	B131	S120044502TN	M4*45 Half Threads
B82	S120061001TN	M6*10	B132	S120081501TD	M8*15
B83	S120061202TD	M6*12	B133	S120051802TD	M5*18
B84	S120061201TN	M6*12	B134	S120470401TN	M2.5*4
B85	S120061501TD	M6*15	B135	S120033502TN	M3*35
B86	S120061502TN	M6*15			
B87	S120061801TD	M6*18	C	Hexagon Bolt	
B88	S120061802TN	M6*18	C1	S121030601SD	M3*6
B89	S120062001TN	M6*20	C2	S121040801SD	M4*8
B90	S120062501TN	M6*25	C3	S121042501SD	M4*25
B91	S120063001TN	M6*30	C4	S121051001SD	M5*10
B92	S120063501TN	M6*35	C5	S121051502SC	M5*15
B93	S120064001TN	M6*40	C6	S121051501SD	M5*15
B94	S120064501TN	M6*45	C7	S121052001SD	M5*20
B95	S120064502TN	M6*45 Half Threads	C8	S121061501SC	M6*15
B96	S120065001TN	M6*50 Half Threads	C9	S121062501TN	M6*25
B97	S120066501TN	M6*65	C10	S121064501SD	M6*45
B98	S120067501TN	M6*75 Half Threads	C11	S121065001SC	M6*50
B99	S120068001TN	M6*80 Half Threads	C12	S121065002SD	M6*50
B100	S12006A001TN	M6*100	C13	S121065501SD	M6*55
B101	S120081201TN	M8*12	C14	S121066501SD	M6*65
B102	S120081502TN	M8*15	C15	S121067501SC	M6*75
B103	S120081503TP	M8*15	C16	S121081501TN	M8*15
B104	S120081601TN	M8*16	C17	S121081801TN	M8*18
B105	S120082001TN	M8*20	C18	S121103001TN	M10*30
B106	S120082502TN	M8*25	C19	S121103502SC	M10*35
B107	S120083001TN	M8*30	C20	S121103501TN	M10*35
B108	S120083501TN	M8*35	C21	S121104001SC	M10*40
B109	S120084001TN	M8*40	C22	S121125001TN	M12*50
B110	S120084002TN	M8*40 Half Threads	C23	S12112B001TN	M12*110
B111	S120084501TN	M8*45	C24	S121082501TN	M8*25
B112	S120084502TN	M8*45 Half Threads	C25	S121102501TN	M10*25
B113	S120085001TN	M8*50	C26	S121082202TN	M8*22

No.	Part No.	Remark	No.	Part No.	Remark
D	Round Fillister Head Screw		E23	S160030801MZ	M3*8
D1	SA43740401CL	9/64*40*4	E24	S160030803SA	M3*8
D2	SA43740501CL	9/64*40*5	E25	S160030802SD	M3*8
D3	SA43740502CN	9/64*40*5	E26	S160031001MZ	M3*10
D4	SA43740503CN	9/64*40*5	E27	S160031003SC	M3*10 Half Threads
D5	SA43740504CN	9/64*40*5	E28	S160031002SD	M3*10
D6	SA43740601CL	9/64*40*6	E29	S160031101SC	M3*11 Half Threads
D7	SA43740602CN	9/64*40*6	E30	S160031201MZ	M3*12
D8	SA43740603CL	9/64*40*6	E31	S160031202SD	M3*12
D9	SA43740604CN	9/64*40*6	E32	S160031401SA	M3*14
D10	SA43740682CN	9/64*40*6.8	E33	S160031402SD	M3*14
D11	SA43740801CL	9/64*40*8	E34	S160031501SD	M3*15
D12	SA43740802CN	9/64*40*8	E35	S160031601SD	M3*16
D13	SA43741001CN	9/64*40*10	E36	S160031801SD	M3*18
D14	SA43741201CN	9/64*40*12	E37	S160032001SD	M3*20
D15	SA43750601CN	11/64*40*6	E38	S160033001SD	M3*30
D16	SA43750652CN	11/64*40*6.5	E39	S160034001SD	M3*40 Half Threads
D17	SA43751051CN	11/64*40*10.5	E40	S160035001SD	M3*50 Half Threads
D18	SA43751201CN	11/64*40*12	E41	S160040401SD	M4*4
D19	SA43751501CN	11/64*40*15	E42	S160040501SD	M4*5
D20	SA43812451CN	9/32*28*24.5	E43	S160040601MZ	M4*6
D21	S143030501SD	M3*5	E44	S160040602SD	M4*6
			E45	S160040801SD	M4*8
			E46	S160041001SD	M4*10
			E47	S160041201SD	M4*12
			E48	S160041501SD	M4*15
			E49	S160041801SD	M4*18
E	Pan Head Screw		E50	S160043001SD	M4*30
E1	S160410141MZ	M1.4*1.4	E51	S160045001SD	M4*50
E2	S160020202MZ	M2*2	E52	S160046001SD	M4*60
E3	S160020301MZ	M2*3	E53	S160050601SD	M5*6
E4	S160020401MZ	M2*4	E54	S160050701SD	M5*7
E5	S160020801MZ	M2*8	E55	S160050801SD	M5*8
E6	S160470301MZ	M2.5*3	E56	S160051002MZ	M5*10
E7	S160470402MZ	M2.5*4	E57	S160051001SD	M5*10
E8	S160470501MZ	M2.5*5	E58	S160051201SD	M5*12
E9	S160470801MZ	M2.5*8	E59	S160053001SD	M5*12
E10	S160471301MZ	M2.5*13	E60	S160051501SD	M5*15
E11	S160471302SD	M2.5*13	E61	S160054501SD	M5*45
E12	S160480601SD	M2.6*6	E62	S160055001SD	M5*50
E13	S160030301MZ	M3*3	E63	S160056001SD	M5*60
E14	S160030302SD	M3*3	E64	S160047001SD	M4*70
E15	S160030403CD	M3*4	E65	S160480801SD	M2.6*8
E16	S160030401MZ	M3*4	E66	S160030504SC	M3*5
E17	S160030402SD	M3*4	E67	S160480602MZ	M2.6*6
E18	S160030501MZ	M3*5	E68	S160031403MZ	M3*14
E19	S160030502SD	M3*5	E69	S160042001SD	M4*20
E20	S160030601MZ	M3*6	E70	S160044501SD	M4*45
E21	S160030603SA	M3*6	E71	S160020203SD	M2*2
E22	S160030602SD	M3*6	E72	S160470502SD	M2.5*5

No.	Part No.	Remark	No.	Part No.	Remark
<i>F</i>	Countersunk Head Screw		<i>G</i>	Round Countersunk Head Screw	
<i>F1</i>	SA51741001CN	9/64*40*10	<i>G1</i>	SA53730601CL	1/8*44*6
<i>F2</i>	SA50750801CN	11/64*40*8	<i>G2</i>	SA53740301CL	9/64*40*3
<i>F3</i>	S150020601SD	M2*6	<i>G3</i>	SA53740351CL	9/64*40*3.5
<i>F4</i>	S150030401MZ	M3*4	<i>G4</i>	SA53740401CL	9/64*40*4
<i>F5</i>	S150030402SD	M3*4	<i>G5</i>	SA53740601CL	9/64*40*6
<i>F6</i>	S150030501MZ	M3*5	<i>G6</i>	SA53740701CL	9/64*40*7
<i>F7</i>	S150030502SD	M3*5	<i>G7</i>	SA53740951CL	9/64*40*9.5
<i>F8</i>	S151030601SD	M3*6	<i>G8</i>	SA53741201CL	9/64*40*12
<i>F9</i>	S150030601MZ	M3*6			
<i>F10</i>	S150030602SD	M3*6			
<i>F11</i>	S150030701SD	M3*7			
<i>F12</i>	S151030801SD	M3*8			
<i>F13</i>	S150030801MZ	M3*8			
<i>F14</i>	S150030804SC	M3*8			
<i>F15</i>	S150030802SD	M3*8			
<i>F16</i>	S150030803SN	M3*8	<i>H</i>	Truss Head Screw	
<i>F17</i>	S150031002MZ	M3*10	<i>H1</i>	SA30730701CL	1/8*44*7
<i>F18</i>	S150031001SD	M3*10	<i>H2</i>	SA30740301CL	9/64*40*3.5
<i>F19</i>	S150031201MZ	M3*12	<i>H3</i>	SA30740401CL	9/64*40*4
<i>F20</i>	S150031202SD	M3*12	<i>H4</i>	SA31740401CM	9/64*40*4
<i>F21</i>	S150031501MZ	M3*15	<i>H5</i>	SA30740601CL	9/64*40*6
<i>F22</i>	S150031601SD	M3*16	<i>H6</i>	SA30740801CL	9/64*40*8
<i>F23</i>	S150040501SD	M4*5	<i>H7</i>	S130470301MZ	M2.5*3
<i>F24</i>	S150040602MZ	M4*6	<i>H8</i>	S130470302SD	M2.5*3
<i>F25</i>	S150040601SD	M4*6	<i>H9</i>	S130470401MZ	M2.5*4
<i>F26</i>	S150040801MZ	M4*8	<i>H10</i>	S130470402SA	M2.5*4
<i>F27</i>	S150040802SD	M4*8	<i>H11</i>	S130470403SD	M2.5*4
<i>F28</i>	S150041001MZ	M4*10	<i>H12</i>	S130030301MZ	M3*3
<i>F29</i>	S150041002SD	M4*10	<i>H13</i>	S130030302SD	M3*3
<i>F30</i>	S150041201SD	M4*12	<i>H14</i>	S130030402SD	M3*4
<i>F31</i>	S150041401SD	M4*14	<i>H15</i>	S130030501MZ	M3*5
<i>F32</i>	S150041501SD	M4*15	<i>H16</i>	S130030502SD	M3*5
<i>F33</i>	S150042001SD	M4*20	<i>H17</i>	S130030601MZ	M3*6
<i>F34</i>	S150042201SD	M4*22	<i>H18</i>	S130030602SD	M3*6
<i>F35</i>	S150042501SD	M4*25	<i>H19</i>	S130030603SA	M3*6
<i>F36</i>	S150050601SD	M5*6	<i>H20</i>	S130030802SD	M3*8
<i>F37</i>	S150050801SD	M5*8	<i>H21</i>	S130030803SA	M3*8
<i>F38</i>	S150051001MZ	M5*10	<i>H22</i>	S130031001MZ	M3*10
<i>F39</i>	S150051002SD	M5*10	<i>H23</i>	S130031002SD	M3*10
<i>F40</i>	S150051201SD	M5*12	<i>H24</i>	S130032001SD	M3*20
<i>F41</i>	S150051501SD	M5*15	<i>H25</i>	S130040401MZ	M4*4
<i>F42</i>	S150053001SD	M5*30	<i>H26</i>	S130040402SD	M4*4
<i>F43</i>	S150053501SD	M5*35	<i>H27</i>	S130040501MZ	M4*5
<i>F44</i>	S150054001SD	M5*40	<i>H28</i>	S130040502SD	M4*5
<i>F45</i>	S150061502SC	M6*15	<i>H29</i>	S130040601MZ	M4*6
<i>F46</i>	S150061503SD	M6*15	<i>H30</i>	S130040602SD	M4*6
<i>F47</i>	S150063501SD	M6*35	<i>H31</i>	S130040651SD	M4*6.5
<i>F48</i>	S150081201SD	M8*12	<i>H32</i>	S130040801MZ	M4*8
<i>F49</i>	S150087001TN	M8*70	<i>H33</i>	S130040802SD	M4*8

No.	Part No.	Remark	No.	Part No.	Remark
<i>H</i>	Truss Head Screw		<i>K</i>	Slotted Set Screw	
<i>H34</i>	S130040803MZ	M4*8 JIS	<i>K1</i>	SA71730351CN	1/8*44*3.5
<i>H35</i>	S130041002MZ	M4*10	<i>K2</i>	SA71740601CN	9/64*40*6
<i>H36</i>	S130041001SD	M4*10	<i>K3</i>	SA71750251CN	11/64*40*2.5
<i>H37</i>	S130041201SD	M4*12	<i>K4</i>	SA71750351CN	11/64*40*3.5
<i>H38</i>	S130041502SD	M4*15	<i>K5</i>	SA71750401CN	11/64*40*4
<i>H39</i>	S130042001SD	M4*20	<i>K6</i>	SA71750501CN	11/64*40*5
<i>H40</i>	S130050501SD	M5*5	<i>K7</i>	SA71790501CN	15/64*28*5
<i>H41</i>	S130050602MZ	M5*6	<i>K8</i>	SA71791001CN	15/64*28*10
<i>H42</i>	S130050601SD	M5*6	<i>K9</i>	SA71791501CN	15/64*28*15
<i>H43</i>	S130050651SD	M5*6.5	<i>K10</i>	SA71791701CN	15/64*28*17
<i>H44</i>	S130050701SD	M5*7	<i>K11</i>	SA71800401CN	1/4*40*4
<i>H45</i>	S130050801MZ	M5*8	<i>K12</i>	SA71800451CN	1/4*40*4.5
<i>H46</i>	S130050802SD	M5*8	<i>K13</i>	SA71800501CN	1/4*40*5
<i>H47</i>	S130051002MZ	M5*10	<i>K14</i>	SA71800601CN	1/4*40*6
<i>H48</i>	S130051001SD	M5*10	<i>K15</i>	SA71800801CN	1/4*40*8
<i>H49</i>	S130051201MZ	M5*12	<i>K16</i>	SA71811201CN	9/32*28*12
<i>H50</i>	S130051202SD	M5*12	<i>K17</i>	S171050601TN	M5*6
<i>H51</i>	S130051501SD	M5*15			
<i>H52</i>	S130052001SD	M5*20			
<i>H53</i>	S130052502SD	M5*25			
<i>H54</i>	S130053001SD	M5*30			
<i>H55</i>	S130053501SD	M5*35			
<i>H56</i>	S130060801SD	M6*8	<i>L</i>	Hexagon Socket Head Set Screw	
<i>H57</i>	S130061001SD	M6*10	<i>L1</i>	SA70730251CN	1/8*44*2.5
<i>H58</i>	S130062201SD	M6*22	<i>L2</i>	SA70730301CN	1/8*44*3
<i>H59</i>	S130062501SD	M6*25	<i>L3</i>	SA70750901CN	11/64*28*9
<i>H60</i>	S130063501SD	M6*35	<i>L4</i>	SA70750401CN	11/64*40*4
<i>H61</i>	S130064001SD	M6*40	<i>L5</i>	SA70750601CN	11/64*40*6
<i>H62</i>	S130031501SD	M3*15	<i>L6</i>	SA70750801CN	11/64*40*8
<i>H63</i>	S130043501SD	M4*35	<i>L7</i>	SA70790401CN	15/64*28*4
<i>H64</i>	S130020201SD	M2*2	<i>L8</i>	SA70790901CN	15/64*28*9
<i>H65</i>	S130470501SD	M2.5*5	<i>L9</i>	S170470301TN	M2.5*3
<i>H66</i>	S130052002MZ	M5*20	<i>L10</i>	S170030201TN	M3*2
<i>H67</i>	S130054501SE	M5*45	<i>L11</i>	S170030301TN	M3*3
<i>H68</i>	S130050502MZ	M5*5	<i>L12</i>	S170030401TN	M3*4
<i>H69</i>	S130054001SD	M5*40	<i>L13</i>	S170030501TN	M3*5
<i>H70</i>	S130055001SD	M5*50	<i>L14</i>	S170030601TN	M3*6
			<i>L15</i>	S170030801TN	M3*8
			<i>L16</i>	S170040301TN	M4*3
			<i>L17</i>	S170040401TN	M4*4
			<i>L18</i>	S170040501TN	M4*5
<i>J</i>	Round Head Screw		<i>L19</i>	S170040601TN	M4*6
<i>J1</i>	S162020301MZ	M2*3	<i>L20</i>	S170040602TN	M4*6 Half Threads
<i>J2</i>	S162030801SD	M3*8	<i>L21</i>	S170040801TN	M4*8
<i>J3</i>	S162030802SE	M3*8	<i>L22</i>	S170041001TN	M4*10
<i>J4</i>	S162031001MZ	M3*10	<i>L23</i>	S170041201TN	M4*12
			<i>L24</i>	S170050401TN	M5*4
			<i>L25</i>	S170050501TN	M5*5
			<i>L26</i>	S170050601TN	M5*6

L.M.N.P

No.	Part No.	Remark	No.	Part No.	Remark
L	Hexagon Socket Head	Set Screw	N10	S660041001SE	M4*10
L27	S170050801TN	M5*8	N11	S660041201SE	M4*12
L28	S170051001TN	M5*10	N12	S660045501SE	M4*55
L29	S170051201TN	M5*12	N13	S660051001SE	M5*10
L30	S170051501TN	M5*15	N14	S660051201SE	M5*12
L31	S170060501TN	M6*5	N15	S660051401SE	M5*14
L32	S170060601TN	M6*6	N16	S660051801SE	M5*18
L33	S170060801TN	M6*8	N17	S660030801MZ	M3*8
L34	S170061001TN	M6*10	N18	S660030502MZ	M3*5
L35	S170061801TN	M6*18	N19	S660031502MZ	M3*15
L36	S170080801TN	M8*8			
L37	S170081001TN	M8*10			
L38	S170081501TN	M8*15			
L39	S170031001TN	M3*10			
L40	S170031201TN	M3*12			
L41	S170053001TN	M5*30	P	Nut	
L42	S170061201TN	M6*12	P1	SB10730601CN	1/8*44*6*3
			P2	SB10740601CL	9/64*40*6*2
			P3	SB10740602CN	9/64*40*6*3
			P4	SB10750602CN	11/64*40*6*2
M	Hexagon Socket Head	Button Screw	P5	SB10750603CN	11/64*40*6*3
M1	S124030401SC	M3*4	P6	SB10750701CN	11/64*40*7*3
M2	S124040601SC	M4*6	P7	SB11750701CN	11/64*40*7*3
M3	S124040802SC	M4*8	P8	S210420001XA	M1.6 Type 1
M4	S124040803SD	M4*8	P9	S210020001SD	M2 Type 1
M5	S124051001SC	M5*10	P10	S212020002SD	M2 Type 3
M6	S124051002SD	M5*10	P11	S210460002SD	M2.3 Type 1
M7	S124051501SD	M5*15	P12	S210470001MZ	M2.5 Type 1
M8	S124081201SC	M8*12	P13	S212480001SD	M2.6 Type 3
M9	S124081202SD	M8*12	P14	S210030001MZ	M3 Type 1
M10	S124081501SD	M8*15	P15	S210030002SC	M3 Type 1
M11	S124030501SC	M3*5	P16	S210030003SD	M3 Type 1
M12	S124030801SC	M3*8	P17	S215030001SD	M3 Thumbscrew Type 2
M13	S124030502TC	M3*5	P18	S212030001SC	M3 Type 3
			P19	S212030002SD	M3 Type 3
			P20	S212530001SC	M3.5 Type 3
			P21	S210040001SC	M4 Type 1
			P22	S210040002SD	M4 Type 1
			P23	S212040001SC	M4 Type 3
			P24	S212040002SD	M4 Type 3
N	Screw with Washer		P25	S217040001SD	M4 Cap
N1	S660480601SE	M2.6*6	P26	S210050001SC	M5 Type 1
N2	S660030601SE	M3*6	P27	S210050002SD	M5 Type 1
N3	S660030801SE	M3*8	P28	S212050001SC	M5 Type 3
N4	S660031001SE	M3*10	P29	S212050002SD	M5 Type 3
N5	S660031501SE	M3*15	P30	S217050001SD	M5 Cap
N6	S660031601SE	M3*16	P31	S210060001SC	M6 Type 1
N7	S660031801SE	M3*18	P32	S210060002SC	M6 Type 1 (Left)
N8	S660040601SE	M4*6	P33	S210060003SD	M6 Type 1
N9	S660040801SE	M4*8	P34	S210060004SD	M6 Type 1 (Left)

No.	Part No.	Remark	No.	Part No.	Remark
P	Nut		R26	S301051202SC	Plain M5*12*t0.8
P35	S212060001SC	M6 Type 3	R27	S301051203SD	Plain M5*12*t0.8
P36	S210080001SC	M8 Type 1	R28	S301061102SC	Plain M6*11*t1.6
P37	S210080002SD	M8 Type 1	R29	S301061151SC	Plain M6*11.5*t0.8
P38	S212080001SC	M8 Type 3	R30	S301061301SC	Plain M6*13*t1.0
P39	S212080002SD	M8 Type 3	R31	S301061302SD	Plain M6*13*t1.0
P40	S210100001SC	M10 Type 1	R32	S301061601SC	Plain M6*16*t1.0
P41	S213100002SD	M10 With Flange	R33	S301081601SD	Plain M8*16*t1.2
P42	S213100003SD	M10 With Disk Spring	R34	S301081801SC	Plain M8*18*t1.6
P43	S210120001SC	M12 Type 1	R35	S301081802SD	Plain M8*18*t1.6
P44	S212120001SC	M12 Type 3	R36	S301081803SC	Plain M8*18*t3.2
P45	S212120002SD	M12 Type 3	R37	S301082201SC	Plain M8*22*t3.2
P46	S210160001SD	M16 Type 1	R38	S301102201SC	Plain M10*22*t1.6
P47	S212160002SC	M16 Type 1	R39	S301102601SC	Plain M10*26*t3.2
P48	S212160001SD	M16 Type 3	R40	S301102602SD	Plain M10*26*t3.2
P49	S210200001SC	M20 Type 1	R41	S301122051SC	Plain M12*20.5*t2
P50	S212470001SC	M2.5 Type 3	R42	S301163201SD	Plain M16*32*t2.5
P51	SB12750701SC	11/64*7*2.2 Type 3	R43	S402020001KD	Spring M2
P52	S211040001SD	M4 Type 2	R44	S402480001KC	Spring M2.6
P53	SB12740601MZ	9/64*6*2 Type 3	R45	S402030001KC	Spring M3
P54	SB10750601CN	11/64*6*2.2	R46	S402030002KD	Spring M3
			R47	S402530001KC	Spring M3.5
			R48	S402040001KC	Spring M4
			R49	S402040002KD	Spring M4
R	Washer		R50	S402050001KC	Spring M5
R1	S301410301MZ	Plain M1.4*3*t0.3	R51	S402050002KD	Spring M5
R2	S301020351XZ	Plain M2*3.5*t0.5	R52	S402050003MZ	Spring M5
R3	S301020431SD	Plain M2*4.3*t0.3	R53	S402060001KC	Spring M6
R4	S301480501XB	Plain M2.6*5*t0.5	R54	S402060002KD	Spring M6
R5	S301480751XB	Plain M2.6*7.5*t0.5	R55	S402080001KC	Spring M8
R6	S301030602XZ	Plain M3*6*t0.3	R56	S402080002KD	Spring M8
R7	S301030603SC	Plain M3*6*t0.5	R57	S402100001KC	Spring M10
R8	S301030601SD	Plain M3*6*t0.5	R58	S402100002KD	Spring M10
R9	S301030701SD	Plain M3*7*t0.5	R59	S402120001KC	Spring M12
R10	S301030804SD	Plain M3*8*t0.3	R60	S305041101TP	Wave M4
R11	S301030805MZ	Plain M3*8*t0.5	R61	S305051001TN	Wave M5
R12	S301030801SC	Plain M3*8*t0.5	R62	S305061051TN	Wave M6
R13	S301030802SD	Plain M3*8*t0.5	R63	S304040851TP	With teeth M4
R14	S301030803SD	Plain M3*8*t1	R64	S304051001TP	With teeth M5
R15	S301040805SC	Plain M4*8*t0.5	R65	S306080001SC	Slant M8
R16	S301040802SD	Plain M4*8*t0.5	R66	S303040801SC	Disk Spring M4
R17	S301040804SC	Plain M4*8*t0.8	R67	S301040901EZ	Plain M4*9*t0.3
R18	S301040803SD	Plain M4*8*t0.8	R68	S301470252MZ	Plain M2.5*5*t0.5
R19	S301041004MZ	Plain M4*10*t0.8	R69	S301030605SD	Plain M3*6*t1.0
R20	S301041002SC	Plain M4*10*t0.8	R70	S301030604MZ	Plain M3*6*T0.5
R21	S301041003SD	Plain M4*10*t0.8	R71	S305051101TN	Wave M5
R22	S301041201SC	Plain M4*12*t1	R72	S301470253SD	Plain M2.5*5*t0.5
R23	S301051002SC	Plain M5*10*t0.8	R73	S301470251SC	Plain M2.5*5*t0.5
R24	S301051003SD	Plain M5*10*t0.8			
R25	S301051204MZ	Plain M5*12*t0.8			

1st Edition June, 2008
2nd Edition September, 2010


■ **Manufactured by:**
Tokai Industrial Sewing Machine Co., Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pre., 486-0901, Japan
Telephone:568-33-1161 Fax:568-33-1191

■ **Distributed by:**
Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan
Telephone:52-932-3444 Fax:52-932-2457

■ **Authorized Distributor:**



●Copy, reprint, or reform of a part or whole of this manual without permission is prohibited.

THE TAJIMA GROUP

<http://www.tajima.com>

Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, JAPAN
TEL.81-52-932-3811 FAX.81-52-932-3815

Tokai Industrial Sewing Machine Co.,Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, JAPAN
TEL.81-568-33-1161 FAX.81-568-33-1191